



Website : www.vmbdn.in
Email : vmprincipal2012@gmail.com, M : 7384634726
Phone No : 0342-2541208 (Day Office), 2541521 (Morning Office)
Fax No : 0342-2646916

VIVEKANANDA MAHAVIDYALAYA, BURDWAN

(GOVT. SPONSORED) □ ESTD-1964

P.O- Sripally ★ Dist- Purba Bardhaman ★ Pin-713103 ★ W.B

NAAC Re-Accredited (2nd cycle, B+ with PG in Chemistry)

No...../V.M.

Date :

From : Principal / Teacher-in-Charge & Secretary

CRITERIA 3.3.1

Number of research papers published per teacher in the Journals notified on UGC CARE list during the last five years: 2018-2023




Principal
Vivekananda Mahavidyalaya
Burdwan



Website : www.vmbdn.in
Email : vmprincipal2012@gmail.com, M : 7384634726
Phone No : 0342-2541208 (Day Office), 2541521 (Morning Office)
Fax No : 0342-2646916

VIVEKANANDA MAHAVIDYALAYA, BURDWAN

(GOVT. SPONSORED) □ ESTD-1964

P.O- Sripally ★ Dist- Purba Bardhaman ★ Pin-713103 ★ W.B

NAAC Re-Accredited (2nd cycle, B+ with PG in Chemistry)

No...../V.M.

Date :

From : Principal / Teacher-in-Charge & Secretary

List of research papers published during the session 2018-2019

Sl.No.	Title of paper	Name of the author/s	Department of the teacher	Name of the Journal	Calendar Year of publication	ISSN number	Link to the recognition in UGC enlistment of the Journal	
							Link to website of the Journal	Link to article / paper / abstract of the article
1	Desmids diversity of Bankura District, West Bengal	Prasanta Mallick	Botany	Wesleyan Journal of Research	2019	ISSN: 0975-1386	http://www.wesleyanjournal.in/Wesleyan_Journal/Uploads/Contain/WJ-Vol%2012%20(JUNE,2019)%20SCIENCE	http://www.wesleyanjournal.in/Wesleyan_Journal/Uploads/Contain/WJ-Vol%2012%20(JUNE,2019)%20SCIENCE
2	Habitat Diversity of the Genus Physolinum Printz, Burdwan, West Bengal, (India)	Prasanta Mallick	Botany	Journal of Acharaya Narendra Dev Research Institute,	2019	ISSN: 0976-3287	https://andjournalin.files.wordpress.com/2019/11/2019a_15.pdf	https://andjournalin.files.wordpress.com/2019/11/2019a_15.pdf
3	Facile production of crystalline silver nanoemulsion using aqueous extracts of putranjiva (<i>drypetes Roxburgii</i>): synthetic protocol optimization through precursor, extract concentration and temperature variation study	B. Haldar, K. M. Haldar	Chemistry	Journal of Emerging Technologies and Innovative Research	2019	ISSN: 2349-5162	https://www.ietir.org/papers/JETIR1905832.pdf	https://www.ietir.org/papers/JETIR1905832.pdf
4	Water soluble gold-polyaniline nanocomposite: A substrate for surface enhanced Raman scattering and catalyst for dye degradation	Palash Mondal, Chengchen Guo and Jeffery L. Yarger	Chemistry	Arabian Journal of Chemistry	2019	SN: 1878-535	https://doi.org/10.1016/j.arabic.2019.05.004	https://doi.org/10.1016/j.arabic.2019.05.004
5	Hansuli Banker Upakatha in the context of literary geographic study	Ananta Gope	Geography	GeoJournal	2019	ISSN: 0343-2521	https://doi.org/10.1007/s10708-019-09975-3	https://doi.org/10.1007/s10708-019-09975-3
6	Evaluation of Online Learning Repositories: A Comparative Study	Uttam Kumar Hazra and Rajesh Das	Library	DESIDOC journal of Library and & Information Technology	2018	ISSN: 09740643, 09764658	https://doi.org/10.14429/djlit.38.4.12711	https://doi.org/10.14429/djlit.38.4.12711
7	An Assessment of Educational Resources through ERIC, CORE, PDF drive and Project Gutenberg	Rajesh Das and Uttam Kumar Hazra,	Library	Library Philosophy and Practice	2019	ISSN: 1522-0222	https://digitalcommons.unl.edu/libphilprac/2181/	https://digitalcommons.unl.edu/libphilprac/2181/




Principal
Vivekananda Mahavidyalaya
Burdwan



Website : www.vmbdn.in
Email : vmprincipal2012@gmail.com, M : 7384634726
Phone No : 0342-2541208 (Day Office), 2541521 (Morning Office)
Fax No : 0342-2646916

VIVEKANANDA MAHAVIDYALAYA, BURDWAN

(GOVT. SPONSORED) □ ESTD-1964

P.O- Sripally ★ Dist- Purba Bardhaman ★ Pin-713103 ★ W.B

NAAC Re-Accredited (2nd cycle, B+ with PG in Chemistry)

No...../V.M.

Date :

From : Principal / Teacher-in-Charge & Secretary

8	Stability of thin liquid film flowing down a rotating horizontal or inclined plane by momentum-integral method	Anandamoy Mukhopadhyay, Souradip Chattopadhyay, Amlan	Mathematics	European Journal of Mechanics – B/Fluids	2019	ISSN: 9977546	https://doi.org/10.1016/j.euromechflu.2018.12.002	https://doi.org/10.1016/j.euromechflu.2018.12.002
9	Stabilization of ZrO ₂ matrix: Revisiting the 'archaic' issue with a peculiar example	K. Kumar, H. Dutta, S.K. Pradhan, A. Chowdhury	Physics	Scripta Materialia	2019	ISSN: 1359-6462	https://doi.org/10.1016/j.scriptamat.2018.12.001	https://doi.org/10.1016/j.scriptamat.2018.12.001
10	Microstructure characterization of mechanosynthesized CeO ₂ stabilized nanocrystalline ZrO ₂	Hema Dutta	Physics	International Journal of Research in Advent Technology	2018	ISSN: 2321-9637 (online)	https://ijrat.org/downloads/Vol-6/september-2018/Paper%20ID-69201894.pdf	https://ijrat.org/downloads/Vol-6/september-2018/Paper%20ID-69201894.pdf
11	Decentralized Administration in Disguise of Centralized Finance: A hindrance for integrated Rural development	Amit Kumar Ash	Political Science	Nabyasrote	2018	ISSN: 2249-8133	N.A	N.A
12	Dose dependent Pupicidal, Adulticidal and Ovicidal activities of leaf extracts of Tiliacora acuminata on Japanese encephalitis vector Culex tritaeniorhynchus	Someshwar Singha	Zoology	Journal of Advance Laboratory Research in Biology	2019	ISSN: 0976-7614 (Online)	https://e-journal.sospublication.co.in/	https://e-journal.sospublication.co.in/
13	Rohinga Atmaparichoy sankat o Rohinga Samasya Nirosona Bharoter Bhumika	SK Asif Iqbal	History	Pratidhwani the Echo	2019	ISSN: 2278-5264 (Online); ISSN: 2321-9319 (Print)	https://www.thecho.in/volume-vii-issue-iv-april-2019.html	https://www.thecho.in/volume-vii-issue-iv-april-2019.html
14	Bardhaman Jelar Colliery Shramik Sangram: Ekti Parjalochana	Sanjiban Mahaldar	History	Pratidhwani the Echo	2019	ISSN: 2321-9319	https://www.thecho.in/volume-vii-issue-iii-january-2019.html	https://www.thecho.in/volume-vii-issue-iii-january-2019.html
15	Domesticating Fantasy: A study of Dilemma in Sam Ramimi's Spider Man	Subham Hazra	English	Literary Endeavour	2019	ISSN: 0976-299X	N.A	N.A




Principal
Vivekananda Mahavidyalaya
Burdwan

Desmids Diversity of Bankura District, West Bengal

Prasanta Mallick

Vivekananda Mahavidyalaya, Sripally-713103, Purba Bardhaman, West Bengal

Abstract : Present study was carried out to explore the diversity of desmid taxa in Bankura district. During the study, 21 taxa of desmids belonging to different groups namely saccoderm desmids and pacoderm desmids were recorded.

Keywords : Desmid diversity, Pacoderm desmids, Saccoderm desmids.

Corresponding author : Prasanta Mallick, Email id : : prasantamallickbu@gmail.com

Desmids have cosmopolitan distribution which ranges from Tropical to Alpine region. Single cell desmids plays a crucial role in every aquatic ecosystem and contributing to the food supply involving nutrient cycling. Desmids are usually single cell, although some are multicellular. It's micro-morphology and existence gives us a clue in respective niche[1]. The report on desmid flora of Bankura district are scanty[2,3]. Present study was carried out to explore the diversity of this particular algae in Bankura.

Total 21 taxa have been recorded in the present study. These are *Gonatozygonpilosum* Wolle, *Closteriumsetaceum* Ehrenberg, *Haplotaeniumminusum* (Ralfs.) Bando, *Desmodiumbengalicum* Turner, *Micrasteriaslaticeps* Nordstedt, *Micrasteriasfoliacea* Bailey, *Cosmariumpseudotaxichondrum* Nordstedt, *Euastrumspinulosum* West & West, *Micrasteriaspinnatifida* (Kutz.) Ralfs, *Pleurotaeniumehrenbergii* (Bréb.) De Bary, *Teilingiagranulata* (Roy et Biss.) Bourrelly, *Micrasteriastropica* Nordstedt, *Xanthidiumhastiferum* Turner, *Arthrodesmusquiriferus* West et West, *Hyalothecadissiliens* (Smith) Brébisson ex Ralfs, *Groenbladiaundulata* (Nordstedt) Forster, *Spondylosiumjavanicum* (Gutw.) Grönblad, *Onychonemalaeve* Nordstedt, *Mesotaeniumchlamydosporum* de Bary, *Triplastrumspinulosum* (Kisselev) Gauth-liév and *Netriumdigitus* (Ehrenberg) Itzigson et Rothe (Plate -1). Study of such significant algal group is not yet done in this particular area. Desmids are not only the primary producer of the ecosystem, moreover it indicates some environmental issues which is more helpful for restoring the ecosystem. So, more emphasis is necessary for the study of such algal group for long term environmental restoration.

References

- [1] W. B. Turner, The freshwater algae of East India, K. Sv. Vetensk Acad. Handl, 1892.
- [2] P. Mallick, and J. P. Keshri, Rediscovery of *Triplastrumiyengar* & Ramanathan a rare men of desmidiaceae (Zygnematales; Chlorophyta) from West Bengal, Proc. National Symposium on Recent Trends in algal Biology and Biotechnology Patiala. pp. 49-50, 2004.
- [3] P. Mallick, and J. P. Keshri, New Record of the Species *Triplaceras* Bailey (Desmidiaceae, Chlorophyta) from West Bengal, India, International. Jr. Plant Sci., Vol.4, No. 2, pp.652-653,2008.

PLATE - I

(Legend to the plate)

Fig. 1. *Gonatozygonpilosum* Wolle

Fig. 2. *Closteriumsetaceum* Ehrenberg

Fig. 6. *Micrasteriasfoliacea* Bailey

Fig. 3. *Haplotaeniumminusum* (Ralfs.) Bando

Fig. 4. *Desmodiumbengalicum* Turner

Fig. 5. *Micrasteriaslaticeps* Nordstedt

Fig. 14. *Arthrodesmusquiriferus* West et West

Habitat Diversity of the Genus *Physolinum* Printz, Burdwan, West Bengal (India)

Prasanta Mallick *

Abstract

Habitat is the very important aspect of all living creatures, starts from animals to plants and from cryptogams to phanerogams. Algae are the very promising biological organism in all ecosystem especially in marine or fresh water habitat but also even in terrestrial -sub aerial habitat. Terrestrial habitat is basically depend upon some basic component like minerals nutrients, organic matter, water and air by different composition and sub aerial habitats depend upon the existing substratum. The present communication deals with four different form of genus *Physolinum* Printz. Taxa has great diversity in their habitats and also their morphological character, pigment composition and growth pattern. Habitat diversity is not yet reported from this area.

Key words : *Physolinum*, Habitat Diversity, Burdwan

Introduction

Habitat diversity and its ecological significance starts from the nineteenth century Hariot (1889), Printz (1920) Brook (1981). Great contribution had been done by the sub aerial and others divers habitats by Thompson and Wujek (1997), Neustupa (2005) and Rindi et al (2006). Significant effort were carried out in subtropical and temperate forest by Handa and Nakano (1998), Mikhailyuk (1999), Kharkongor and Ramanujam (2014). In Indian context very little bit work have been done by few workers in different states Bruhl and Biswas (1923), Panikkar and Sindhu (1993), Chandra and Krishnamurthy (2000) and Saharia (2005). The district Bardhaman is a transitional zone between the Bihar plateau, which constitutes a portion of peninsular shield in the west and the Ganga-Brahmaputra alluvial plain in the north and east Towards south, the alluvial plain merges with the Kasi-Subarnarekha-Baitarani deltaic plains. This district lies mainly between the Ajoy, the Bhagirathi and the Damodar rivers. It is bounded on the north by the districts of Santal Pargonas, Birbhum and Murshidabad, on the east by Nadia, on the south by Hooghly, Bankura and Purulia and on the west by Dhanbad (Bihar). Geographically the district is located between north latitude 22°56' to 23° 53' and east longitude 86° 48' to 88° 25'. The present area of the district is 7001.4 sq km. Climate condition of the district is warm and humid. The genus *Physolinum* is the most common sub-aerial alga in both tropical and temperate climate., I have been collected this taxa from cementing rock and bark of the tree. Both habitats having different colour composition in different time of the season, In early winter the colour of the alga is green but in mid winter the colour would change into orange red. Cellular composition and size variants is also good observation in this study.

Material and Method

The specimens were collected from different sub aerial habitats of Burdwan district of west Bengal. Specimens were preserved in 4% formalin; pH, temperature and details ecological notes were recorded simultaneously. Photography were made using GWF (Bando 1988) as mountant from both preserved and live specimens. Microphotograph were taken by Leica DM 1000 with EC 4 camera. Standard literature are consulted for this purpose, Fritsch (1935), Smith (1950), and Wehr and Sheath (2003).

Results and Discussion

Tree bark and cementing wall is the very common place for the growth of the subaerial plant. Tree

* Asstt. Professor, Vivekananda Mahavidyalaya, The University of Burdwan, Sripally, Burdwan (E) -713103, West Bengal, India

FACILE PRODUCTION OF CRYSTALLINE SILVER NANOEMULSION USING AQUEOUS EXTRACTS OF PUTRANJIVA (*DRYPETES ROXBURGII*): SYNTHETIC PROTOCOL OPTIMIZATION THROUGH PRECURSOR, EXTRACT CONCENTRATION AND TEMPERATURE VARIATION STUDY

¹Basudeb Haldar, ²Koyel Mallick Haldar

¹Assistant Professor, ²Guest Lecturer

¹Department of Chemistry,

¹Vivekananda Mahavidyalaya Burdwan, Sripally, Purba Bardhaman, West Bengal, India, Pin – 713103

Abstract : Emulsions of Silver nanoparticles (Ag NPs) were synthesized using a facile, single step, and completely green biosynthetic method employing aqueous leaf and fruit extracts of Putranjiva (*Drypetes roxburgii*) as both the reducing as well as capping agent. The kinetics of nanoparticle formation was also monitored by Ultraviolet–Visible (UV–Vis) spectrophotometric study. Aqueous leaf extract of Putranjiva can reduce silver ions more rapidly than aqueous fruit extract, leading to the formation of highly crystalline nanoemulsion of silver. With varying synthetic conditions like extract concentrations or precursor concentrations, the shape and sizes of the Ag NPs varies. The morphology and crystalline phase of the NPs were determined from High Resolution Transmission Electron Microscopy (HR-TEM), Energy Dispersive X-ray (EDX) analysis, X-ray Diffraction (XRD) analyses. The various phytochemicals present within the Putranjiva plant parts result in effective reduction of silver precursor to nanocrystal. In addition to that, the chemical frameworks of these biogenic molecules are also effective at wrapping around the NPs to provide excellent robustness against agglomeration. Fourier Transform Infra-Red spectroscopic (FTIR) analysis was performed to gather information about the chemical framework. A rigorous study has been performed for procedure optimization by varying different parameters to get most effective stable nanoparticle synthetic protocol.

Index Terms : Silver nanoemulsion, Biogenic synthesis, Putranjiva, Protocol optimization

I. INTRODUCTION

A variety of devices and structures generally ranging from 1 to 100 nm are designated as nanomaterials, those have offered exceptional chemical, optical, magnetic, photoelectrochemical and electronic properties distinctly different from bulk structures (Campbell et.al. 2002, Jain et. al. 2007). The nanoparticles (NP) of noble metals are found to have potential applications in various fields like sensor technology (Nouailhat 2008, Ren et.al. 2005), optical devices (Kamat 2002), catalysis (Liu and Croma 2018), biological labeling (Agasti et.al. 2010), drug delivery system [Liu et.al 2016], and treatment of some cancers (Aslan et. al. 2013, Benelli 2016). Hence, noble metal nanomaterials are at the leading edge of the rapidly developing field of nanotechnology. The sizes, crystal structures, controlled monodispersity and stabilization are the critical factors for specific properties of nanoparticles [Rao et.al. 2002]. Numerous chemical and physical methodologies have been formulated in the recent past, to synthesize noble metal and several other nanostructured materials [Cushing et. al. 2004, Sun et. al. 2002].

An enormously grown interest on this area has led to considerable concern about some of those established synthetic methods. With the development of newer chemical methods, the concern for environmental contaminations is also heightened besides the laborious and expensive chemical procedures those also generate a large amount of hazardous byproducts. This in turn can cause contamination of the nanoparticle surface, leading to adverse effects in medical applications [Shankar et. al. 2004]. On the other hand, physical synthetic methods are problematic due to the enormous consumption of energy required to maintain the high temperature and pressure conditions needed, that restrict the usefulness of these methods too. Thus, a steady need for effective green synthetic protocol has been generated for a clean, environmentally benign but facile method of nanoparticle synthesis.

For green synthesis, the principles include the use of less toxic precursors to prepare nanomaterials; the use of water as a solvent where possible; using the least number of reagents and as few synthetic steps as possible; reducing the amount of by-products and waste; and using a reaction temperature close to room temperature. As a fruitful alternative to the conventional methods, biological methods using sources ranging from unicellular organisms to higher plants fulfill almost all the requisite conditions and are considered safe and ecologically sound for the nanomaterial fabrication [Murphy, 2008]. The contemporary challenge is to find out desired ingredients from efficient biogenic sources and the suitable conditions for tailored nanomaterial synthesis.



ORIGINAL ARTICLE

Water soluble gold-polyaniline nanocomposite: A substrate for surface enhanced Raman scattering and catalyst for dye degradation



Palash Mondal^{a,b,*}, Chengchen Guo^a, Jeffery L. Yarger^a

^a School of Molecular Sciences, Magnetic Resonance Research Centre, Arizona State University, Tempe, AZ 85287-1604, USA

^b Department of Chemistry (UG & PG), Vivekananda Mahavidyalaya, Purba Bardhaman, West Bengal 713103, India

Received 30 March 2019; accepted 22 May 2019

Available online 29 May 2019

KEYWORDS

Gold nanoparticle-polyaniline nanocomposite; Cetyltrimethylammonium bromide; Surface enhanced Raman scattering; Catalytic activity; Organic dye

Abstract In this work, a water-soluble gold nanoparticle-encapsulated polyaniline nanocomposite (AuNP-PANI) was prepared in the presence of an ionic surfactant such as cetyltrimethylammonium bromide (CTAB) using versatile two steps method. The prepared nanoparticles (AuNPs) were characterized by UV–Visible spectroscopy, Transmission Electron Microscope (TEM) and Dynamic Light Scattering (DLS). The nanocomposite (AuNP-PANI) were initially characterized using UV–Visible spectroscopy, Transmission Electron Microscope (TEM), Scanning Transmission Electron Microscope (STEM) and DLS. The structure and composition of AuNP-PANI further characterized using Fourier Transmission Infrared Spectroscopy (FTIR), X-ray diffraction study (XRD), Energy Dispersive X-ray Spectroscopy (EDS) and Thermogravimetric analysis (TGA). Electrochemical properties of AuNP-PANI were studied using Cyclic Voltammetry (CV). The prepared nanocomposite exhibited good surface enhanced Raman scattering (SERS) of 4-amino thiophenol (4-ATP) and 4- (dimethyl amino) pyridine (4-DMAP) for which the enhancement factor (EF) were found to be 1.95×10^5 and 2.016×10^5 , respectively. The nanocomposite also showed excellent catalytic activity for the chemical degradation of Congo red (CR) and methylene blue (MB) as evidenced from the calculated rate constants which were determined to be 0.30 s^{-1} and 0.33 s^{-1} , respectively.

© 2019 Production and hosting by Elsevier B.V. on behalf of King Saud University. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

* Corresponding author at: Department of Chemistry (UG & PG), Vivekananda Mahavidyalaya, Purba Bardhaman, West Bengal 713103, India.

E-mail address: polchemvb2005@gmail.com (P. Mondal).

Peer review under responsibility of King Saud University.



Production and hosting by Elsevier

1. Introduction

Multifunctional metal nanoparticles such as gold (Bogdanović et al., 2014; Cui et al., 2012), copper (Bogdanović et al., 2015), silver (Blinova et al., 2009), palladium (Mullane et al., 2004), platinum (Islam et al., 2011) and nickel (Zhang et al., 2015) as well as graphene oxide (Zeng et al., 2018) have been recently reported to combined with polyaniline (PANI) to obtain new



Hansuli Banker Upakatha in the context of literary geographic study

Ananta Gope

Published online: 5 February 2019
© Springer Nature B.V. 2019

Abstract Bengali regional novelist Tarashankar Bandopadhyay is known as the artist of rural Bengal. In almost all the novels, he wanted to depict the spirit of place, the nature of landscape, the conflict between traditional and modern way of life and livelihood processes of people in the *Rarh* region. His works form an excellent resource base to provide an authentic and indispensable source of human experience of place for reconstructing the region in a specific time frame. The novel *Hansuli Banker Upakatha* not only provides the source of knowledge of a particular place and community to the geographers, but also reflects the underlying social structure, individual experience of the members of the community, cultural values, social stigma, ethnic identity crisis, landscape of a community based society genuinely and scientifically from the perspective of a writer. This article examines *Hansuli Banker Upakatha*—the river-based Bengali novel in order to explain a servile community's sense of place, territorial consciousness and ethno-cultural particularities, the causes and ultimate consequences of radical change and perils of their community culture through the lens of a novelist. Besides, I have argued that it is essential for the geographers to explore further links between texts and geography to assess the real image of place, people, culture and landscape.

Keywords Community · Environment · Literary geography · River-based novel · Sense of place

Introduction

Geographers use written texts to analyze complex nature of human–environment inter-relationship in a subjective way. These have gained considerable attention in the last 50 years. Humanistic approach in geography established a new insight for the development of geographical studies of literature. In this approach, texts are considered as data source for subjective analysis of place, people and landscape. Within the broad realm of geographical studies of literature, the writings of the novelists are of particular interest to the geographers in pursuit of exploring the subjective dimensions of place. The author's heightened gifts of perception explored the artistic descriptions of landscape, personalities of place and the relation of society with nature to achieve a regional synthesis in a more realistic way. *Hansuli Banker Upakatha* is a river-based¹ regional novel of

A. Gope (✉)
Vivekananda Mahavidyalaya, Burdwan, West Bengal,
India
e-mail: anantagopegeo@gmail.com

¹ *River-based Novel* A river is essential in the theme of a river-based novel but it may not be essential in the livelihood of people. A river leaves her impact in entire life of people which is elegant, sacred and virtuous to sustain lifeline in hereditary way. This life line is a universal one but it may be a community life or not.

Evaluation of Online Learning Repositories: A Comparative Study

Uttam Kumar Hazra[#] and Rajesh Das^{§,*}

[#]*Vivekananda Mahavidyalaya, Burdwan-713103, West Bengal, India*

[§]*The University of Burdwan, Burdwan-713104, West Bengal, India*

^{*}*E-mail: rajeshdas99@gmail.com*

ABSTRACT

Many online learning repositories available around the world. This paper provides a comparative analysis among selected online learning repositories (eGyankosh, ePG pathshala, MIT resources and Sodhganga) for learning resources. The comparative study is based on some analytical parameters, like generic, content related, retrieval related, post processing, interface related, etc. The collected data have been analysed on the basis of parameters. The results have been displayed through different types of diagrams like multiple bar diagrams, pie diagram, etc. It was found that none of the selected online learning repositories achieved the full score. And also found that Sodhganga ranked the highest position among them.

Keywords: Online learning repositories; Electronic information; Digital reference sources; Information explosion

1. INTRODUCTION

There are various types of online learning resources available on the Internet. Use of electronic information has increased with the rapid advancement of internet and its related technologies. Now internet is an effective communication medium enabling collaboration and interaction between individuals and their computers regardless of their geographical barrier. The development of the world wide web has led to tremendous growth in the quantity of all types of publications. Presently the web is a reliable and effective mechanism for dissemination of information. The web has surrounded a variety of information resources, such as, electronic journals (e-journals), educational materials, technical reports, library catalogues (OPAC), databases, career sources, information on organisations, associations and many more¹.

To keep pace with the rapid growth of information, libraries are re-innovating themselves. They must provide well equipped environment for information seekers with many options, time saving by use of different types of Information and communication technology. While most of the libraries are trying to publish their digital resources on web very fast, they are also taking steps to make their online learning repositories and reference services available digitally. Few digital reference services incorporate e-mails, instant messaging (online chat), and telephone have been in use for decades, while other services such as text messaging and video conferencing are emerged in the last decade².

Digital reference service is considered as an online reference service for library patrons to query reference information on library's website. Unlike traditional reference,

digital reference service allows patrons to submit questions and receive answer via the internet or other electronic means³. Therefore, the digital reference sources should be strong in nature to render services to the tech-savvy users.

Online learning repositories are one of the method of digital reference sources for learning resources. Some of major online learning repositories studied here are eGyankosh, JISC resources, MIT resources, CEC UGC resources ePG Pathshala, Sodhganga⁴.

2. LITERATURE REVIEW

Singh⁵ studied the comparative digital reference services of north Indian academic libraries. The various models of providing digital reference services such as email, "Ask questions", video conferencing, digital robots, online chat reference and collaborative digital reference were discussed in his research. He also discussed the strength and weakness of existing reference service being provided by the university libraries. To complete the research he used the observation method of study to explore the websites of the above universities. An evaluation criteria was used to collect the relevant data and the collected data were tabulated, analysed and interpreted to compare the present digital reference service of the above selected universities.

Kumah⁶ compared the use of Internet and library of graduate students in the University of Ghana. A convenient sampling technique was used to select the sample for the study. 93.3 per cent of the respondents answered positive regarding their use of library; 98.8 per cent of the respondents use Internet; and lastly Other source of information used by the graduate students which includes media, interaction with experts, etc. It was found in his study that 72 per cent of the

University of Nebraska - Lincoln

DigitalCommons@University of Nebraska - Lincoln

Library Philosophy and Practice (e-journal)

Libraries at University of Nebraska-Lincoln

April 2019

An Assessment of Educational Resources through ERIC, CORE, PDFdrive and Project Gutenberg

Rajesh Das

The University of Burdwan, rajeshdas99@gmail.com

Uttam Kumar Hazra Mr.

Vivekananda Mahavidyalaya, Burdwan-713103, West Bengal, India, uttamlib@gmail.com

Follow this and additional works at: <https://digitalcommons.unl.edu/libphilprac>

Part of the [Library and Information Science Commons](#)

Das, Rajesh and Hazra, Uttam Kumar Mr., "An Assessment of Educational Resources through ERIC, CORE, PDFdrive and Project Gutenberg" (2019). *Library Philosophy and Practice (e-journal)*. 2181.

<https://digitalcommons.unl.edu/libphilprac/2181>

An Assessment of Educational Resources through ERIC, CORE, PDFdrive and Project Gutenberg

Dr. Rajesh Das, Assistant Professor, The University of Burdwan, Burdwan-713104, West Bengal, India
and

Uttam Kumar Hazra, Librarian, Vivekananda Mahavidyalaya, Burdwan-713103, West Bengal, India

Abstract

There are so many databases in the world for retrieval of information from e-resources. This research paper analyses ERIC, CORE, PDF Drive and Project Gutenberg for retrieval of e-resources. Here everything was analyzed on the basis of some observation and collected data were tabulated for analysis. This paper includes brief description about ERIC, CORE, PDF Drive and Project Gutenberg and screenshots of normal search, advanced search and use of fuzzy logic. This research reflects that none of the databases under study achieved full score found that ERIC ranked the first position.

Keywords: Educational resources; ERIC; CORE; PDFdrive; Project Gutenberg

1. Introduction

We are living in the information age now. The 21st Century is the time of information explosion and our life is very fast. Each and everyone wants to get anything he requires without sparing time or in some cases by spending a little time. At present most of the work can be done through online. Searching and retrieval of document (Information) is not the exception.

Any type of document may be treated as information source as the document gives the information. It is a record of human knowledge, observation and thoughts available in many forms and formats. It has two components, such as conduit and content. Conduit is the physical facilities used for gathering, storing, processing and disseminating information where as Content is the information sources and elements (Mukhopadhyay, 2013).

With the advent of Information Communication Technology (ICT) and also the World Wide Web (www), maximum of the information are available by a single click, i.e. by online search (In which process interactive searching and retrieval of requested information is available via computer from online database, is called Online Search) (Wiki, 2018).

My study based on the following four online databases which provides electronic resources freely to the users:



Stability of thin liquid film flowing down a rotating horizontal or inclined plane by momentum-integral method



Anandamoy Mukhopadhyay^{a,*}, Souradip Chattopadhyay^b, Amlan K. Barua^b

^a Department of Mathematics, Vivekananda Mahavidyalaya (The University of Burdwan), West Bengal 713103, India

^b Department of Mathematics, Indian Institute of Technology Dharwad, Karnataka 580011, India

HIGHLIGHTS

- Coriolis force stabilizes the flow field.
- Linear unstable zone depends on the angle of propagation.
- Linear unstable zone depends on the inclination angle.
- Centrifugal force stabilize/destabilize the flow field.
- Unstable zone depends on the Reynolds number.

ARTICLE INFO

Article history:

Received 13 June 2018

Received in revised form 15 November 2018

Accepted 13 December 2018

Available online 5 January 2019

Keywords:

Stability

Thin film

Rotating inclined/horizontal plane

Momentum-integral method

ABSTRACT

In this study we investigate the linear as well as the weakly nonlinear stability of a thin liquid film flowing down a rotating horizontal or inclined plane. The analysis is carried out using the momentum-integral method, which is valid for small as well as large Reynolds number (Re). A single free surface equation is obtained considering self-similar velocity profiles for specific ranges of flow parameters. Considering sinusoidal perturbation of the free surface and taking into consideration the linear terms from the free surface equation we obtain the linear phase speed along x -direction (c_x) and the critical wave number (k_c). It is found that the linear phase speed decreases with the increasing value of the parameter G which is directly proportional to the square root of the Coriolis force, the angle of propagation of the wave (ϕ) and the angle of inclination (θ) of the inclined plane but it increases with the increasing value of Taylor number (Ta). The study also points out the variation of the region of instability with the variation of G , ϕ , θ , Re and Ta . It is found that as G increases, the region of instability decreases, which reflects the stabilizing role of Coriolis force. It is observed that as the angle of propagation of the wave ϕ increases from 0 to 0.6725, the unstable region decreases but increases if ϕ varies from 0.6725 to 2.2, thereafter again decreases up to $\phi = \pi$. Also it is shown that for $\phi = 0$, the region of instability decreases as θ increases but the situation becomes reverse if $\phi = \frac{\pi}{4}$. The Taylor number Ta plays a double role. For $\phi = 0$, $\frac{\pi}{4}$, the linear unstable zone increases as Ta increases but for $\phi = \frac{\pi}{4}$, the situation reverses. Also it is found that the region of instability always decreases for the variation of small as well as moderate Reynolds number, up to a critical value of the propagation angle (ϕ_c). But for small values of Re when $\phi > \phi_c$, the unstable region first decreases up to a critical value of Re , then again increases up to another critical value of Re and ultimately decreases for moderate values of Re . Weakly nonlinear stability analysis reveals the dependence of J_2 in the Landau's equation and imaginary part of the complex frequency ω_i on the variation of the Coriolis and centrifugal forces. Both the forces ensure the existence of supercritical and unconditional stable zones. The nonlinear study confirms the stabilizing role of the Coriolis force and the destabilizing role of the centrifugal force as obtained in the linear stability analysis. We also obtained that in the supercritical stable zone the threshold amplitude decreases (increases) as the Coriolis force (centrifugal force) increases. Finally we find that the nonlinear phase speed decreases with the increase of the Coriolis force but increases with the small increment of the centrifugal force.

© 2019 Elsevier Masson SAS. All rights reserved.

1. Introduction

Instability of thin liquid film down a rotating inclined plane is one of the most important instability phenomena both from the

* Corresponding author.

E-mail addresses: ananda235@gmail.com (A. Mukhopadhyay),

183111001@iitdh.ac.in (S. Chattopadhyay), abarua@iitdh.ac.in (A.K. Barua).



Stabilization of ZrO₂ matrix: Revisiting the ‘archaic’ issue with a peculiar example

Kundan Kumar^{a,1}, Hema Dutta^{b,1}, Swapan Kumar Pradhan^{c,*}, Anirban Chowdhury^{a,*}

^a Metallurgical and Materials Engineering, Indian Institute of Technology Patna, Bihta, Bihar 801103, India

^b Department of Physics, Vivekananda College, Burdwan, West Bengal 713103, India

^c Materials Science Division, Department of Physics, The University of Burdwan, Golapbag, Burdwan, West Bengal 713104, India

ARTICLE INFO

Article history:

Received 17 October 2018

Accepted 1 December 2018

Available online xxxx

Keywords:

ZrO₂

Stabilization mechanism

Doping

X-ray diffraction

Rietveld analysis

ABSTRACT

Theories/mechanisms involving stabilization pathways for zirconia systems involve conflicting arguments. The present work explains why the oxygen vacancy factor should not be treated as the ‘universal’ mechanism always; the role of the dopant metal cation also needs a renewed attention. Our studies on Zn²⁺-doped ZrO₂ system finds that an easy (and fast) transformation to monoclinic phase is noted due to the instabilities of O–O bond lengths (2.67 Å and 2.59 Å) in the horizontal and vertical planes of the ZrO₆ octahedra, thereby, triggering a prompt conversion of an otherwise stable (cubic/tetragonal) ZrO₂ to monoclinic within a narrow temperature window (500–750 °C).

© 2018 Acta Materialia Inc. Published by Elsevier Ltd. All rights reserved.

Zirconia, one of the most studied engineering materials for last few decades, earned the name of “ceramic steel” [1,2] due to the similarity of Young’s modulus values (~200 GPa; between ZrO₂ and steel); thus making it an extremely popular material in materials community. The potential applicability of ZrO₂ for structural and functional applications makes the system relevant in various fields like fuel cells, tribological, dental applications etc. [2–4]. The cubic and tetragonal forms of ZrO₂ have been made stable at room temperature by doping with some other oxides, e.g., CaO, MgO, Y₂O₃, CeO₂, Gd₂O₃ etc. [5,6]. It has been reported that in the monoclinic phase ‘Zr’ atoms favors a seven fold coordination while eight fold coordination is preferred for the cases of dopant-stabilized tetragonal and cubic phase [7]. Although a variety of dopants have been tried for stabilizing the zirconia system, Zn²⁺ does not find much attention as of now. Also, the ionic radii for Zr⁴⁺ (0.84 Å) and Zn²⁺ (0.9 Å) ions are close to each other for eight-fold coordination. So, the incorporation of Zn²⁺ ions into ZrO₂ lattice, in principle, should also lead to a stable system and may possess some special property/features.

Most of the reports published on ZnO doped ZrO₂ systems have focused mainly in the field of catalysis and have shown heterogeneous phase mixture [8,9]; i.e., the respective unary members (i.e., ZnO and ZrO₂) retained individual identity. Our approach of present work aims at explaining such phenomena, i.e., the importance of the role of the

dopant metal cation in stabilizing a zirconia matrix. In the present work, ZnO doped ZrO₂ systems (ZZO) varying Zn/Zr molar ratios via co-precipitation route have been prepared to study the role of Zn²⁺ in stabilizing the zirconia matrix. The observations in our previous work [10] were unique in this context; no other dopant/s (e.g., Y₂O₃, MgO, CaO etc.) used for stabilizing ZrO₂ structure has depicted similar behavior before. A ZnO-stabilized ZrO₂ matrix that crystallizes at 500 °C (in a pseudo-cubic form) and becomes unstable beyond 700 °C (formation of significant monoclinic zirconia) raises the question on the role played by a dopant metal ion, itself. Through this work, we intend to address such issues and explain the underlying mechanism behind the stabilization/destabilization of the ZrO₂ phase in ZZO system.

Co-precipitation method was used to synthesize various compositions of the Zn_xZr_{1-x}O₈ system (x = 0.1, 0.15 and 0.2); the samples are coded as ZZ10 (Zn_{0.1}Zr_{0.9}O₈), ZZ15 (Zn_{0.15}Zr_{0.85}O₈) and ZZ20 (Zn_{0.2}Zr_{0.8}O₈) throughout this paper. The experimental process has been outlined elsewhere [10]. The obtained precipitates were dried and calcined at various temperatures for 2 h. The samples have been designated as ‘ZZO or ZZ (10, 15 and 20)-Calcination temperature (in °C)’ (e.g., ZZO-500, ZZO-750, ZZ10-500) throughout this paper.

An X-ray powder diffractometer (Bruker; Model D8 Advance with DaVinci) operated at 40 kV and 40 mA generating CuK_α radiation was used to obtain XRD data of all prepared samples. The diffracted intensities were collected in step-scan mode (step size 2θ = 0.02°; counting time 30s per step) in the angular range 2θ = 20–80°. Raman spectra were collected using Raman spectrophotometer (Seki Technotron Corporation, STR 750, Japan). Inductively coupled plasma optical emission spectroscopy (ICP-OES, Varian 720-ES) was used for the elemental

* Corresponding authors.

E-mail addresses: skp_bu@yahoo.com (S.K. Pradhan), anirban.chowdhury@gmail.com (A. Chowdhury).

¹ Both authors contributed equally to this work.

Microstructure characterization of mechanosynthesized CeO₂ stabilized nanocrystalline ZrO₂

Hema Dutta

Department of Physics, Vivekananda College, Burdwan-713103, W.B, India

Email: hema_dutta03@yahoo.com

Abstract- In this research work, nanocrystalline cubic (c) zirconia was synthesized by mechanical alloying monoclinic (m) ZrO₂-CeO₂ powder mixture (0.9: 0.1molar ratio) using high-energy planetary ball mill. X-ray powder diffraction (XRD) patterns of ball-milled powders reveal that the mechanical alloying technology was effective to synthesize stable cubic (c) zirconia phase within a short milling time. Structural and microstructural changes of different phases and relative phase abundances have been estimated by adopting Rietveld analysis of XRD data. Output results of Rietveld analysis are used to explain the formation mechanism. The average crystallite sizes of cubic zirconia are between 5 to 8 nm. After 8h of ball milling, c- ZrO₂ becomes the major phase with some minor contribution of m-ZrO₂ phase so that the final ball-milled product is recognized as nano-dimensional partially stabilized zirconia (PSZ) ceramic. Finally, HRTEM study of 8h ball-milled powder mixture corroborates with the results as obtained by the Rietveld analysis of XRD data.

Index Terms- Ball milling; Rietveld analysis; cubic ZrO₂; Nanoparticles.

1. INTRODUCTION

In recent years, the high-energy ball milling method has received considerable attention basically for (i) producing nanoparticles with enhanced surface reactivity (ii) amorphization of powder sample (iii) polymorphic and other types of phase transitions, (iv) producing metal-metal, metal-ceramic or ceramic-ceramic nanocomposites [1-5]. The materials transfer by diffusion of components during ball milling provides the way to new phase formation. This solid-state technique is especially useful for synthesizing those compounds that are difficult to prepare in the conventional process due to the requirement of high pressure or temperature. In the present study, the ball-milling method has been employed for stabilization of Zirconia phase by CeO₂ doping. Rietveld's whole profile fitting method is adopted for microstructure characterization of the prepared nanocrystalline PSZ powders. Rietveld refinement method based on pseudo-Voigt analytical function can successfully be applied for phase quantification as well as microstructure characterization of a multiphase material.

Pure, undoped zirconia exists in three polymorphs: monoclinic (space group: P21/c) from room temperature to 1440K, tetragonal (space group: P42/nmc) between 1440 and 2650K and cubic (space group: Fm $\bar{3}$ m) up to the melting point of 2950K. Being stabilized in the cubic phase, zirconia has a wide range of technological applications as structural ceramics [6, 7]. These materials exhibit a high ionic conductivity at high temperatures allowing their use in fuel cells, oxygen sensors, oxygen pumps etc [8].

The purpose of the present research work is (i) to prepare nanocrystalline PSZ at room temperature by high energy ball milling, adding CeO₂ as a dopant and (ii) to characterize prepared materials in terms of several microstructural defect parameters by analyzing X-ray diffraction profiles with Rietveld's powder structure refinement method. (iii) to find out direct supportive evidence of XRD pattern analysis method by HRTEM study.

2. EXPERIMENTAL

Mechanical alloying was executed by a high-energy planetary ball mill (Model-P5, M/s FRITZSCH, GmbH, Germany). Monoclinic ZrO₂ and CeO₂ powders were mixed in a required molar ratio (0.9:0.1) and the starting ingredients were sealed in a chrome steel vial containing chrome steel balls. The ball-to-powder weight ratio (BPWR) was kept at 40:1. Milled powder was collected from the vial after a selected milling time interval varying from 1h to 8h. Step-scan XRD data (step size 0.02° 2 θ) of unmilled and all ball milled powders were recorded from an X-ray powder diffractometer (Panalytical; Model PW1830) with Ni-filtered CuK α radiation. The 8h ball milled powder was finely dispersed in alcohol and a tiny drop of the solution then taken on a carbon-coated Cu-grid of TEM. The TEM was operated at 200KV (Model HR-TEM, JEOL JEM 2100) for obtaining well-resolved TEM micrographs of nanocrystalline ZrO₂ particles.

3. EVOLUTION OF MICROSTRUCTURE BY X-RAY POWDER DIFFRACTION


In the present study, Rietveld's whole profile fitting method has been successfully adopted employing

ISSN 2249-8133

দ্বাদশ বর্ষ, প্রথম ও দ্বিতীয় সংখ্যা

ফেব্রুয়ারি ও আগস্ট ২০১৮

নাব্যশ্রোত



প্রবন্ধ গুচ্ছ ৬

- Gandhi's Nationalism or Satyagraha-as-Discipline Sibaji Pratim Basu 236
Gandhian Philosophy of Nationalism: An Analysis Dr. Prafulla Kumar Das 243
Ambedkar's Vision of Nationalism : A Study in His Idea of 'Dalit-Bahujan-Nationalism'
Dr. Badal Sarkar 251
M.N.Roy's Concept of Human Nature Dr. Mrinal Kanti Dey 258
Rani Shiromoni : Her Life and Philosophy Arun Mahata 264
Exploring Central Asia: India's Outlook towards Central Asia (1991-2018) Dr. Debasish Nandy 268
Decentralized Administration in Disguise of Centralized Finance :
A hindrance for Integrated Rural Development Amit Kumar Ash 278
A Re-visit to Vedic Socio Cultural Structure and It's Relevance in Present-day Society
Dr. Krishna Basu Thakur 285
Indian Costume in the Age of Guptas Sangeeta Karmakar 291
Social inclusion or cultural exclusion: A Sociological study of Mal community in Purulia,
West Bengal Biswajit Paul 296
Ethnic Conflict of Chittagong Hill Tracts and Recent Trend of National Integration in Bangladesh
Ramkrishna Mahanti 301
The Intensification of Ethnicity in Nepal : Considering Nepal's Transition from
Hindu Monarchy to Secular Republic Asis Mistry 312
Traditional Communication : A Powerful Tool for Empowering Marginalized Rural Women in
Burdwan District of West Bengal Benoy Krishna Hazra 325

Decentralized Administration in Disguise of Centralized Finance: A hindrance for Integrated Rural Development

Amit Kumar Ash

Abstract : Despite the voluminous research works by the scholars on Panchayat and rural development, little is known about the financial autonomy of the grass roots democratic bodies, which are the central concern in the process of rural development. After the enactment of 73rd constitutional Amendment Act, PRIs bodies has been established almost all parts of the country, but endeavor of decentralization for the socioeconomic upliftment of the poorest of the poor has been hindered in the context of the centralized financial system in these bodies. The present paper is a modest attempt to review the current role performance of these infantile decentralized democratic bodies in perspective of the centralized financial system, and to suggest measures for regalanising the existing financial structure for strengthening their financial stability so that PRIs would be established as a unique unit of integrated rural development.

Keywords : Panchayat Finance, Panchayat Autonomy.

Introduction : In the recent years, the process of decentralization has taken an important role in matters of governance in developing countries. Decentralization now reflects in most of the developing countries

as a broader process of Political economic reforms. Though there was a legacy of local government in pre-independence India, India has constitutionally adopted decentralized governance in 1992. After enactment of 73rd Amendment Act, 1992 now the Panchayat Raj Institutions (PRIs) are regarded as the third layer of government in rural India after Union and States. 73rd constitutional amendment brings a tectonic shift in the process of decentralization in rural India. As a result of this amendment lots of positive things happen such as- setting up of State Finance Commission, regular elections of PRIs by State Election Commission, representation of the weaker section, constitutional status of PRIs, etc. All these things have given special dignity to rural local governance in India (Chottopadhyay, 2013).

At present Panchayat has taken an indispensable part of rural development in all over the India. Huge money taken from Central as well as State Government is spent by the hand of Panchayat for rural development. But problem is that Panchayat is facing challenges for integrated rural development due to lack of Own Source Revenue (OSR). The notion of local government- local development in accordance with local needs and local resources- has not been

Amit Kumar Ash : Assistant Professor, Dept. of Political Science, Vivekananda Mahavidyalaya, Burdwan-713103

Research Article

Dose-dependent Pupical, Adulticidal and Ovicidal activities of leaf extracts of *Tiliacora acuminata* on Japanese encephalitis vector *Culex vishnui* group

Someshwar Singha *

Department of Zoology, Vivekananda Mahavidyalaya, Sripally, Burdwan-713103, West Bengal, India.

Abstract: Vector of Japanese encephalitis is *Culex vishnui* group of mosquito and control of that mosquito is facing threat due to emergence of resistance to synthetic insecticides. Insecticides of plant origin now act as suitable alternate for control of JE vector. To investigate dose-dependent pupical, adulticidal and ovicidal activities, crude and acetone extracts of leaf of *Tiliacora acuminata* were used against *Cx. vishnui* group of mosquito. In case of dose-dependent pupical activity, highest mortality observed at 1.5% concentration of crude extract and 75 ppm of acetone extract with 45.67% and 67.67% mortality respectively after 36 h of exposure followed by 24h and 12h. In case of adulticidal activity, highest mortality in crude extract was observed at 2.5% concentration with 73% of adult mosquitoes were dead, but in acetone extract at 120 ppm concentration shows nearly about 67% mortality of adult mosquitoes after 24 h of exposure. While in ovicidal activity at 0.5% crude extract have 11.67% egg hatching so nearly about 88.33% ovicidal activity takes place at this concentration. In acetone extract, there was nearly about 93.33% ovicidal activities at 55 ppm concentration. So leaf extracts of *T. acuminata* may be used as better pupical, adulticidal and ovicidal plant origin insecticide for control of *Cx. vishnui* group of mosquito. Further research is required to isolate and characterize the active principle of *T. acuminata* plant leaf extract.

Keywords: *Tiliacora acuminata*, *Culex vishnui* group, Pupical, Adulticidal and Ovicidal activity.

1. Introduction

Mosquito, the term derived from the Sanskrit word "Masak", is a notorious creature because they pierce the host's skin for consumption of blood.

According to NVBDCP (National Vector Borne Disease Control Programme) under The Ministry of Health and Family Welfare, Government of India, *Culex vishnui* group (*Culex tritaeniorhynchus*, *Culex vishnui* and *Culex pseudovishnui*) is the chief vectors of JE in different parts of India. *Cx. vishnui* breeds preferably in the stagnant water of rice fields.

Japanese encephalitis which is previously known as Japanese B encephalitis caused by the mosquito-borne Japanese encephalitis virus.¹

Symptoms of most JE virus infections are moderate fever and headache but in some instances without any significant symptoms. The extreme symptoms of the disease are characterized by quick start of high fever, headache, neck stiffness, coma, seizures, spastic paralysis and death. Spreading of JE in new area has been associated with extensive rice cultivation especially by irrigation schedule.²

A multitude of prevention and control strategies have been developed against Japanese encephalitis such as proper treatment of affected person, vaccination and control of vector population to inhibit the transmission of JE virus. We must take special emphasis on the third strategy to eradicate the spreading of JE.

From very ancient period's practice of using different synthetic insecticides to control mosquito population is a common phenomenon in Cosmo tropical areas. But in the recent year, their use declines drastically in many countries due to the appearance of insect resistance, biomagnification through food chain and non-biodegradable properties.

In the recent past, natural product of plant origin is experimentally used to control varieties of insect pest or vectors.

The extract which bears the active components of plants is applied for mosquito control programming. Repellent, ovipositional attractants, deterrent and insect growth hormone regulator activity of different plant extracts have been reported from the work of different authors.^{3,4,5} Some phytochemicals act as growth, development inhibitor, chemosterilant and repellent or



Pratiidhwani the Echo

A Peer-Reviewed International Journal of Humanities & Social Science

ISSN: 2278-5264 (Online) 2321-9319 (Print)

Impact Factor: 6.28 (Index Copernicus International)

UGC Approved, Journal No: 48666

Volume-VII, Issue-IV, April 2019, Page No. 51-62

Published by Dept. of Bengali, Karimganj College, Karimganj, Assam, India

Website: <http://www.thecho.in>

রোহিঙ্গা আত্মপরিচয় সংকট ও রোহিঙ্গা সমস্যা নিরসনে ভারতের ভূমিকা সেখ আসিফ ইকবাল

সহকারী অধ্যাপক, ইতিহাস বিভাগ, বিবেকানন্দ মহাবিদ্যালয়, বর্ধমান, পশ্চিমবঙ্গ, ভারত

স্বপ্নী মন্ডল

In the south-east Asia Rohingya issue has given seminal importance in the social, political as well as religion perspective. Due to being deported from previously known as Burma or modern-day Myanmar, Rohingyas are taking shelter in neighboring countries. They are one of the oldest inhabitants of Myanmar, but according to Myanmar, they are 'Bengalee' and they have migrated from Bangladesh and illegally settled in Myanmar. By showing this reason, the citizenship of Rohingyas was canceled according to the Myanmar Citizenship Act of 1982. However historians say that the Rohingya lived in the Arakan region since the eighth century. Rohingya Muslims also participated in Burmese's independence movement evenly with the Burmese. By the principle of 'Divide and Rule', under the rule of imperialism, the English sowed the seeds of divisions among the people living in Burma. On January 4, 1948 Burma gained independence. Rohingya or Arakanese Muslims were not included in the Constitution of Myanmar, 1947 though one hundred forty tribes of Burma were included in the Constitution. Displaced from their origin a large number of Rohingya enter India, apart from taking shelter in different neighboring countries. India has to make decisions regarding Rohingya, keeping in mind the importance of India's internal security and friendly relations with Myanmar. In the international stage India is taking decision to keep the balance in respect of international relationship. India is trying to solve the problem by social development of the Rakhine region.

Keywords: Rohingya, Refugee, Rakhine, Myanmar Citizenship Act of 1982, Kaladan Multi-Modal Transit Transport Project, United Nations, Kofi Annan Commission.

বর্তমান বিশ্বে বিশেষ করে পূর্ব এশিয়ার অন্যতম আলোচ্য বিষয় হল রোহিঙ্গা উদ্বাস্ত সমস্যা। রোহিঙ্গারা পশ্চিম রাখাইন প্রদেশের উত্তরাংশে বসবাসকারী একটি জাতিগোষ্ঠী। ধর্মের বিশ্বাসে এরা অধিকাংশই মুসলমান। আজকের রাখাইন রাজ্য ছিল ইতিহাসের আরকান রাজ্য, যার অংশে ছিল বৃহত্তর চট্টগ্রামের একাংশ এবং ফেনী ও নোয়াখালী অংশ।^১ ধারণা করা হয় রোহিঙ্গা নামটি এসেছে আরাকানের রাজধানী স্রোহং থেকে, স্রোহং > রোয়াং > রোয়াইঙ্গিয়া > রোহিঙ্গা।^২ আরাকান রোসাঙ্গ নামেও পরিচিত। তখনকার কবি-সাহিত্যিকেরা আরাকানকে রোসাঙ্গ রাজ বলে অভিহিত করেছেন। বিশেষ করে আলাওল, মগন ঠাকুর, দৌলত কাজি প্রমুখের লেখায় রোসাঙ্গ শব্দের উল্লেখ আছে।^৩ ১৬ শতকের কবি দৌলত কাজীর 'সতী ময়না লোর চন্দ্রানী' কাব্যে রোসাঙ্গ রাজ বা আরাকানের পরিচয়



Pratidhwani the Echo

A Peer-Reviewed International Journal of Humanities & Social Science

ISSN: 2278-5264 (Online) 2321-9319 (Print)

Impact Factor: 6.28 (Index Copernicus International)

UGC Approved, Journal No: 48666

Volume-VII, Issue-III, January 2019, Page No. 149-162

Published by Dept. of Bengali, Karimganj College, Karimganj, Assam, India

Website: <http://www.thecho.in>

বর্ধমান জেলার কোলিয়ারি শ্রমিক সংগ্রাম : একটি পর্যালোচনা

সঞ্জীবন মহলদার

সহকারী অধ্যাপক, বিবেকানন্দ মহাবিদ্যালয়, বর্ধমান, পশ্চিমবঙ্গ, ভারত

Abstract

The extensive area of Asansol and Durgapur is often considered as the coal mining regions of Burdwan district. In the Colonial regime of India, these evolved a particular social class who were known as the working class. This working class which mostly comprised of Bauris, Nunias, Chamars, Koris, Bhiyas, Ghatwals, Turi, Teli, Jolaha, Kahar, Kalwar, Dosadhs were the most important. All miners started working in these mines in lieu of very low wages. Right from the beginning, both the local and the migrated workers were constantly and consistently exploited and this gradually gave rise to defiance and rebellions amongst them. This rebellions activities of the working classes were very much discernible even during the non-cooperation movement. Names like Bankim Mukherjee and then Bijoy Paul became pioneering landmarks in the history of Trade Union Movements in Asansol. Deben Sen was yet another reactionary whose able leadership was instrumental in moulding the coal miners rebellion afresh and contributed largely to its proper growth. The anger and discontent of the coal miners was greatly invigorated and instigated by the fact that despite constant protests. The Coal-miners were still under the brunt of exploitation even after independence. This anger and contempt of the workers was shaped responsibly by the trade union—AITUN, INTUC, CITU, Hind Mazdoor Sabha. The present researcher intends to investigate the various hues and aspects of this organized movement under the responsible direction of the Trade Union; viz., the origin of the movement, its causes, the owner-labourer relationship, the socio-economic and political consciousness of the workers, the spirit and fervour of the rebellion, the relation between the Govt. and the owners of Coal mines, and the analysis of the role of the trade unions in organizing these movements.

Keywords: Coal mines, working class, oppression, protest, trade union.

ব্রিটিশ ঔপনিবেশিক শাসনে ভারতবর্ষে ঊনবিংশ শতকের দ্বিতীয়ার্ধ থেকে আধুনিক শিল্পায়নের সূত্রপাত। তার ফলে নতুন একটি সামাজিক শ্রেণির উদ্ভব ঘটে, যারা শ্রম বিক্রি করে মজুরির বিনিময়ে, তারা শ্রমিক শ্রেণি হিসাবে পরিচিত। ঔপনিবেশিক অর্থনীতির ফলে ভারতবর্ষের সর্বস্তরের মানুষ শোষিত ও অত্যাচারিত হচ্ছিল। শ্রমিকশ্রেণিও তার বাইরে ছিল না। বিভিন্ন পরিস্থিতি ও ঘটনার ঘাত-প্রতিঘাতে এদেশের মানুষের মধ্যে সাত্বাজ্যবাদ বিরোধী চেতনা গড়ে উঠেছিল। তার ফলে প্রতিবাদ ও প্রতিরোধ আন্দোলনও শুরু হয়ে যায়। শ্রমিকশ্রেণি এই সংগ্রামে

www.literaryendeavour.org

ISSN 0976-299X

LITERARY ENDEAVOUR

International Refereed / Peer-Reviewed Journal of
English Language, Literature and Criticism

UGC Approved Under Arts and Humanities Journal No. 44728

VOL. X

NO. 3

MAY 2019

Chief Editor

Dr. Ramesh Chougule

67. **The Adaptation of a Novel to Screen with Reference to Jane Austen's *Pride And Prejudice*** 336-339
- Dr. H. N. Prasad
68. **Domesticating Fantasy: A Study of Dilemma in Sam Raimi's *Spider Man*** 340-344
- Subham Hazra
69. **Gender Imageries in Indian Print Advertisements: A Multimodal Analysis** 345-351
- Dr. Navkiran Kaur Bedi
70. **Trolling Caste: Cyber Public Sphere in The Era of Post Truth** 352-359
- Annie Treesa Joseph
71. **Western Themes and English Studies in India: Translation, Literary Criticism and other Problems** 360-366
- Hoshea Harshith Joseph and Ashwini B. Desai
72. **Man Spirit and Eternity: Seeing through Tagore** 367-370
- Avijit Ghosh
73. **Bioregionalism and Biodiversity: An Ecocritical Journey through Bibhutibhushan Bandyopadhyay's *Pather Panchali, Ichamati and Aranyak*** 371-376
- Subhankar Roy
74. **Reclaiming Truth and Rectifying History: Karen Armstrong's Reconsideration of Islam** 377-385
- Dr. Fares Mohammed Hussein Rashed Al-Shuaibi
75. **The Role of Patriarchy in Mahesh Dattani's *Bravely Fought the Queen*** 386-388
- Prasanth. K.L.
76. **From Biblical Moses to a Saviour of African American Folk and Culture: A Study of Hurston's *Moses, Man of the Mountain*** 389-392
- Dr. V. Vinod Kumar and M. Meena
77. **The Broken Promise to Nature: A Study of Rajam Krishnan's *When The Kurinji Blooms*** 393-398
- T. Vennila Sri
78. **Expressions of Indigency in Witi Ihimaeras' *The Whale Riders*** 399-402
- B. Priyadarsini
79. **A Futile Effort to Break the Colonial Prison in V. S. Naipaul's *A Bend in The River*** 403-409
- Dr. Ghanshyam Pal and Dr. Surekha Dangwal
80. **Re-drawing the Modernist Map: Reading Amit Chaudhuri for Auto Fiction** 410-415
- Shivaani Shrivastava

DOMESTICATING FANTASY: A STUDY OF DILEMMA IN SAM RAIMI'S SPIDER MAN

*Subham Hazra, Guest Lecturer in Vivekananda Mahavidyalaya, Burdwan, Ramkrishna pally,
Kalna Road, Burdwan*

Abstract:

The movie "Spider Man" a superhero movie, popular Hollywood film became the first film to earn the \$100 million in the first week belongs to the sub-genre of 'Popular Culture'. Directed by Sam Raimi, "Spider Man" is a fictional movie created by Stan Lee and Steve Ditko, appearing in American comic books, published by Marvel Comics appeared in anthology comic book *Amazing Fantasy*. The movie "Spider Man" also set an all time record for the highest earnings in a single day with \$43,622,264 on its second day, a period later surpassed by "Shrek 2" in 2004. Generally the movie "Spider Man" is considered as a fictional 'superhero movie' which is also a chief source of enjoyment and entertainment for children basically. Traditionally people think that such movies feed the children with fantasy the superheroes are preternatural, non-terrestrial and mysterious creature who possess supernatural powers and protects the universe. But the core concern of the paper is to reflect the mundane aspects where a man is caught within the web of strife, alienation, struggle, ups and downs of life.

Key Words: *Fantasy, superhero, preternatural, strife, alienation.*

Film study becomes popular among research scholars. The movie "Spider Man" also set an all time record for the highest earnings in a single day with \$43,622,264 on its second day, a period later surpassed by "Shrek 2" in 2004. Generally the movie "Spider Man" is considered as a fictional 'superhero movie' which is also a chief source of enjoyment and entertainment for children basically. Traditionally people think that such movies feed the children with fantasy the superheroes are preternatural, non-terrestrial and mysterious creature who possess supernatural powers and protects the universe. But the core concern of the paper is to reflect the mundane aspects where a man is caught within the web of strife, alienation, struggle, ups and downs of life.

Peter Parker suffers a dilemma an anguish to sublimate his persona amidst the topsy turvy world of twenty-first century perplexing anxieties caused by the dilemma stimulates Peter's "defence mechanism", a natural strategy which is imbibed by the humans to overpower the nervous impulses. An orphan, the protagonist is brought up by his uncle and aunt, suffers from inadequacy unemployment and loneliness as an ordinary human being. As film critic Roger Ebert reviews,

The film tells spidey's original Story_ *who Peter Parker is, (italics mine) Who Aunt May and uncle Ben are, how Peter's an outcast at school, how Burns with unrequited love for Mary Jane Watson, how he peddles Photos of Spider Man to cigar Chomping editor J. Jonah Jameson.*

The adolescent protagonist is caught by the fever of love, a natural phenomenon of youth, and his obsession leads him towards destructive path as he wrestles to gain money in order to win his lady love's heart. As he grew up he had realized the value of the responsibility towards humanity as learnt from his uncle, "with great power comes great responsibility". Yet the emergence of power and its relation to responsibility enhances his dilemma, unable to prefigure the duality initially he had turned into a submissive creature. Though, apparently the movie "Spider Man" seems like a fictional superhero movie but it is also a didactic story, a journey of a man who not merely protects his widowed aunt but also



Website : www.vmbdn.in
Email : vmprincipal2012@gmail.com, M : 7384634726
Phone No : 0342-2541208 (Day Office), 2541521 (Morning Office)
Fax No : 0342-2646916

VIVEKANANDA MAHAVIDYALAYA, BURDWAN

(GOVT. SPONSORED) □ ESTD-1964

P.O- Sripally ★ Dist- Purba Bardhaman ★ Pin-713103 ★ W.B

NAAC Re-Accredited (2nd cycle, B+ with PG in Chemistry)

No...../V.M.

Date :

From : Principal / Teacher-in-Charge & Secretary

List of publications during the session 2019-2020

Sl.No.	Title of paper	Name of the author/s	Department of the teacher	Name of the Journal	Calendar Year of publication	ISSN number	Link to the recognition in UGC enlistment of the Journal	
							Link to website of the Journal	Link to article / paper / abstract of the article
1	Enhanced photocatalysis performance of mechano-synthesized V ₂ O ₅ -TiO ₂ nanocomposite for wastewater treatment: Correlation of structure with photocatalytic performance	M. Mondal, H. Dutta, S.K. Pradhan	Physics	Materials Chemistry and Physics	2020	ISSN:0254-0584	https://doi.org/10.1016/j.matchemphys.2020.122947	https://doi.org/10.1016/j.matchemphys.2020.122947
2	Dielectric response of ZrO ₂ -CeO ₂ nanocrystalline solid solution above room temperature	S. Saha, H. Dutta, S.P. Mandal, S.K. Pradhan, A.K. Meikap	Physics	Physica B: Condensed Matter	2020	ISSN: 0921-4526	https://doi.org/10.1016/j.physb.2020.412000	https://doi.org/10.1016/j.physb.2020.412000
3	Microstructure and Electrical Characterization of Thermoelectric Nanocrystalline Bi ₂ Te ₃ Synthesized by Mechanical Alloying	Saikat Kumar Kanta, Shrabani Paul, Tuli Chatterjee, Hema Dutta, Swapan Kumar Pradhan	Physics	Materials Research	2019	ISSN: 15161439	https://doi.org/10.1590/1980-5373-MR-2019-0328	https://doi.org/10.1590/1980-5373-MR-2019-0328
4	A Comparative Study of Birefringence in Photonic Crystal Fiber Employing Various Lattice Geometries with All-circular Air Holes	Kajal Mondal	Physics	Optik, International Journal for Light and Electron Optics	2020	ISSN: 0030-4026	https://doi.org/10.1016/j.ijleo.2020.164699	https://doi.org/10.1016/j.ijleo.2020.164699
5	Structural Dependence of Transmission Characteristics for Photonic Crystal Fiber with Circularly Distributed Air-holes	Kajal Mondal	Physics	Journal of Optical Communications	2020	ISSN: 21916322	https://doi.org/10.1515/joc-2020-0032	https://doi.org/10.1515/joc-2020-0032
6	Frequency dependent charge transport and spin state switching characteristics of Fe(phen) ₂ (NCS) ₂ in polymer	Chaitali Mondal, M.L.Nanda Goswami, S.K.Mandal	Physics	Journal of Nanoscience and Nanotechnology	2020	ISSN: 1533-4880	https://doi.org/10.1166/jnn.2020.17444	https://doi.org/10.1166/jnn.2020.17444




Principal
Vivekananda Mahavidyalaya
Burdwan



Website : www.vmbdn.in
Email : vmprincipal2012@gmail.com, M : 7384634726
Phone No : 0342-2541208 (Day Office), 2541521 (Morning Office)
Fax No : 0342-2646916

VIVEKANANDA MAHAVIDYALAYA, BURDWAN

(GOVT. SPONSORED) □ ESTD-1964

P.O- Sripally ★ Dist- Purba Bardhaman ★ Pin-713103 ★ W.B

NAAC Re-Accredited (2nd cycle, B+ with PG in Chemistry)

No...../V.M.

Date :

From : Principal / Teacher-in-Charge & Secretary

7	Dual macro-cyclic component based logic diversity	Monaj Karar, Provakar Paul, Suvendu Paul, Basudeb Halder, Arabinda Mallick, Tapas Majumdar	Chemistry	Dyes and Pigments,	2019	ISSN : 1873-3743 (Online) and 0143-7208 (Print)	https://doi.org/10.1016/j.dye.2019.108060	https://doi.org/10.1016/j.dye.2019.108060
8	Colorimetric Dual Sensors of Metal Ions Based on 1,2,3-Triazole-4,5- Dicarboxylic Acid-Functionalized Gold Nanoparticles	Palash Mondal, Jeffery.L. Yarger	Chemistry	Journal of Physical Chemistry C	2019	ISSN:1932-7447	https://doi.org/10.1021/acs.jpcc.9b03721	https://doi.org/10.1021/acs.jpcc.9b03721
9	A predator-prey model with Crowley-Martin response for predation	Nijamuddin Ali, Krishnendu Sarkar, Lakshmi Narayan Guin	Mathematics	International Journal of Ecological Economics and Statistics	2019	ISSN 0973-1385 (Print); 0973-7537 (Online)	http://www.ceser.in/ceserp/index.php/ijeess/article/view/6119	http://www.ceser.in/ceserp/index.php/ijeess/article/view/6119
10	Ratio-dependent predator-prey model with Qiwu's growth for prey	Nijamuddin Ali, Krishnendu Sarkar, Lakshmi Narayan Guin	Mathematics	International Journal of Ecological Economics and Statistics	2019	ISSN: 0973-1385 (Print); 0973-7537 (Online)	http://ceser.in/ceserp/index.php/ijeess/article/view/6229/0	http://ceser.in/ceserp/index.php/ijeess/article/view/6229/0
11	A Review on Hydrodynamical Stability of Thin Film Flowing Along an Inclined Plane.	Souradip Chattopadhyay, Anandamoy Mukhopadhyay and Amlan K. Barua	Mathematics	Journal of Mathematical Sciences and Modelling	2019	e-ISSN: 2636-8692	https://doi.org/10.33187/jmsm.458359	https://doi.org/10.33187/jmsm.458359




Principal
Vivekananda Mahavidyalaya
Burdwan



Website : www.vmbdn.in
Email : vmprincipal2012@gmail.com, M : 7384634726
Phone No : 0342-2541208 (Day Office), 2541521 (Morning Office)
Fax No : 0342-2646916

VIVEKANANDA MAHAVIDYALAYA, BURDWAN

(GOVT. SPONSORED) □ ESTD-1964

P.O- Sripally ★ Dist- Purba Bardhaman ★ Pin-713103 ★ W.B

NAAC Re-Accredited (2nd cycle, B+ with PG in Chemistry)

No...../V.M.


Date :

From : Principal / Teacher-in-Charge & Secretary

12	Stability of thin film flowing down the outer surface of a rotating non-uniformly heated vertical cylinder.	Anandamoy Mukhopadhyay, Souradip Chattopadhyay and Amlan K. Barua	Mathematics	Nonlinear Dynamics	2020	ISSN: 0924-090X (print); 1573-269X (web)	https://doi.org/10.1007/s1071-020-05558-x	https://doi.org/10.1007/s1071-020-05558-x
13	একালের নির্বাচিত মহিলা কবিদের কলমে পৌরাণিক চরিত্রের বিনির্মাণ (Ekaler Nirbachito Mohila Kobider Kolome Pauranik Choritrer Binirman)	Santanu Saha	English	Antarmukh	2020	ISSN: 2249-3751	N.A	N.A
14	Retrieving The Ethnic World of the Adis: An Ecocritical Reading of Mamang Dai's The Legends of Pensam.	Santosh Kumar Malik	English	Journal of The Departement of English , Vidyasagar University	2020	ISSN: 0973-3671	http://inet.vidyasagar.ac.in:8080/jspui/bitstream/123456789/5421/1/14_Santosh%20Kumar%20Malik.pdf	http://inet.vidyasagar.ac.in:8080/jspui/bitstream/123456789/5421/1/14_Santosh%20Kumar%20Malik.pdf
15	Bengal's Culture and Social Life on the Temple Terracotta Image.	Ashim Kumar	History	Studies in Indian Place Names	2020	ISSN: 2394-3114	N.A	N.A
16	Identification of Water Resource Potential Zones of Karu River Basin Using Remote Sensing and GIS Techniques in Purulia District, West Bengal	Shambhu Nath Sing Mura	Geography	Infokara	2020	ISSN : 1021-9056	file:///C:/Users/HP/Downloads/JPT_23_SHAMBHUNATH+SINGMURA-1.pdf	file:///C:/Users/HP/Downloads/JPT_23_SHAMBHUNATH+SINGMURA-1.pdf
17	e-Learning Platform in SAARC Countries	Uttam Kumar Hazra, Rajesh Das & Sinjini Mukherjee	Library	Library Philosophy and Practice	2019	ISSN: 1522-0222	https://digitalcommons.unl.edu/libphilprac/2882/	https://digitalcommons.unl.edu/libphilprac/2882/




Principal
Vivekananda Mahavidyalaya
Burdwan



Enhanced photocatalysis performance of mechano-synthesized V_2O_5 - TiO_2 nanocomposite for wastewater treatment: Correlation of structure with photocatalytic performance

M. Mondal^a, H. Dutta^b, S.K. Pradhan^{a,*}


^a Department of Physics, The University of Burdwan, Golapbag, Burdwan, 713104, West Bengal, India

^b Department of Physics, Vivekananda College, Burdwan, 713103, West Bengal, India

HIGHLIGHTS

- Photocatalytic V_2O_5 - TiO_2 nanocomposites are synthesized by mechanical alloying.
- 3h ball-milled nanocomposite shows ~94% degradation of RhB under visible light much higher than our previous work.
- Microstructure study of V_2O_5 - TiO_2 is done by Rietveld method of XRD data analysis.
- Pineapple flower-like morphology of 3h milled composite favours photodegradation.
- Leaf (V_2O_5)/flower (TiO_2) heterojunctions excel the photocatalytic performance.

GRAPHICAL ABSTRACT



ARTICLE INFO

Keywords:

V_2O_5 - TiO_2 nanocomposites
Mechanical alloying
Rietveld
FESEM
Photocatalysis

ABSTRACT

The harmful chemical organic dyes used in textile industries and wastewater poses a great threat to human beings due to huge toxicity and enormous health hazards. Consequently, the conversion of these harmful chemicals into harmless substances becomes utmost essential for sustainable development in wastewater research. High-energy ball-milling of orthorhombic V_2O_5 -anatase (a) TiO_2 mixture (1:1 M ratio) at room temperature results in the formation of nanocrystalline V_2O_5 - TiO_2 solid solution phase. A series of V_2O_5 - TiO_2 solid solution is synthesized by varying the milling time from 5min to 20h. The Rietveld X-ray powder structure refinement methodology has been adopted for microstructure characterization of unmilled and all ball-milled nanocomposite samples, in terms of lattice imperfections. From Rietveld analysis, lattice parameters, relative phase abundance of individual phases, crystallite size and r.m.s. lattice strain values are estimated. At the early stage of milling of 30min, a- TiO_2 transforms to polymorphic rutile (r)- TiO_2 due to high energy impact of mechanical alloying. The final ball-milled powder mixture is composed of V_2O_5 - TiO_2 solid solution with a trace amount of r- TiO_2 phase. Photocatalytic study through the degradation of Rhodamine B (RhB) in presence of visible light reveals enhanced degradation (~94%) of RhB with 3h ball-milled V_2O_5 - TiO_2 nanocomposite, compared to ~74% with 15h milled nanocomposite reported earlier. Optical bandgaps of ball-milled V_2O_5 - TiO_2 nanocomposites are within the semiconducting range. FESEM study of ball-milled powder mixture reveals the pineapple flower-like morphology of nanoparticles of V_2O_5 - TiO_2 nanocomposites. An enormous number of the

* Corresponding author.


E-mail addresses: skpradhan@phys.buruniv.ac.in, skp_bu@yahoo.com (S.K. Pradhan).

<https://doi.org/10.1016/j.matchemphys.2020.122947>

Received 15 October 2019; Received in revised form 2 March 2020; Accepted 17 March 2020

Available online 19 March 2020

0254-0584/© 2020 Elsevier B.V. All rights reserved.



Dielectric response of ZrO₂–CeO₂ nanocrystalline solid solution above room temperature

S. Saha^a, H. Dutta^b, S.P. Mandal^c, S.K. Pradhan^d, A.K. Meikap^{e,*}

^a Department of Physics, Kulti College, Kulti, West Burdwan, 713343, West Bengal, India

^b Department of Physics, Vivekananda College, East Burdwan, 713103, West Bengal, India

^c Department of Physics, Deshabandhu Mahavidyalaya, Chittaranjan, West Burdwan 713331, West Bengal, India

^d Department of Physics, The University of Burdwan, Golapbag, West Burdwan, 713104, West Bengal, India

^e Department of Physics, National Institute of Technology, Durgapur, West Burdwan 713209, West Bengal, India

ARTICLE INFO

Keywords:

Nanocrystal
Ball milling
Dielectric properties
Current-voltage characteristics

ABSTRACT

Here we report the dielectric response of partially stabilized zirconia above room temperature. The conductivity increases with rise in temperature and frequency, obeying a power law type nature. The frequency exponent study shows that the Correlated Barrier Hopping model governs the conductivity process. The value of dielectric permittivity increases with increase in milling hour. It is observed that both free charge and space charge conductivities increase as the temperature increases. The complex dielectric permittivity is found to be increased with increase in temperature and decrease with frequency. Complex impedance study shows the grain boundary resistance is higher than the grain resistance. The current density-electric field characteristics show that the Poole Frenkel Emission model is the best suited model for the prepared samples and the trap height varies non-linearly with temperature.

1. Introduction

Recently zirconia has developed interest not only in fields of pure research but also in industrial applications. Four different chemical properties like basic, acidic, reducing and oxidizing properties have been observed in zirconia [1]. Also it shows three different temperature dependent polymorphs, namely monoclinic with space group P2_{1/c} (Room temperature - 1440 K), tetragonal having space group P4_{2/nmc} (1440 K–2650 K) and cubic phase having space group Fm $\bar{3}$ m (2650 K to melting point). Numbers of technical applications concern the cubic form of zirconia which is however not easily available. This engineered material is hard, wear resistant, show high fracture toughness and find applications in structural ceramic industries [2–4]. Apart from these, zirconia is characterized by high temperature ionic conductivity which enables to use this material in oxygen sensor, oxygen pumps and solid oxide fuel cells [5]. The partially stabilized zirconia (PSZ) is the mixture of cubic and tetragonal (or monoclinic) phases, and different methods have been extensively employed to develop PSZ at room temperature. Generally this is achieved by adding different dopants which act as stabilizer. The sol-gel method has been extensively

used to obtain nanocrystalline doped zirconia powders [6–8], but the main drawback of this process is high production cost, which makes it commercially unsuitable. In this study, we have developed nanocrystalline PSZ by ball milling method which is a very cost effective process [9,10]. The precursor passes through different mechanochemical phase transitions before reaching the desired state [11,12]. The key feature of this process is that the final product shows low temperature ductility and enhanced hardness. Earlier works suggest that room temperature stabilized cubic zirconia can be synthesized successfully by means of high energy planetary ball milling method either by adding dopant or even without adding dopant [13,14]. Structural and microstructural changes in different prepared samples have been evaluated by analyzing XRD patterns of different samples using Rietveld refinement method.

Further, grain and grain boundary play important role in determining the physical properties of the nanomaterials. So, we have studied the ac complex impedance spectroscopy to have an insight of the grain and grain boundary contribution. The electric modulus study provides information regarding the relaxation dynamics of the prepared samples. The ac and dc conductivity studies and I–V behaviour contain valuable information regarding the sample character. The electrical behaviour of

* Corresponding author.

E-mail address: ajit.meikap@phy.nitdgp.ac.in (A.K. Meikap).

Microstructure and Electrical Characterization of Thermoelectric Nanocrystalline Bi₂Te₃ Synthesized by Mechanical Alloying

Saikat Kumar Kantar^a, Shrabani Paul^a, Tuli Chatterjee^b, Hema Dutta^c, Swapan Kumar Pradhan^{a*}

^aMaterials Science Division, Department of Physics, The University of Burdwan, Golapbag, Burdwan 713104, West Bengal, India

^bDepartment of Physics, National Institute of Technology, Durgapur, West Bengal, India

^cDepartment of Physics, Vivekananda College, Burdwan 713103, West Bengal, India

Received: May 08, 2019; Accepted: August 05, 2019

Nanocrystalline bismuth telluride, Bi₂Te₃ has been synthesized by mechanical alloying (MA) the powder mixture composed of Bi and Te in the inert gas atmosphere within a short duration of 15 min. Microstructure characterization of the prepared powder has been investigated adopting the Rietveld's method using X-Ray diffraction (XRD) data and analyzing high-resolution transmission electron microscopy (HRTEM) images. The XRD pattern of 15 min milled powder is composed of reflections of major Bi₂Te₃ phase with other two minor phases. Detailed structural information of these minor phases has been reported here which was not explored in any previous works. XRD analysis reveals that the stoichiometric Bi₂Te₃ phase has been formed after 1h of milling and there is no phase transition up to 10h of milling. HRTEM study also reveals the formation of single phase nanostructured Bi₂Te₃ phase. The DC (direct current) conductivities of 15min, 30min and 10h milled powders are measured within the temperature range of 359 to 633K. The electrical conductivity (σ) of Bi₂Te₃ indicates the semiconducting nature of the sample. There is no significant change of electrical conductivity of Bi₂Te₃ phase since its formation after 15min to 10h of milling, as there is no noticeable change in crystallite size.

Keywords: Nanostructured materials, mechanical alloying, microstructure, X-ray diffraction, HRTEM.

1. Introduction

As fossil fuel resources are becoming exhausted, thermoelectric (TE) devices, as alternative power resources have found their applications in power generators or cooling devices^{1,2}. Currently, due to relatively low efficiency and high cost, TE materials have limited applications. TE materials can play a vital role in energy conservation if efficient and stable novel materials can be prepared in a cost-effective way. Bismuth telluride based alloys are well known potential TE materials for near room temperature applications due to their low thermal conductivity and large Seebeck coefficient³⁻⁵. Reducing the crystallite size of polycrystalline TE materials to the nano-scale has resulted in a significant reduction of the lattice thermal conductivity and improvement in the figure of merit^{6,7}. Most of these advances are related to the use of nanostructures due to thermal conductivity reduction^{8,9}. Alternatively, composite TE materials containing several phases may have higher efficiency introducing more interfaces leading to a decrease in the thermal conductivity. The aim of the present research work is the production of nanostructured bismuth telluride thermoelectric material in a low-cost method. For this purpose, we have employed the MA method to prepare nanocrystalline bismuth telluride alloy starting from an elemental powder mixture of Bi and Te at room temperature.


This simple and cost-effective preparation route has the advantage to produce nano-dimensional Bi₂Te₃ powder in large quantities in a very short duration of time. Although several reports on mechanosynthesis of single/composite TE materials have been published¹⁰⁻¹⁴, the growth mechanism of bismuth telluride TE material synthesized by mechanical alloying (which may lead to the formation of nanocomposites including several constituent phases of the same family), has not been reported yet. Earlier review shows that during growth process Bi₂Te₃ may co-exist with different high-pressure phases, which are still remained unidentified so far the structure report is concerned^{15,16}. In another work, synthesis of Bi₂Te₃ was prepared by mechanical milling in a short time but the appearance of other phases in the XRD pattern was ignored and so the growth mechanism of stoichiometric Bi₂Te₃ phase remains unexplored¹⁷. In the present work, XRD pattern analysis reveals that at relatively lower time milling (15min and 30 min) major rhombohedral Bi₂Te₃ phase has been formed along with a trace amount of two minor phases. Formations of such intermediate metastable high-pressure phases during mechanical alloying were already reported by ourselves^{18,19}. However, higher time of milling after 1h produces single phase nanocrystalline Bi₂Te₃, which remains stable up to 10h of milling. Detailed structural information of the hitherto unidentified phases evolved in the way of formation Bi₂Te₃ has been reported in the present work.

*e-mail: skpradhan@phys.buruniv.ac.in



Contents lists available at ScienceDirect

Optik

journal homepage: www.elsevier.com/locate/ijleo

Original research article

A comparative study of birefringence in photonic crystal fiber employing various lattice geometries with all-circular air holes

Kajal Mondal

Department of Physics, Vivekananda Mahavidyalaya, Burdwan 713103, West Bengal, India

ARTICLE INFO

Keywords:

Photonic crystal fiber
Microstructured fiber
Finite difference method
High birefringence

ABSTRACT

This article presents a detail theoretical investigation on birefringence characteristics for various highly birefringent photonic crystal fiber designs based on triangular, square, and circular-lattice geometry. In order to compare the results, a systematic comparative study is then performed. It is shown that the birefringence of any particular lattice geometry can be modulated by modifying the structural anisotropy (asymmetry) of that geometry. The variations of birefringence with normalized wavelength have been evaluated for various asymmetric designs of a lattice geometry and variation for other lattice geometries have thereby been determined and compared. These photonic crystal fibers are composed of a solid silica core surrounded by cladding of circular air-holes. The birefringence is due to large axial anisotropy introduced into the fiber by a prefer arrangement of air-holes in the fiber cladding. A finite difference mode-convergence analysis is implemented to determine the required modal indices of the photonic crystal fiber, which is then used to calculate the birefringence of the fiber. Based on the results, the birefringence is found to be largely dependent on the lattice geometry associated as well as the degree of asymmetry. Numerical results show that for a particular type of asymmetric design triangular-lattice geometry is the best choice in terms of high birefringence. One of the considered designs based on triangular-lattice geometry, formed by omitting three adjacent air-holes at the centre, can considerably enhance the birefringence as high as 12.6×10^{-3} at normalized frequency 0.48.

1. Introduction

Photonic crystal fibers (PCFs) or microstructured fibers have attracted a lot of research attention due to many possibilities and promising applications in the field of photonics [1–3]. PCFs are new kinds of optical fiber where cladding is constructed by a lattice of air-holes running down their entire length. By manipulating the arrangement of air-holes, *i.e.*, the lattice geometry of the photonic crystal cladding or size and shape of the holes, it is possible to control the light propagation characteristics of these fibers [4–6]. The polarization properties can also be controlled in order to design polarization maintaining fiber or to design single polarized single mode fiber [7–11]. When control over the polarization of light is crucial, high birefringence ($\sim 10^{-3}$) is introduced into the fiber which reduces the coupling between the fundamental degenerate modes. There are mainly two ways by which an optical fiber can be made birefringent *e.g.*, by applying mechanical stress (stress birefringence) into the fiber and by introducing axial anisotropy into the core or cladding (form birefringence). Huge design flexibility in PCFs offers enormous scope to introduce anisotropy, leading to significant opportunities in birefringence enhancement. Various approaches have been proposed to introduce asymmetry in a PCF structure. Numerous asymmetric structures have been reported which use elliptical air-holes embedded either in the cladding or in the core [12–19]. Besides, several structures employ a cladding with squeezed lattice configuration [20–22]. In addition, hybrid

E-mail address: kajal86.kgp@gmail.com.

<https://doi.org/10.1016/j.ijleo.2020.164699>

Received 23 December 2019; Received in revised form 1 April 2020; Accepted 3 April 2020

0030-4026/ © 2020 Elsevier GmbH. All rights reserved.

Research article

Kajal Mondal*

Structural dependence of transmission characteristics for photonic crystal fiber with circularly distributed air-holes

<https://doi.org/10.1515/joc-2020-0032>

Received February 24, 2020; accepted May 4, 2020

Abstract: In this study, design and transmission characteristics of a special type of photonic crystal fiber (PCF) geometry namely, circular-lattice photonic crystal fiber (C-PCF) structure are presented. The cladding of the structure consists by a cylindrically symmetrical distribution of air-holes in the silica background and the core is created by omitting one air-hole at the center. The structure provides high degree of flexibility in the fiber design and hence tailorable modal properties. Structural dependence of transmission characteristics of the geometry is numerically investigated by using finite difference mode convergence algorithm. The wavelength responses of fiber parameters, such as effective refractive index, chromatic dispersion, mode-effective area, and nonlinear coefficient of the structure are systematically investigated. Besides, effective V-parameter and single-mode operation of the fiber are also evaluated and discussed. The simulation results show the possibility of large negative dispersion and dispersion flattened nature of the geometry.

Keywords: chromatic dispersion; fiber nonlinearity; modal properties; mode-effective area; photonic crystal fiber.

1 Introduction

Recently, photonic crystal fibers or holey optical fibers [1] have received a great deal of research attention owing to their exciting features, such as single material component, huge design flexibility, and endlessly single-mode operation. The modal properties of PCF *e. g.*, effective refractive index of the fundamental guided mode (n_{eff}), group-velocity dispersion [2], birefringence (B) [3], mode-effective

area (A_{eff}) [4], and nonlinear parameter (γ) [5] are eminently tailorable and controllable that distinguishes PCFs from simple conventional fibers. These novel characteristics of PCF offer huge potential for applications in the field of optical communication [6], polarization management [7], high power delivery [8], nonlinear and advanced photonic devices [9]. PCFs are consisted by an array of microscopic air holes along their entire length that makes a low index cladding around the undoped silica core. The two valuable features of PCF are huge design-flexibility in the microstructure cladding and high index-contrast between air and silica. These two attributes support designing innumerable transverse geometry that primarily governs the fiber's light-propagation characteristics. Furthermore, the wavelength-dependent nature of average cladding index directs to design endlessly single-mode fiber. Thus, PCFs have become one of the most exciting platforms for the design of electromagnetic waveguide structure during the past few years [10, 11].

Different types of PCF structures have been studied and reported in literature till date. However, most reported studies of PCFs are based on a hexagonal distribution (triangular-lattice PCF) of holes around the central core [1–6, 12, 13]. In addition, few other structures, such as square-lattice [14], octagonal-lattice [15], decagonal-lattice [16], and honeycomb structure [17] have also been proposed as PCF design. In recent times, PCFs with a circular distribution of air holes have been proposed [18–20] and, indeed, realized with polymer [21]. However, detail theoretical analysis and structural dependence of the modal properties have not been thoroughly addressed in order to explore new features and applications. Therefore, for further enhancement the performance, it is required to investigate the benefits offered by this type of structure as propagating medium. Keeping these in mind, in this article, we present a detail study on this new kind of PCF structure whose cladding consists of a cylindrical distribution of air-holes in the silica background material. The prime objective is to provide a general outlook to PCF designers regarding structural dependence of transmission characteristics for

*Corresponding author: Kajal Mondal, Department of Physics, Vivekananda Mahavidyalaya, Burdwan 713103, West Bengal, India, E-mail: kajal86.kgp@gmail.com

Frequency Dependent Charge Transport and Spin State Switching Characteristics of $\text{Fe}(\text{phen})_2(\text{NCS})_2$ in Polymer

Chaitali Mondal¹, M. L. Nanda Goswami², and Swapan K. Mandal^{1,*}

¹Department of Physics, Visva-Bharati, Santiniketan 731235, India

²Department of Physics, Midnapore College, Midnapore 721101, India

We report on the bistability in spin states of spin crossover (SCO) compound $\text{Fe}(\text{phen})_2(\text{NCS})_2$ in polymer (polypyrrole) by frequency (1–100 kHz) and temperature dependent (305–457 K) electrical conductivity measurements. The structure and growth of SCO compounds in conducting polymer are obtained by scanning electron microscopy, X-ray diffraction and optical absorption measurements. The thermal dependence of ac conductivity $\sigma(\omega)$ shows the clear formation of a hysteresis loop in its cooling and heating cycle due to the difference in conductivity in high spin and low spin state. The size, shape and width of the hysteresis loops are found to be critically dependent on the applied frequency and/or the ratio between SCO and polymer. The ac conductivity is found to exhibit a dispersive behavior following Jonscher's law: $\sigma(\omega) \propto \omega^n$ below a critical frequency ω_c , above which it is found to monotonically decrease with increasing frequency. The thermal dependence of the exponent n and ω_c is also explored. The charge transport phenomena are explained in the framework of hopping of charge carriers. The data reveals that addition of polymer can play an important role to tune the conductivity of SCO compounds and its spin state dependence characteristics which may be quite helpful for fabricating future spin-based devices. Temperature dependent magnetic susceptibility measurement also confirms the spin transition behavior of the SCO/ppy composite samples. These SCO/ppy composite samples can be taken as the reliable nanomaterials fabricated with the concept of future spin based nanoarchitectonics.

Keywords: Spin-Crossover, AC Conductivity, Hysteresis, Polymer, Nanoarchitectonics.

1. INTRODUCTION

Synthesis and development of functional materials has become a new trend in recent years in the area of nanoscience research. Nanoarchitectonics is the new concept of combining the science of the nanotechnology along with the other science disciplines for creating the nanomaterials or nanosystems or in other words the useful functional materials [1–14]. In recent years, molecular systems and molecular nanomaterials are playing crucial role in developing the field of nanoarchitectonics. Switchable molecular materials have been in the research spotlight for last several decades due to their potential use in many advanced technologies such as memory storage and molecular sensing devices [15–18]. Spin-crossover (SCO) complexes of $3d^4$ – $3d^7$ transition metal ions are paradigmatic examples of molecular materials showing bi-stability

in magnetic, optical and electrical properties [19]. The low spin state (LS) to high spin state (HS) transition (or vice versa) can be triggered by various external stimuli e.g., temperature, light illumination, pressure, magnetic field, X-ray irradiation or electric field. The changes in their physical properties associated with the spin transition can propagate in a cooperative way [20] which can produce hysteresis phenomena even at room temperature. SCO materials with wide thermal hysteresis at and above room temperature have been useful for the applications in optical displays or magnetic devices [15–16]. Of late, great focus has been made towards the development of electric field induced spin-state switching devices [21–22]. Recently, we have shown the fabrication of 300 nm thick SCO films and spin-state switching under the application of electric field [23]. The advantage of electrical stimuli for changing the states of the crossover materials to others external stimuli is due to its better compatibility in

*Author to whom correspondence should be addressed.

Dual macro-cyclic component based logic diversity

Author links open overlay

panel Monaj Karar ^a, Provakar Paul ^a, Suvendu Paul ^a, Basudeb Halder ^c, Arabinda Mallick ^b, Tapas Majumdar ^a

Show more

Add to Mendeley

Share

Cite

<https://doi.org/10.1016/j.dyepig.2019.108060> Get rights and content

Highlights

The paper highlights the designing of special logic circuits based on dual macrocyclic component inputs.


The systems could be easily tuned to integrate multiple functionalities through direct modulation of the optical signals.

For the first time, a memory device and a keypad lock as well have been designed operating through macrocyclic components.

Abstract

In continuation of our recent studies on the photophysics of a photodynamic therapeutic agent, harmine (HM) in model membrane, the present contribution highlights a new model to design multiple logic circuits, a memory device and a molecular lock regulated by dual macrocyclic components as chemical inputs. The unique reversible photoswitching regulated by macrocyclic components plays decisive role in the manifestation of the final outputs for the logic functions. Inspired by this phenomenon, herein, we are reporting the use of a photosensitizer molecule for designing of various logic circuits at molecular level with the intention to escalate the next generation molecular logic arena. For these desired outcomes, fluorescence spectroscopic changes of HM upon addition of macrocyclic components (CTAB and β -CD) were utilised. Beyond the simple single input single output logic gates (NOT, YES, PASS 0 and PASS 1), we were also able to design IMPLICATION and INHIBIT gates. In addition to different logic functions, the modulations of the optical responses of HM driven by the macrocyclic components were employed to design “Erase-Read-Write-Read” and “Write-Read-Erase-Read” type memory units. Moreover, considering the optical responses of HM we proposed a supramolecular keypad lock operated through unique sequential entry of opto-chemical passwords.

Colorimetric Dual Sensors of Metal Ions Based on 1,2,3-Triazole-4,5-Dicarboxylic Acid-Functionalized Gold Nanoparticles

Palash Mondal^{*,†,‡} and Jeffery L. Yarger[†][†]School of Molecular Sciences, Magnetic Resonance Research Center, Arizona State University, Tempe, Arizona 85287-1604, United States[‡]Department of Chemistry (UG & PG), Vivekananda Mahavidyalaya Burdwan, Purba Bardhaman, West Bengal 713103, India Supporting Information

ABSTRACT: A simple, rapid, selective, and cost-effective colorimetric assay for Cr^{3+} and Eu^{3+} ion detection has been developed using functionalized gold nanoparticles. Gold nanoparticles (AuNPs) were prepared using HAuCl_4 , where sodium citrate is a reducing agent as well as a capping agent, and then functionalized with 1,2,3-triazole-4,5-dicarboxylic acid (TADA). Fourier transform infrared (FTIR) and Raman spectroscopies suggested that TADA was functionalized on the surface of AuNPs through the N atom of triazole. The TADA-functionalized gold nanoparticles (TADA@AuNPs) simultaneously detect Cr^{3+} and Eu^{3+} ions from aqueous solution and showed different responses to the two metal ions (Cr^{3+} and Eu^{3+}) based on an aggregation-induced color change of AuNPs. They showed a color change from wine red to blue, which was easily detected by the naked eye, as well as by UV–visible and FTIR spectroscopies. The surface plasmon resonance absorbances of Cr^{3+} and Eu^{3+} are 633 and 671 nm, respectively, when Cr^{3+} and Eu^{3+} react with TADA@AuNPs and showed good linearity with Cr^{3+} and Eu^{3+} concentrations with detection limits 5.89 nM and 4.30 μM , respectively ($S/N = 3$). The TADA@AuNPs showed excellent selectivity toward Cr^{3+} and Eu^{3+} compared to those of the 16 different metal ions. We had also tested the selectivity of TADA@AuNPs toward Eu^{3+} compared to that of the other 10 lanthanide systems. Optimal detection was achieved toward Cr^{3+} and Eu^{3+} ions in the pH range 4–10. In addition, TADA@AuNPs were applied to detect Cr^{3+} and Eu^{3+} ions from lake water showing low interference.

1. INTRODUCTION

Trivalent chromium ion, Cr^{3+} , is one of the fundamental trace transition metals that regulates the insulin on the control of blood sugar in human beings.^{1–3} Insulin resistance or glucose intolerance largely depends on the deficiency of chromium in human blood. However, excessive accumulation of chromium ion would induce the oxidative damage of some cellular components, such as lipid, protein, and DNA.^{4,5} As stipulated by the World Health Organization (WHO), the U.S. Environmental Protection Agency (EPA) standard, and European Community (EC), the maximum tolerable limits of Cr^{3+} ion in drinking water are 50, 100, and 50 $\mu\text{g/L}$, respectively.⁶ Cr^{3+} is the environmental pollutant as it is extensively used in electroplating, alloying, and paint pigments. To detect chromium ions in biological and environmental samples, the development of highly selective and sensitive

chromium sensors is an important area of research. On the other hand, among all, lanthanides, especially europium, is very essential in industry, where it is used as a material for catalyst, semiconductor, and energy. Europium phosphors are used in television tubes to give a bright red color and as an activator for yttrium-based phosphors. Due to the specific physical properties^{7,8} of europium, it is also used for improving crop quality in agriculture. Thus, the increasing consumption of europium in both industry and agriculture endangers environment as well as human health.^{9,10} Therefore, development of methods for detection of europium is very important. Currently, common techniques are employed for the detection

Received: April 21, 2019

Revised: July 19, 2019

Published: July 25, 2019

A predator-prey model with Crowley-Martin response for predation

Nijamuddin Ali^{a1}, Krishnendu Sarkar^b, Lakshmi Narayan Guin^b

^aDepartment of Mathematics, Katwa College, West Bengal, India, 713130.

E-mail: nijamuddin.math@gmail.com

^bDepartment of Mathematics, Visva-Bharati, Santiniketan, West Bengal, India, 731235.

E-mail: sarkarkrishnendu85@gmail.com, guin_In@yahoo.com

Abstract

The present investigation accounts for the influence of intra-specific competition among predator populations in a prey dependent predator-prey model of interacting populations. In this model we considered Qiwu's growth rate for prey, Crowley-Martin response function for predation and intra-specific competition among predator populations. We offer a detailed mathematical analysis of the proposed model to illustrate some of the significant results that has arisen from the interplay of deterministic ecological phenomena and processes. In particular, stability (local and global) and bifurcation (Hopf-Andronov) analysis of this model are conducted for biologically feasible parameters. We attained sufficient conditions to ensure the global stability of the unique positive equilibrium, by using appropriate Lyapunov functions and Lasalle invariance principle. Finally, numerical simulations through computer illustrate the dynamics of the ecological system.

Keywords: Predator-prey model, Intraspecific competition, Stability, Bifurcation, Lyapunov function, Crowle-Martin functional response.

MSC(2010) : 34A34, 34D20, 37B25, 37G15, 92D25.

1. Introduction

Ecological systems are characterized by the interactions of different species within their natural environment. Studies of mathematical models are informative in understanding predator-prey interactions in these systems; as a result, predator-prey models have been important in ecological science since the early days of this discipline after the pioneering works of Lotka and Volterra. We start with the modified Lotka-Voltera type predator-prey system

$$\frac{dX}{dT} = RX \left(1 - \frac{X}{K}\right) - CMXY, \quad (1.1a)$$

$$\frac{dY}{dT} = MXY - DY, \quad (1.1b)$$

$$X(0) \geq 0, Y(0) \geq 0, \quad (1.1c)$$

¹ Corresponding author

Ratio-dependent predator-prey model with Qiwu's growth for prey

Nijamuddin Ali^{a1}, Krishnendu Sarkar^b, Lakshmi Narayan Guin^b

^aDepartment of Mathematics, Katwa College, West Bengal, India, 713130.

E-mail: nijamuddin.math@gmail.com

^bDepartment of Mathematics, Visva-Bharati, Santiniketan, West Bengal, India, 731235.

E-mail: sarkarkrishnendu85@gmail.com, guin_ln@yahoo.com

Abstract

Modelling of predation process of an eco-system becomes closer to the existent situation when response of both the species is believed in the modelling process. Ratio-dependent functional response is one of them. In this article, a prey-predator model is thought with Qiwu's growth for prey and ratio-dependent Holling type II functional response predation development. The crucial mathematical features of the proposed model are analyzed with the help of equilibria, stability analysis, and bifurcation theory. The parametric space under which the system enters into a Hopf-bifurcation has been investigated. Explicit formula for determining the stability of bifurcating periodic solutions is driven by using normal form and central manifold theory. Our analytical findings are performed by numerical experiments. Biological implications of the analytical findings are talked about in the conclusion section.

Keywords: Prey-predator model; Ratio-dependent response; Stability; Hopf-bifurcation.

MSC(2010) : 92Bxx, 92D40, 37B25, 34D23, 34D35

1. Introduction

Behaviour of ecological system is characterized by the interaction of species with the wide range of spatial and temporal scales natural environment. From the early beginning of this discipline, one of the most key interactions that influence the dynamics of all species is predation. Studies of mathematical models are informative in understanding prey-predator interactions in these systems; as a result, predator-prey dynamics have been significant in mathematical ecology since the early days of this discipline after the pioneer work of Lotka and Volterra. We begin with the modified Lotka-Volterra type prey-predator system which is known as Wangersky-Cunningham model

$$\frac{dX}{dt} = RX\left(1 - \frac{X}{K}\right) - MXY, \quad (1.1a)$$

$$\frac{dY}{dt} = EMXY - DY, \quad (1.1b)$$

$$X(0) \geq 0, Y(0) \geq 0, \quad (1.1c)$$

¹ Corresponding author



A Review on Hydrodynamical Stability of Thin Film Flowing Along an Inclined Plane

Souradip Chattopadhyay^{1*}, Anandamoy Mukhopadhyay² and Amlan K. Barua¹

¹Department of Mathematics, Indian Institute of Technology Dharwad, Karnataka - 580011, India

²Department of Mathematics, Vivekananda Mahavidyalaya (The University of Burdwan), West Bengal - 713103, India

*Corresponding author

Article Info

Keywords: Hydrodynamical stability, Inclined plane, Thin film.

2010 AMS: 35Q30, 35Q35, 35Q79, 76E07, 76E17, 76E25, 76E30.

Received: 9 September 2018

Accepted: 8 April 2019

Available online: 30 August 2019

Abstract

The dynamics and stability of thin liquid films have fascinated scientists over many decades. Thin film flows occur over a wide range of length scales and are central to numerous areas of engineering, geophysics and biophysics. These include nanofluidics and microfluidics, lava flows, coating flows, tear-film rupture, dynamics of continental ice sheets and surfactant replacement therapy. Study of falling film instability has its wide applications in the practical field of industry and engineering. Practical applications in industrial processing motivate the recent research to investigate the factors which may affect the formation of waves on the surface of the coating layers and/or to determine the ways to overcome or to minimize the unwanted factors within the desired limit of tolerance. The dynamics of a liquid film flowing down a plane under the action of gravity is a problem which appears in many technological and natural systems, namely large scale geophysical environments such as lava flows or spillways, daily life scenarios such as water flowing down a window pane or a slippery road on a rainy day, chemical engineering processes such as evaporators, heat exchanges and falling film reactors or surface coating. The aim of this paper is to throw light on the studies conducted on hydrodynamical stability.

1. Introduction

Hydrodynamical stability is an important branch of the fluid mechanics both from application and theoretical points of view. Stability is the measure of the ability of a system to resist the changes or in other words how a system reverts to its original state after suffering all possible modes of perturbation. An important criterion for a flow state to be physically stable is the ability of the system to withstand small disturbances which are present or may be transmitted from the surroundings to the flow. The theory of small oscillations is a useful tool for investigating the stability problems in hydrodynamics. If small disturbances superimposed on initial laminar flow, decay in time or with distance downstream, then the laminar flow is stable. If they increase, that is if the growth of the perturbation is unbounded, or if the real outcome is just another different state, or if it is a bounded but turbulent or chaotic state or accompanies the collapse of physical assumptions underlying the governing equations then the outcome is a different physical system. A very common example of instability is the formation of waves on surfaces of water owing to the action of wind. The "Taylor-Couette flow instability" is a well known instability, which arises due to centrifugal force, and Rayleigh-Benard convection, which arises due to difference of density are important instability phenomena occurring in laboratories and nature. A detailed description of the entire field is given by Schlichting [1], Lin [2], Hsieh and Ho [3] and Drazin and Reid [4]. It is very interesting that despite the effort of generations of applied mathematicians, beginning with Rayleigh, Kelvin and Reynolds, many simple understanding of phenomena related to hydrodynamic stability remain incomplete. Therefore it is an important task for the applied mathematics community to highlight different aspects of flow instability.

The instability of a thin film was first investigated in 1949 when Kapitza and Kapitza [5] took some elegant photographs with the help of some simple kitchen apparatus. After the publication of these photographs, the research community felt that these photographs represent a simple hydrodynamical instability phenomenon on a thin film flowing along an inclined plane. The beauty and simplicity of this phenomenon



Stability of thin film flowing down the outer surface of a rotating non-uniformly heated vertical cylinder

Anandamoy Mukhopadhyay · Souradip Chattopadhyay ·
Amlan K. Barua

Received: 4 July 2019 / Accepted: 27 February 2020
© Springer Nature B.V. 2020

Abstract We investigated an incompressible viscous liquid film flow over a rotating vertical cylinder of radius R and of infinite length rotating with a uniform angular velocity Ω about its axis. The surface of the vertical cylinder is non-uniformly heated where the temperature varies linearly in the downstream direction. The flow is assumed to be axisymmetric, and the component of the velocity along the azimuthal direction is assumed to be constant. The surface tension of the liquid is assumed to vary linearly with temperature such that as the temperature increases, the surface tension decreases. This gives rise to Marangoni stress over the free surface of the thin film. Using the long-wave approximation method, we derived a free surface evolution equation. For linear stability analysis, we used a normal mode approach and found that the Marangoni

number plays a double role. There exists a critical Marangoni number (Mn^*) such that for $Mn < Mn^*$, it plays a stabilizing role and for $Mn > Mn^*$ it plays a destabilizing role. We also found that as the rotation number Ro increases, the destabilizing zone increases but it decreases with the increment of the radius R of the cylinder. We further performed a weakly nonlinear analysis of the flow using the method of multiple scales. The study reveals that the Marangoni number Mn , the radius R and the rotation number Ro have substantial effects on different stability zones. The study also reveals that in the supercritical stable (subcritical unstable) zone, the threshold amplitude of the nonlinear disturbance increases (decreases) with the increment of Mn and Ro but decreases (increases) with the increment of R . The nonlinear wave speed in the supercritical stable zone decreases with the increment of Mn and Ro , whereas it increases with the increment of R . We also examined the effect of thermocapillarity and rotation on the profile of the steady travelling wave solutions of the leading order part of the evolution equation.

Electronic supplementary material The online version of this article (<https://doi.org/10.1007/s11071-020-05558-x>) contains supplementary material, which is available to authorized users.

A. Mukhopadhyay (✉)
Department of Mathematics, Vivekananda Mahavidyalaya
(The University of Burdwan), Purba Bardhaman, West
Bengal 713103, India
e-mail: ananda235@email.com

S. Chattopadhyay · A. K. Barua
Department of Mathematics, Indian Institute of Technology
Dharwad, Dharwad, Karnataka 580011, India
e-mail: 183111001@iitdh.ac.in

A. K. Barua
e-mail: abarua@iitdh.ac.in

Keywords Thin films · Rotating vertical cylinder · Instability · Thermocapillarity · Travelling wave solutions

List of symbols

R Radius of the vertical cylinder
 Ro Rotation number


ISSN 2249-3751

আন্তর্মুখ

বাংলা গবেষণা-পত্রিকা

পর্ব-৯, সংখ্যা-৪

ত্রৈমাসিক



বাংলা সাহিত্যে পৌরাণিক চরিত্র : নির্মাণ ও বিনির্মাণ

আন্তর্গুথ

বাংলা গবেষণা-পত্রিকা

(A Peer Reviewed Journal)

পর্ব-৯, সংখ্যা-৪, ত্রৈমাসিক, এপ্রিল-জুন ২০২০

[“Published with financial assistance from the Central Institute of Indian Language (Dept. of Higher Education, Ministry of Human Resource Development, Government of India) Manasagangotri, Mysore 570 006 vide sanction letter F. No. 53-2(7)/2014-15/BEN/LM/GRNT dated 5th Decenber 2016 under the Little Magazine scheme of Grant-in-aid”.]

বাংলা সাহিত্যে পৌরাণিক চরিত্র : নির্মাণ ও বিনির্মাণ

সম্পাদক

খোকন কুমার বাগ

‘সাম্পান’

বাদশাহী রোড, ভাঙ্গাকুঠি, বর্ধমান

বিশেষজ্ঞ সমিতি

অধ্যাপক সোমেন্দ্রনাথ বন্দ্যোপাধ্যায়
অধ্যাপক উপেন্দ্রীষ ভট্টাচার্য
অধ্যাপক সুমিতা চক্রবর্তী

অধ্যাপক পবিত্র সরকার
অধ্যাপক শুচিত্র সেন
অধ্যাপক বিপস্তারণ ঘোষা

সূচিপত্র

উদ্বোধন দল
অন্তর্মুখ বন্দ্যোপাধ্যায়

সম্পাদক মণ্ডলী
রুপ কুমার বর্মান
নচিকেতা বন্দ্যোপাধ্যায়

তপন গোস্বামী
শম্পা সামন্ত

সম্পাদক
খোকন কুমার বাগ

প্রচ্ছদ
প্রত্যুষ বাগ

অফিস

"সম্পাদন", বাদশাহী রোড, ভাস্কাকুঠি, বর্ধমান, পূর্ব বর্ধমান, পঃ বঃ-৭১৩১০১
ফোন : ০৯৪৩৪৬৭২৪৬৬। e-mail-antarmukh.2011@rediffmail.com
visit : antarmukh.com

পরিবেশক

সিটি এন্স. ব্যানার্জী এন্ড কোং
৬ডি, হমনাথ মজুমদার স্ট্রিট
কলকাতা-৭০০০০৯
দূরভাষ-৯৬০৯১-১১৮৫১

রুপসী বাংলা
২০এ, রাখানাথ বোস লেন
কলকাতা-৭০০০০৬
দূরভাষ-৯৪৩২২৮৮৯০৭

মূল্য : ২০০ টাকা

বার্ষিক গ্রাহক—৫০০ টাকা (সাধারণ ডাক/কুরিয়ারের জন্য অতিরিক্ত ২০০ টাকা)
পাঁচ বছরের জন্য—২৫০০ টাকা (সাধারণ ডাক/কুরিয়ারের জন্য অতিরিক্ত ১০০০ টাকা)
প্রাতিষ্ঠানিক গ্রাহক মূল্য বার্ষিক ৭০০ টাকা/৩৫০০ টাকা (পাঁচ বছরের জন্য)।
ডাক/কুরিয়ার অতিরিক্ত ২০০ টাকা/১০০০ টাকা (পাঁচ বছরের জন্য)।
(পশ্চিমবঙ্গের বাইরের জন্য অতিরিক্ত প্রকৃত খরচ গ্রাহককে বহন করতে হবে)

মুদ্রণ

বিজল প্রিন্টার্স

১৯/১/১ গোয়াবাগান স্ট্রিট, কলকাতা ৭০০ ০০৬

সম্পাদকীয় / ৫

অন্নদামঙ্গলের শিব : যুগনির্মিত বিনির্মাণ—অদ্বিজা চৌধুরী / ৭
দ্বিজ রাজীবলোচনের 'শিবের বিবাহ' : পৌরাণিক শিব ও নারদ চরিত্রের বিনির্মাণ
—খোকন কুমার বাগ / ২১
রামায়ণের 'সীতা' : আবহমান বিনির্মাণ—স্মারিতা দত্ত / ২৮
বাজলি মানসলোকে সীতা : বিনির্মিত ভাবনা—কাজল মাল / ৪২
মধুসূদনের মেঘনাদ : বিনির্মিত প্রতিকৃতি—ঋতব্রত বসুমঙ্গলিক / ৫৩
বাংলা সাহিত্যে শূর্ণগা : মানবিক রূপায়ণ—উদয় রতন মুখার্জী / ৬৯
'গ্রাম্যসাহিত্য' : পৌরাণিক চরিত্র প্রসঙ্গে রবীন্দ্র-ভাবনা—বীণাপাণি চন্দ / ৮৫
পৌরাণিক চরিত্রের পুনর্নির্মাণ ও বিনির্মাণ : প্রসঙ্গ রবীন্দ্রকাব্যনাট্য—গুভঙ্কর ঘোড়াই / ৯৩
মন্মথ রায়ের 'দেবাসুর' নাটকে পৌরাণিক চরিত্রের নবনির্মাণ—পদ্ম কুমারী চাকমা / ১০৫
অথ বৃদ্ধাঙ্গুষ্ঠ কথা : উচ্চবর্গীয় ব্যাখ্যান থেকে দলিত সামূহিক 'আত্ম'-এর চেতনায়
'একলব্য'রা—অর্থমা ঘোষ, সায়ন্তনী মৈত্র / ১১৬
বৃদ্ধদেব বসুর নাটকে পুরাণ ও পৌরাণিক চরিত্রের বিনির্মাণ—শিব শঙ্কর পাল / ১৩১
আধুনিক বাংলা সাহিত্যে দ্রৌপদী : নারীজাগরণের পথিকৃৎ—রঞ্জনা ভট্টাচার্য / ১৪৪
মহাভারতের দ্রৌপদীর মূল্যায়ন : নির্মাণে-বিনির্মাণে—সেবিকা ধর / ১৫৭
গজেন্দ্রকুমার মিত্রের 'যাজ্ঞসেনী' গল্পে দ্রৌপদী : অব্যক্ত অনুভূতির নবনির্মিত-পাঠ
—নাজমিন খায়ের / ১৬৫
দীপেন্দ্রনাথ বন্দ্যোপাধ্যায়ের 'জটায়ু' : পুরাণের নবরূপায়ণ—জয়ন্ত কুমার মণ্ডল / ১৭২
ডিকনস্ট্রাকশনের আলোকে চাঁদ বণিক : নির্বাচিত আধুনিক সাহিত্যে অবগাহন
—অমিত কর্মকার / ১৮১
একালের নির্বাচিত মহিলা কবিদের কলমে পৌরাণিক চরিত্রের বিনির্মাণ—শান্তনু সাহা / ১৯২
কবিতা সিংহের কবিতা : পুরাণ-আদর্শে কবিব্যক্তিত্বের নির্মাণ—দীপঙ্কর দেবনাথ / ২০৪
ত্রিপুরার নির্বাচিত বাংলা গল্পে পৌরাণিক চরিত্রের পুনর্নির্মাণ—মলয় দেব / ২১৩
সঞ্জীব চট্টোপাধ্যায়ের 'শ্রীকৃষ্ণের শেষ কটা দিন' : দেবতার মানবায়ন
—চিন্তাধীপ চ্যাটার্জী / ২২৪

একালের নির্বাচিত মহিলা কবিদের কলমে পৌরাণিক চরিত্রের বিনির্মাণ

শান্তনু সাহা

আধুনিক বাংলা কবিতা বাংলা সাহিত্যের এক গুরুত্বপূর্ণ পর্যায় আধিকার করে নিয়েছে। একদিক শতাব্দীর প্রথম দশক থেকে রচিত কবিতা, বিশেষত যেগুলো মহিলা কবিদের রচনা। এক দৃষ্টিতেই মেধাচর্চার দলিল হিসেবে পরিগণিত হতে পারে। তাঁদের রচনা নির্ভর করে কবিদের বেছে নেওয়া বিষয়ের ওপর ও অন্তর্গত দর্শনের ওপর। সর্বশেষ এই কবিতাগুলোর ভেতরে একটি অদৃশ্য যোগসূত্র পরিলক্ষিত হয়। নবীন প্রবন্ধকারী কবিরা নারীদের এই সমাজ ব্যবস্থায় অবস্থান টিকে তুলে দেবে। নির্বিকার নারীদের প্রতিফলন প্রকাশিত হয়ে থাকে কবিতার ভিতর। তারা কেউ কেউ নারী সত্তার প্রতিভূ হয়ে ওঠে। মল্লিকা সেনগুপ্ত 'নারীর নিজেস্বত্ব' বইতে লিখেছেন: "মেয়েদের কবিতার বেশিটাই ব্রজ গানের মতো: যন্ত্রণার কথা বা কল্পিতদের বা লাস্যের লিরিক। আর এখন, মেয়েদের কবিতার বেশিটাই, গানের অংশ শির টানটান করা রাগ।" আলোচ্য প্রবন্ধে যে সময়কালকে ধরার চেষ্টা করা হয়েছে, একবিংশ শতাব্দীর প্রথমার্ধ, তার ভেতরে এই ধরনের কবির সংখ্যা প্রচুর। এবং তাঁদের লিখন ভঙ্গিমা যথেষ্ট সাবলীল। তাঁরা তাঁদের কবিতার ভিতর নিজেদের কল্পিত তৈরি করতে পেরেছেন। কিছু কবিতা পড়লেই বুঝতে পারা যায় সেই লেখা অমুক কবির। আরও একটি লক্ষণীয় বিষয় হল কবিতাগুলোয় উপস্থিত বিষয় বৈচিত্র্য। আধুনিক বিশ্বে গ্লোবালাইজেশনের ফলে যেমন ভিন্ন দিক থেকে গেল জ্ঞানার্জন ও চিন্তনচর্চার, একইরকম ভাবে সাহিত্যের গণ্ডিও ছাপিয়ে যেতে শুরু করেছে প্রচলিত বিষয় বৈচিত্র্যকে। নারীদের লেখা কবিতাগুলো এক সময়ের চেতনার কথা বলে। যদিও সাহিত্যের আঙ্গিনাকে লিঙ্গভেদে বিভাজিত করে দেওয়া যায় না, তবু বিষয় স্থিত ভিন্নতা আসলে এক অন্য কণ্ঠস্বর: "এতে লিঙ্গ-সাম্প্রদায়িক বৈষম্য নির্মূল করার প্রচেষ্টা।" তাই মল্লিকা সেনগুপ্ত, মন্দাক্রান্তা সেন, পৌলোমী সেনগুপ্ত প্রমুখ কবিরা বিশেষভাবে স্বতন্ত্র। তাঁদের কবিতায় বিভিন্ন বিষয়ের ভিতর একটিদিয়ে হল পৌরাণিক বিষয় ও চরিত্রের উপস্থাপন। আলোচ্য প্রবন্ধের ভিতর এই বিশেষ দিকটির বিনির্মাণ রূপটিকে তুলে ধরার চেষ্টা করা হয়েছে এবং এই পৌরাণিক চরিত্র ও বিষয়ের উপস্থাপন তাঁদের কবিতার ভিতর একইরকম ভাবে 'পুরুষবাদের প্রাপ্ত এক নতুন মহাকাশ' গড়ার স্বপ্ন দেখায়। এমন একটি

এপ্রিল-জুন, ২০২০

একালের নির্বাচিত মহিলা কবিদের কলমে পৌরাণিক চরিত্রের বিনির্মাণ ১৯০

ডিসকোর্সের প্রস্তুতি শুরু হয় যার ভিতর দিয়ে এই পুরুষতান্ত্রিক সমাজ ব্যবস্থায় অস্তিত্ব অর্জনের প্রকল্প শুরু হয়। মল্লিকা ব্যাখ্যা করেছেন এই চেতনার প্রয়োজনীয়তা—

"আমার মনে হয় এই রাগের মধ্য দিয়ে যাওয়া দরকার আমাদের, যদি আমরা দূরত্ব থেকে দেখার চেষ্টা করি, অবজেক্টিভিটি আনতে চাই, নিজেদের বাস্তব অবস্থার সঙ্গেই বিশ্বাসঘাতকতা হবে, যা ভার্জিনিয়া উলফ করেছিলেন, যাতে আমাদের কথা জেনে আসেন বা সেন্সাপিয়ারের মতো শোনাবে।"

তাই অবশ্যস্তাবী ভাবেই, প্রায় প্রত্যেক কবি পুরাণ চরিত্রগুলিকে ছুঁয়ে গেছেন, অভিনয় করে গেছেন এবং ওই চরিত্রদের তাঁদের লেখার ভিতর আনিয়ে নিয়েছেন। যেন তাঁদের মাধ্যমে নিজেরা নিজেদের বর্তমান অবস্থাকে বিশ্লেষণ করতে পারে। অসাম্যের ব্যবস্থায় সাম্য আনার চেষ্টা করা যেতে পারে।

বাংলা সাহিত্যে পুরাণের ব্যবহার অথবা পুরাণধর্মী রচনা কেই সাহিত্যের রূপ দেওয়া সাহিত্যের এক বিশেষ অঙ্গ। পুরাণ কোনো বিচ্ছিন্ন আলোচনা নয়, বরং বাংলা সাহিত্যের ভিতর তার উপস্থিতি প্রয়োজনীয় বা সমান্তরাল টেক্সট হিসেবে পৌরাণিক চরিত্র বা গল্প সাহিত্যস্থিত সাধারণ চরিত্র বা গল্পগুলোর অনেক সময় পরিপূরক। তাই মঙ্গলকাব্যের ভিতর চণ্ডী বা মনসা বা শিব গুণ্ডমাত্র সেনী বা দেবতা হিসেবে নয়, বরং মানবিক দৃষ্টিকোণ থেকে, দোষ-গুণ সমন্বিত মানুষ চরিত্রের সমান্তরালে তাঁদের উপস্থিতি লক্ষ করা যায়। ভারতবর্ষের বহুটা বিস্তৃত ও বহু চর্চিত পৌরাণিক পরিমণ্ডল এক বৃহৎ উৎস হিসেবে পরিগণিত হয় বাংলা সাহিত্যের ক্ষেত্রে।

সৃষ্টির পরে মানুষ তার মেধা ও মনন দিয়ে গড়েছে এই মানব সংস্কৃতি। এই পরিক্রমা বহু দিনের ও সযত্নালিত। এই সংস্কৃতির অন্তর্গত এই পুরাণ। এই সম্পর্ক সুদীর্ঘ যা ছিন্ন করার কোনো অবকাশ নেই। সেই প্রাচীন কাল থেকে কল্পনার ভানায় ভর দিয়ে বাস্তবতায় এসে বসাই হল পুরাণের কাজ। পুরাণ এক কথায় সৃষ্টির গল্প। সুধীরচন্দ্র সরকার তার অভিধানে পুরাণের ব্যাখ্যা দিয়েছেন—

"যে গ্রন্থে স্বাভাব, জন্ম, দেবতা, অসুর, গন্ধর্ব, যক্ষ, মনুষ্যাদির বৃত্তান্ত এবং সৃষ্টি, বিবরণ, ব্রহ্মানুসন্ধান, ব্রহ্মের সাকার ও নিরাকার বর্ণন অন্তর্ভুক্ত নির্ণয়, জ্যোতির্বিজ্ঞান, পূর্বতন রাজন্যবর্গের বংশাবলী প্রভৃতি নানা বিষয়ে সর্বশেষ লিখিত আছে, এবং যদ্বারা ভূত, ভবিষ্যৎ ও বর্তমান অবস্থার পরিজ্ঞান, জ্ঞানের নির্মূলতা ও বুদ্ধির প্রার্থ্য জন্মে, তার নাম পুরাণ।"

ভারতবর্ষের ইতিহাসে ধর্মের ওপর ভিত্তি করে পুরাণ চরিত্র নির্মিত হয়েছে। প্রাচীন রামায়ণ, মহাভারতের সময়কাল থেকেই হিন্দু, বৌদ্ধ, জৈন ইত্যাদি ধর্মের অনুপ্রেরণায় রচিত হয়েছে যে সমস্ত আখ্যান তাঁদের বর্তমান বিশ্লেষণে সেই সময়কাল

অন্তর্ভুক্ত: পর্ব ৯, সংখ্যা ৪

ISSN 0973-3671 Volume 13 No. 1 2020

**JOURNAL OF THE
DEPARTMENT OF ENGLISH**

UGC-CARE Enlisted National Level Peer Reviewed Annual Journal



VIDYASAGAR UNIVERSITY
Midnapore, West Bengal, India

Contents

	Page Nos.
Surpanakha's Mutilation or That of Womanhood? An Inquiry into Two Feminist Retellings Anindita De	1-9
Experience of Menarche: Pain and Celebration in Selected Modern Indian Narratives Ankita Gupta	10-23
The Representation of Dalits in the History of Bengal from Ancient to Medieval Period (Around 1000 B.C.-1757A.D.) Debabrata Karmakar	24-35
Footnotes to the Archive: Memory in the Digital Age Gourab Goswami	36-45
Memories of Subjective and Objective Violence of Amritsar Massacre in Bali Rai's <i>City of Ghosts</i> Indrajit Mukherjee	46-55
Karnad's Theatrical Exploration of Historiography in His Representation of Four Rulers of Southern India Jolly Das	56-68
Carnavalesque Popular Culture and the <i>Goopi-Bagha</i> Trilogy of Films Koushik Mondal	69-78
The 'devi' and the 'dasi': Understanding the Identity Constructions of Indian Womanhood in Ismat Chughtai's "The Homemaker" Koyel Chanda	79-87
Negotiating the Fringes: Interpreting and Interrogating the Class and Caste Conflict in Mulk Raj Anand's <i>Coolie</i> Manisha Bhattacharya	88-95
Madness as a Critique of State-sponsored Violence: A Study of the Mad Fellows in Select Partition Stories of Saadat Hasan Manto Mir Ahammad Ali	96-110

A Broken Coriolanus: Self and the Renaissance in T. S. Eliot's "The Waste Land" Rupsa Roychowdhury	111-122
✓ Retrieving the Ethnic World of the Adis: An Ecocritical Reading of Mamang Dai's <i>The Legends of Pensam</i> Santosh Kr Malik	<u>123-133</u>
History, Self-Alienation and A Study of Cultures: Studying Nirad C. Chaudhuri's <i>The Autobiography of an Unknown Indian</i> Saptarshi Mallick	134-144
Rabindranath Tagore's Philosophy in his Songs Shubhendu Shekhar Naskar	145-154
Difficult Truths versus Expedient Lies: HBO's <i>Chernobyl</i> and Climate Change Denial Sk. Tarik Ali	155-171
Dare to read: A Dalit reads in Daya Pawar's <i>Baluta</i> Subhashis Barua	172-179
The Game of the Unconscious in Haruki Murakami's <i>Norwegian Wood</i> Supromit Maity	180-187
Strangers "here and everywhere": the Social Discourse in the Literature of Partition Tamali Neogi	188-197
"...not so much wrinkled, nothing so aged as this seems": The "Stone Statue" of Hermione in <i>The Winter's Tale</i> and Critical Feminist Gerontology Ujjwal Kumar Panda	198-206

Retrieving the Ethnic World of the Adis: An Ecocritical Reading of Mamang Dai's *The Legends of Pensam*

Santosh Kumar Malik

Abstract

Northeast India is the home to different ethnic groups with a variety of cultures, languages, religions and is regarded as the melting pot of diverse races, castes, and cultures. It is one of the most under-represented regions of India. The troubled political atmosphere, the scenic landscape, and the confluence of various ethnic groups in the region perhaps have given rise to a body of literary writings that is entirely different from the rest of India. Like the region itself, literature in English from the Northeastern part of India has also been stereotyped. But if we make a critical study at the literary writings of this region, we will find that most of the authors such as Mamang Dai, Temsula Aao, Aruni Kashyap, Easterine Kire are consciously incorporating the geopolitical and environmental issues like the ecological degradation of the region, the exploitation of resources, radical climate change of the land, deforestation, encroachment, poaching, etc. in their writings. For instance, Mamang Dai's *The Legends of Pensam* is a novel that has a strong ecological concern. History, myth, tradition, memory, and fiction merge together in this novel, which showcases the unique ecology of Arunachal Pradesh. The clash between tradition and modernity and the degeneration of traditional values during the colonial period as well as the ecological degradation of the land can well be studied from an ecological viewpoint. The novel advocates the restoration of the age-old bond between man and the nature as a way of retaining the identity of the tribal communities in the contemporary world of globalization and modernization.

Keywords: Literature in English from Northeast India, tribal community, ethnic groups, environmental degradation, ecology, environment, ecocriticism.

The Northeast region of India is often viewed by most of the Indians as a conflict-ridden zone with problems related to identity, violence, ethnic strife, infiltrations, militancy, and so on. This stereotyped view of the region is also reflected in the literature in English from Northeast India. However, these issues are not the ultimate defining themes of the writings from this region. The rich cultural heritage of various ethnic groups, the beautiful natural landscape, and the troubled political atmosphere of the region have collectively contributed

Bengal's Culture and Social Life on the Temple Terracotta Image

Ashim Kumar Porel

*Assistant professor of History,
Fivekananda Mahavidyalaya, Burdwan,
Sripally, Purba Bardhaman,
West Bengal Pin- 713103.*

Abstract

The innumerable terracotta ornamented temples of Bengal are considered to be the primary source for the study of social history. Until today very few numbers of Historians and Social Scientists have emphasized to compose of social history by analyzing the terracotta figurines. The history of the establishment of temples in Bengal is too early. The different types of numerous terracotta ornate temples have revealed the Bengal architecture and sculpture, on the other hand the social scenario and cultural customs have been clearly depicted. The terracotta adorned images were bear the message of religious cohesion, because there has been merge of religious rituals of Hindu- Muslim- Buddhist- Jain- Christian etc. therefore, terracotta ornamented temples were to be an important means of public education. By analyzing the terracotta ornamented temples that are still spread in different districts of Bengal, it is possible to get explore into the contemporary Bengali culture and there social condition, which has long been neglected. An analysis of the terracotta temples of different districts like Burdwan district, Bankua district, Birbhum district, Hooghli district, Midnapore district, Purulia district, Murshidabad district, Howrah district etc. are reveals there various social scenario, for example what the past life there was, it is known what religious practices were in Bengal in the past, agricultural system, trade & commerce, social condition of Bengal women, sexuality, entertainment, traditional dance, animal husbandry, animal love, sea trade, animal hunting, gymnastic and exercise, vehicles system, Bengal caste system, musical instrument, war scene etc.

Keywords: Ramayana & Mahabharata, Woman, Child labour, Animal husbandry, Naval Trade, Textile.

The temples of ancient Bengal are considered to be the primary source of the study of social history of contemporary period. In nineteenth century few numbers of temple researchers gave some information about the establishment of the temple of Bengal and there use of the

Identification of Water Resource Potential Zones of Karu River Basin Using Remote Sensing and GIS techniques in Purulia District, West Bengal [India]

Shambhu Nath Sing Mura

Assistant Professor in Geography, Vivekananda Mahavidyalaya, Burdwan, West Bengal, India

E-mail- shambhu.vmbwn@gmail.com

Abstract - Remote Sensing and GIS tools have broadly help hydrologists to delineate the water resource potential zones for watershed development and management. Water is a valuable natural resource in our daily life. It is used as domestic as well as agricultural purposes. It's amount varies from season to season. It is plenty during rainy season but in dry season, it is scarce. Assessment of the potential zones of water resource is extremely important for the protection of water quality and the management of surface/ground water systems. Water resource potential zones are demarcated with the help of Remote Sensing and geographical Information System (GIS) techniques. In this study, standard methodology is used to determine potential of water resource using integration of RS & GIS techniques. Different parameters that can be considered for identifying water resource potential zones such as slope, drainage frequency, drainage density, geology, groundwater level, soil, surface water bodies and land use/land cover are generated using satellite data and survey of India (SoI) toposheets of scale 1:50000. Suitable ranks are assigned of each category of these parameters. Different thematic map of each parameter is prepared using ordered weighted averaging technique in Qgis. Finally composite map is prepared by assigning all parameters to identify water resource potential zone. These are classified into five categories like very poor, poor, moderate, good and excellent. This suggested methodology has been applied for achieve the goal of the selected study area in Purulia district, West Bengal. Water resource potential zones will be useful for identification of suitable location for agriculture and domestic use of surface and underground water.

Keyword - River basin, RS & GIS, Overlay analysis, Thematic, Potential zones, Water resource

I. INTRODUCTION

Water resource both ground and surface are useful to human in agriculture, industrial, household, recreational and environmental activities. Main source of water on the earth's surface is precipitation. After precipitation rain water is drained out through surface run-off in the drainage basin. All part of the earth's surface is under any drainage basin. Some portion of rain water is stored as underground water. It depends on voids within geological stratum and bearing formation of the earth's crust which act as conduits for transmission and as reservoirs for storing water. Some portion of water is stagnant on the earth's surface. Surface water bodies like streams, ponds etc., can act as recharge zones [1].

Over the years the growing importance of water based on an increasing population and unscientific exploitation of water is creating a water stress condition. In present scenario, rainfall is gradually decreasing, uncertain and uneven spatially. This alarming situation is cost and time effective technique for proper evaluation of water resources and management planning. Identification of various parameters is important for generating a water resource model of a study area. Karu river basin is a tributary river basin of Subarnarekha river which is originated in the Ajodhya hill of Purulia district. The term basin, catchment and watershed etc. are widely used to denote hydrological units [2]. Watershed is a natural hydrological entity that covers a specific areal space on the earth's surface from which the rainfall run-off flows through drain, channel, gully and stream or river at any particular

University of Nebraska - Lincoln

DigitalCommons@University of Nebraska - Lincoln

Library Philosophy and Practice (e-journal)

Libraries at University of Nebraska-Lincoln

September 2019

e-Learning Platform in SAARC Countries

Rajesh Das

The University of Burdwan, rajeshdas99@gmail.com

Uttam Kumar Hazra

uttamlib@gmail.com

Sinjini Mukherjee

sinjinimukherjee1@gmail.com

Follow this and additional works at: <https://digitalcommons.unl.edu/libphilprac>



Part of the [Library and Information Science Commons](#)

Das, Rajesh; Hazra, Uttam Kumar; and Mukherjee, Sinjini, "e-Learning Platform in SAARC Countries" (2019). *Library Philosophy and Practice (e-journal)*. 2882.

<https://digitalcommons.unl.edu/libphilprac/2882>

e-Learning Platform in SAARC Countries

Uttam Kumar Hazra, Librarian, Vivekananda Mahavidyalaya, Burdwan, 713103, India

Dr. Rajesh Das, Assistant Professor, Department of Library and Information Science, The University of Burdwan, Burdwan-713104, India

Sinjini Mukherjee, Research Scholar, Department of Library and Information Science, The University of Burdwan, Burdwan-713104, India

Abstract

The present paper deals with the e-Learning platform in SAARC countries. There are eight SAARC countries (Afghanistan, Bangladesh, Bhutan, India, Maldives, Nepal, Pakistan and Srilanka) but among them only 5 countries (Afghanistan, Bangladesh, India, Pakistan and Srilanka) have their own e-learning platform for their citizens.

Purpose: *To acquire information about each and every e-learning platform which includes name, year of origin, sponsoring authority, aims, subject area covered, learning path, learning quadrant and type of the courses offered by each e-learning platform.*

Methodology: *e-Learning platforms of each SAARC countries have been studied and filled a questionnaire. The collected data are tabulated in three different tables and analyzed in a significant manner.*

Findings: *India and Bangladesh have started education through e-learning platform in the year 2016) where as Afghanistan and Pakistan have started in the year 2018 and Srilanka has the oldest e-learning platform. edX covers the maximum subject areas.*

Keywords: SAARC, e-Learning, MOOC, SWAYAM, DigiSkill, edX, Muktopaath, FOOE

Introduction: The present valuable right of all human being should be the “Right to education” and the slogan should be the “Education for all”. Now the free education made a remarkable impact in the modern society as whole. Learners from the different areas of the world mainly from SAARC Countries (Afghanistan, Bangladesh, Bhutan, India, Maldives, Nepal, Pakistan and Srilanka) face several problems in time of accessing educational services including learning materials. This is a critical issue in the field of education and this critical situation may be dissolved with the integration of ICT and Education. In this situation many Governments and agencies have implemented such type of e-learning platform so that education barriers are



Website : www.vmbdn.in
Email : vmprincipal2012@gmail.com, M : 7384634726
Phone No : 0342-2541208 (Day Office), 2541521 (Morning Office)
Fax No : 0342-2646916

VIVEKANANDA MAHAVIDYALAYA, BURDWAN

(GOVT. SPONSORED) □ ESTD-1964

P.O- Sripally ★ Dist- Purba Bardhaman ★ Pin-713103 ★ W.B

NAAC Re-Accredited (2nd cycle, B+ with PG in Chemistry)

No...../V.M.

Date :

From : Principal / Teacher-in-Charge & Secretary

List of publications during the session 2020-2021

Sl.No.	Title of paper	Name of the author/s	Department of the teacher	Name of the Journal	Calendar Year of publication	ISSN number	Link to the recognition in UGC enlistment of the Journal	
							Link to website of the Journal	Link to article / paper / abstract of the article
1	Colorimetric Sensors of Hg ²⁺ Ion Based on Functionalized Gold and Silver nanoparticles	Bipul Sarkar, Palash Mondal	Chemistry	J. Water Environ. Nanotechnol	2021	Print ISSN: 2476-7204; Online ISSN: 2476-6615	https://ugccare.unipune.ac.in/Apps1/User/WebA/SearchList	https://ugccare.unipune.ac.in/Apps1/User/WebA/SearchList
2	Synthesis, structural characterization, and studies of magnetic and dielectric properties of Gd ³⁺ doped cerium oxide (Ce _{0.90} Gd _{0.10} O _{2-δ})	Atul Bandyopadhyay, Bhaskar Jyoti Sarkar, Soumyaditya Sutradhar, Jayanta Mandal, Pabitra Kumar Chakrabarti	Physics	Journal of Alloys and Compounds	2021	ISSN: 0925-8388	https://www.elsevier.com/locate/jalcom ; https://doi.org/10.1016/j.jalcom.2021.158838	https://www.elsevier.com/locate/jalcom ; https://doi.org/10.1016/j.jalcom.2021.158838
3	Studies of magnetic behavior of chemically synthesized interacting superparamagnetic copper ferrite nanoparticles	Bhaskar Jyoti Sarkar, Atul Bandyopadhyay	Physics	Journal of Materials Science: Materials in Electronics	2021	ISSN: 0957-4522	https://doi.org/10.1007/s10854-020-04919-x	https://doi.org/10.1007/s10854-020-04919-x
4	Thermocapillary instability on a film falling down a non-uniformly heated slippery incline	Souradip Chattopadhyay, Anandamoy Mukhopadhyay, Amlan K Barua, Amar K Gaonkar	Mathematics	International Journal of Non-Linear Mechanics	2021	ISSN: 0020-7462	www.elsevier.com/locate/nlm	www.elsevier.com/locate/nlm
5	Interfacial phase change effect on a viscous falling film having odd viscosity down an inclined plane.	Sanghasri Mukhopadhyay, Asim Mukhopadhyay	Mathematics	International Journal of Multiphase Flow	2021	ISSN: 0301-9322	https://publons.com/researcher/H-3853-2019/	https://publons.com/researcher/H-3853-2019/
6	Hydrodynamics instability and wave formation of a viscous film flowing down a slippery inclined substrate: Effect of odd-viscosity	Sanghasri Mukhopadhyay, Asim Mukhopadhyay	Mathematics	European Journal of Mechanics	2021	ISSN: 9977546	https://publons.com/researcher/H-3853-2019/	https://publons.com/researcher/H-3853-2019/




Principal
Vivekananda Mahavidyalaya
Burdwan



Website : www.vmbdn.in
Email : vmprincipal2012@gmail.com, M : 7384634726
Phone No : 0342-2541208 (Day Office), 2541521 (Morning Office)
Fax No : 0342-2646916

VIVEKANANDA MAHAVIDYALAYA, BURDWAN

(GOVT. SPONSORED) □ ESTD-1964

P.O- Sripally ★ Dist- Purba Bardhaman ★ Pin-713103 ★ W.B

NAAC Re-Accredited (2nd cycle, B+ with PG in Chemistry)

No...../V.M.

Date :

From : Principal / Teacher-in-Charge & Secretary

7	Thermocapillary instability and wave formation on a viscous film flowing down an inclined plane with linear temperature variation: Effect of odd viscosity	Sanghasri Mukhopadhyay, Asim Mukhopadhyay	Mathematics	Physics of Fluids	2021	Print ISSN: 1070-6631 ; Online ISSN: 1089-7666	https://doi.org/10.1063/5.0040260	https://doi.org/10.1063/5.0040260
8	Waves and instabilities of viscoelastic fluid film flowing down an inclined wavy bottom	Sanghasri Mukhopadhyay, Asim Mukhopadhyay	Mathematics	Physical Review E	2020	Print ISSN: 2470-0045 ; Online ISSN: 2470-0053	https://doi.org/10.1103/PhysRevE.102.023117	https://doi.org/10.1103/PhysRevE.102.023117
9	Hydrodynamics and instabilities of falling liquid film over a non-uniformly heated inclined wavy bottom	Sanghasri Mukhopadhyay, Asim Mukhopadhyay	Mathematics	Physics of Fluids	2020	Print ISSN: 1070-6631 ; Online ISSN: 1089-7666	https://doi.org/10.1063/5.0010461	https://doi.org/10.1063/5.0010461
10	Complex dynamics of an eco-epidemic system with disease in prey species	Nijamuddin Ali	Mathematics	World Scientific Publishing Company	2021	ISSN: 2150046	https://scholar.google.com/citations?view_op=view_citation&hl=en&user=QGKai7AAAAAJ&citation_for_view=QGKai7AAAAAJ:2osOgNQ5qMEC	https://scholar.google.com/citations?view_op=view_citation&hl=en&user=QGKai7AAAAAJ&citation_for_view=QGKai7AAAAAJ:2osOgNQ5qMEC
11	Control of Japanese encephalitis by active principles, 3-(2-hydroxyphenyl)-1,2-propanediol isolated from n-hexane extract of leaf of Mesua ferrea Linn.	Someshwar Singha	Zoology	International journal of tropical insect science	2021	ISSN: 1061-1067	https://www.scopus.com/sourceid/1100147101	https://www.scopus.com/sourceid/1100147101
12	New records and new taxa of genus <i>Xanthidium</i> Ehrenberg (Desmidiaceae, Desmidiales, Conjugatophyceae) from India	Prasanta Mallick	Botany	Indian Hydrobiology	2020	ISSN: 0971-6548	N.A	N.A




Principal
Vivekananda Mahavidyalaya
Burdwan



Website : www.vmbdn.in
Email : vmprincipal2012@gmail.com, M : 7384634726
Phone No : 0342-2541208 (Day Office), 2541521 (Morning Office)
Fax No : 0342-2646916

VIVEKANANDA MAHAVIDYALAYA, BURDWAN

(GOVT. SPONSORED) □ ESTD-1964

P.O- Sripally ★ Dist- Purba Bardhaman ★ Pin-713103 ★ W.B

NAAC Re-Accredited (2nd cycle, B+ with PG in Chemistry)

No...../V.M.

Date :

From : Principal / Teacher-in-Charge & Secretary

13	A Geospatial Morphometric Analysis of Kulbera and Daurighara River Basins in Western Part of Purulia District of West Bengal, India	Shambhu Nath Sing Mura	Geography	IJEAT	2021	ISSN: 2249-8958	https://www.ijeat.org/portfolio-item/C22470210321/	https://www.ijeat.org/portfolio-item/C22470210321/
14	Morphometric Analysis of Kumari River Basin using Geospatial Approach in Purulia District of West Bengal, India	Shambhu Nath Sing Mura	Geography	IJSER	2021	ISSN: 2229-5518	https://www.iiser.org/onlineResearchPaperViewer.aspx?Morphometric-Analysis-of-Kumari-River-Basin-Using-Geospatial-Approach-in-Purulia-District-of-West-Bengal-India.pdf	https://www.iiser.org/onlineResearchPaperViewer.aspx?Morphometric-Analysis-of-Kumari-River-Basin-Using-Geospatial-Approach-in-Purulia-District-of-West-Bengal-India.pdf
15	On Model Robustness in Discrete Design Set-Up: A Teacher's Manual	Madhura Mandal	Statistics	IAPQR Transactions	2021	ISSN: 0970-0102	https://doi.org/10.32381/IAPQRT.2021.45.01-02.8	https://doi.org/10.32381/IAPQRT.2021.45.01-02.8
16	The Impact of Buddhist Philosophy in Sanskrit Literature.	Satyaprasad Mishra	Sanskrit	KIRANAVALI	2020	ISSN: 0975-4067	N.A	N.A
17	Tales and Society -In the Context of Sanskrit Literature	Satyaprasad Mishra	Sanskrit	VYASASRIH	2020	ISSN: 2320-2025	N.A	N.A
18	संस्कृत-व्याकरणशास्त्रे कर्मकारकम् - एकमध्ययनम् ।	Satyaprasad Mishra	Sanskrit	PANINIYA	2021	ISSN: 2321-7626	N.A	N.A
19	Nabendu Ghosher Chotogalpe Samaj Bastabata	Karimul Chowdhury	Bengali	EBONG MAHUA	2021	N.A.	https://ugccare.unipune.ac.in/apps1/home/index	https://ugccare.unipune.ac.in/apps1/home/index
20	"Remembering Partition of Bengal and the Liberation war of Bangladesh"		English	Research Journal of English Language and Literature	2021	ISSN: 2395-2636	N.A	N.A
21	"Perversion, Homophobia and Language difference: A Study of Joe Orton	Subham Hazra	English	International Journal of Research and Analytical Review	2021	ISSN: 2348-1269	N.A	N.A




Principal
Vivekananda Mahavidyalaya
Burdwan

REVIEW PAPER

Colorimetric Sensors of Hg²⁺ Ion Based on Functionalized Gold and Silver Nanoparticles

Bipul Sarkar¹, and Palash Mondal^{2,*}

¹ Department of Physics, Bankura Christian College, Bankura-722 101, West Bengal, INDIA

² Department of Chemistry (UG & PG), Vivekananda Mahavidyalaya, Burdwan, Purba Bardhaman-713 103, West Bengal, INDIA

Received: 2020-09-01

Accepted: 2020-10-14

Published: 2021-02-01

ABSTRACT

Monitoring the levels of toxic Hg²⁺ metal ions in an aquatic environment is an important issue because this ion can have an adverse effect on human health and the environment. Therefore, the detection of Hg²⁺ ions in water is a very important issue for improving human health and water quality. Metallic nanoparticles such as gold and silver nanoparticles (AuNPs & AgNPs) have received much attention due to their colorimetric properties as well as localized surface plasmon resonance (LSPR) properties. AuNPs and AgNPs can easily change their color (AuNPs: Red to Pink/Blue; AgNPs: Yellow to blue) which is easily discriminated by visual inspection. Functionalization of AuNPs and AgNPs offers an excellent application in many scientific worlds as the choice of ligands/functionalizing groups is of utmost importance for their colloidal stability and function of the nanoparticles. In this review, we have discussed the colorimetric sensors of gold and silver nanoparticles based on the functionalization of organic ligands, polymers, amino acids, and proteins for the detection of Hg²⁺ ions in an aqueous medium.

Keywords: Colorimetric Sensor, Gold nanoparticles, Silver nanoparticles, Toxic metal ion, Hg²⁺

How to cite this article

Sarkar B, Mondal P. Colorimetric Sensors of Hg²⁺ Ion Based on Functionalized Gold and Silver Nanoparticles. *J. Water Environ. Nanotechnol.*, 2021; 6(1): 22-40.

DOI: 10.22090/jwent.2021.01.003

INTRODUCTION AND BACKGROUND

Heavy or toxic metal ions are mainly contaminated to the environment due to their broad-spectrum application in industry as well as agriculture. Among the several heavy metal ions mercury, cadmium and lead are the most toxic to the human body as well as animals. Other than these three, the human body is also affected by many metal ions including arsenic, chromium, manganese, copper, zinc, etc. even at the minute level of exposure of these metal ions are responsible to cause several diseases to the human body. The list of some toxic metal ions and their biological effects on humans and animals is listed in Table 1.

Among them, mercury is a very well-known


toxic metal which is a culprit for several threats to human health and the environment [1]. Mercury contaminates into air, soil, and water due to the production of different sources such as gold production, coal plants, thermometers, barometers, caustic soda, and mercury lamps [2]. Mercury converts itself to methyl mercury and is ready to penetrate itself into the human body through the food chain which may damage the various organs [3-5]. Accumulation of mercury to the human body leads to various cognitive and motor disorders, including Minamata disease [4,6]. Therefore, monitoring of mercury metal ions in water (drinking, sea, lake, etc.) is very essential in terms of improving human health and water quality [7]. Several methods are used for the detection of

* Corresponding Author Email: polchemvb2005@gmail.com



This work is licensed under the Creative Commons Attribution 4.0 International License.

To view a copy of this license, visit <http://creativecommons.org/licenses/by/4.0/>.



Synthesis, structural characterization, and studies of magnetic and dielectric properties of Gd³⁺ doped cerium oxide (Ce_{0.90}Gd_{0.10}O_{2-δ})



A. Bandyopadhyay^{a,*}, B.J. Sarkar^{b,*}, S. Sutradhar^c, J. Mandal^d, P.K. Chakrabarti^e

^a Department of Physics, University of Gour Banga, Mokdumpur, Malda, West Bengal 732103, India

^b Department of Physics, Deshabandhu Mahavidyalaya, Chittaranjan, Paschim Bardhaman, West Bengal 713331, India

^c Department of Physics, Amity University Kolkata, Kolkata 700135, West Bengal, India

^d Department of Physics, Hooghly Mohsin College, Chinsurah, West Bengal 712101, India

^e Solid State Research Laboratory, Department of Physics, The University of Burdwan, Burdwan, West Bengal 713104, India

ARTICLE INFO

Article history:

Received 15 April 2020

Received in revised form 2 January 2021

Accepted 18 January 2021

Available online 20 January 2021

Keywords:

Nanostructured materials

X-ray diffraction

Magnetization

Magnetic materials

Dielectric response

ABSTRACT

To improve and modify the magneto-dielectric properties of cerium oxide, fractional incorporation of Gd³⁺ ions in place of Ce⁴⁺ in the pristine lattice was considered. Samples of Gd³⁺ substituted CeO₂ (i.e., Ce_{0.90}Gd_{0.10}O_{2-δ}, CGO) were synthesized by the solid state reaction method where the starting materials of CeO₂ and Gd₂O₃ were heat treated at 800 °C for 10 h. X-ray diffractograms were recorded and analyzed by the Rietveld refinement method to confirm the formation of cubic structure as well as the proper and partial replacement of host cations of Ce⁴⁺ by strong magnetic impurity of Gd³⁺ ions. Transmission electron microscopy study of doped sample of Ce_{0.90}Gd_{0.10}O_{2-δ} was carried to yield some important morphological behavior. The static magnetic measurements were performed by superconducting quantum interference device magnetometer. Interestingly nonlinearity due to onset of magnetic ordering was introduced which was clearly found in recorded magnetization (M) vs. field (H) curve below ~ 50 K. Analysis of magnetic behavior suggests the initiation of paramagnetic to ferromagnetic phase transition at low temperatures (below ~ 50 K). Hysteresis loops observed below ~ 50 K also suggest the onset of magnetic ordering in the doped sample, but saturation magnetization was not found owing to the fact that most of the host cations are in paramagnetic phase. The M–T curve is well fitted below ~ 50 K by a combined equation generated from 3D spin wave model and the Curie–Weiss law indicates the coexistence of paramagnetic (PM) and ferromagnetic (FM) phases in the sample. The onset of ferromagnetism in Ce_{0.90}Gd_{0.10}O_{2-δ} was explained by oxygen vacancy mediated F-center exchange (FCE) coupling mechanism. Dielectric constant and ac conductivity increases with increase of temperature and frequency. The improved version of magnetic and electric properties of doped cerium oxide may be a potential candidate for dilute magnetic dielectric for applications in charge storage and sensor devices.

© 2021 Elsevier B.V. All rights reserved.

1. Introduction

The introduction of magnetic ordering in insulating oxides have drawn enormous research interest due to their proposed use in future spintronic device [1–3]. They are phrased as Diluted Magnetic Dielectric (DMD) and expected to be served as a spin filter in future [4,5]. In this direction, few researches on transition metal (TM) doped rare earth oxides have been carried out [6–8]. The link between ferromagnetism and structural defect, especially oxygen vacancy was the main focus of these studies. The structural defects are

also leading to very interesting light emission, magnetic, catalytic, dielectric properties. We have chosen CeO₂ as a host instead of other rare earth oxides due to its enormous applications in solid oxide fuel cells (SOFCs), luminescence materials, gas sensors, catalysis etc. [9,10]. The abundance of Cerium is higher compared to all rare earth ions even more than Cu [11]. Moreover, CeO₂ has a cubic structure with lattice parameter close to that of Si, therefore CeO₂ devices might be integrated with conventional silicon-based electronic circuit [12]. So far, most of the oxide based diluted magnetic system have non cubic crystal structure. The introduction of magnetic ordering within the cubic CeO₂ may facilitate the current spintronic research and defect engineering in materials. In comparison with TMs, 4f rare earth (RE) ions are a better substitute due to larger magnetic moments and excellent optical and dielectric properties.

* Corresponding authors.

E-mail addresses: atulbandyopadhyay@yahoo.com (A. Bandyopadhyay), bhaskar.dbm@gmail.com (B.J. Sarkar).

Studies of magnetic behavior of chemically synthesized interacting superparamagnetic copper ferrite nanoparticles

B. J. Sarkar & A. Bandyopadhyay

**Journal of Materials Science:
Materials in Electronics**

ISSN 0957-4522
Volume 32
Number 2

J Mater Sci: Mater Electron (2021)
32:1491-1505
DOI 10.1007/s10854-020-04919-x

Your article is protected by copyright and all rights are held exclusively by Springer Science+Business Media, LLC, part of Springer Nature. This e-offprint is for personal use only and shall not be self-archived in electronic repositories. If you wish to self-archive your article, please use the accepted manuscript version for posting on your own website. You may further deposit the accepted manuscript version in any repository, provided it is only made publicly available 12 months after official publication or later and provided acknowledgement is given to the original source of publication and a link is inserted to the published article on Springer's website. The link must be accompanied by the following text: "The final publication is available at link.springer.com".



Studies of magnetic behavior of chemically synthesized interacting superparamagnetic copper ferrite nanoparticles

B. J. Sarkar^{1,*}  and A. Bandyopadhyay^{2,*}

¹Department of Physics, Deshabandhu Mahavidyalaya, Chittaranjan, Paschim Bardhaman, W.B. 713331, India

²Department of Physics, University of Gour Banga, Mokdumpur, Malda, W.B. 732103, India

Received: 20 July 2020

Accepted: 18 November 2020

Published online:


1 January 2021

© Springer Science+Business Media, LLC, part of Springer Nature 2021

ABSTRACT

The magnetic property of nanocrystalline copper ferrite (CuFe_2O_4 , CF) with narrow size distribution synthesized by co-precipitation technique is investigated. The occupancy of cations among the tetrahedral and octahedral sites is determined from the Rietveld analysis of the X-ray diffraction (XRD) pattern. Microstructural, optical, and magnetic properties of the ferrite nanoparticles (NPs) are analyzed in detail using high-resolution transmission electron microscopy (HRTEM), UV–Vis absorption spectroscopy, Fourier-transform infrared (FTIR) spectroscopy, Raman spectroscopy, and superconducting quantum interference device (SQUID) magnetometer. The blue shift in optical band gap compared to bulk one is observed due to the smaller particle size. The particle size distribution inferred by mathematical analysis from the variation of difference between field cooled (FC) and zero field cooled (ZFC) magnetization with temperature supports the HRTEM observation. M–T curve initially proposes the presence of superparamagnetic (SPM) NPs with non-interacting core and interacting surface spin. Therefore magnetic behavior of the sample is explained by core–shell model. This fact is substantiated from the good fitting of M–H curves at different temperatures using a combined equation generated from ‘Law of approach’ to saturation magnetization and Langevin function. With the lowering of temperature magnetic blocking and random spin freezing process occurs. The ratio of M_R/M_s (remanent/saturation magnetization) less than 0.5 for all temperatures implies the presence of uniaxial anisotropy of the single-domain NPs. The unsaturated nature of the M–H curves may be due to the combined contribution from SPM core and spin canting in the mixed spinel CuFe_2O_4 .

Address correspondence to E-mail: bhaskar.dbm@gmail.com; atulbandyopadhyay@yahoo.com



Thermocapillary instability on a film falling down a non-uniformly heated slippery incline

Souradip Chattopadhyay^a, Anandamoy Mukhopadhyay^{b,*}, Amlan K. Barua^a, Amar K. Gaonkar^c

^a Department of Mathematics, Indian Institute of Technology Dharwad, Karnataka 580011, India

^b Department of Mathematics, Vivekananda Mahavidyalaya (The University of Burdwan), West Bengal 713103, India

^c Department of Mechanical Engineering, Indian Institute of Technology Dharwad, Karnataka 580011, India

ARTICLE INFO

Keywords:

Slippery inclined plane
Complex Ginzburg–Landau equation
Nonlinear stability
Traveling wave
Hopf bifurcation

ABSTRACT

A gravity-driven, thin, incompressible liquid film flow on a non-uniformly heated, slippery inclined plane is considered within the framework of the long-wave approximation method. A mathematical model incorporating variation in surface tension with temperature has been formulated by coupling the Navier–Stokes equation, governing the flow, with the equation of energy. For the slippery substrate, the Navier slip boundary condition is used at the solid–liquid interface. An evolution equation is formed in terms of the free surface, which includes the effects of inertia, thermocapillary as well as slip length. Using the normal mode approach, linear stability analysis is carried out and a critical Reynolds number is obtained, which reflects its dependence on the Marangoni number Mn as well as slip length δ . This depicts that δ and Mn both have the destabilization effect on the flow field. The linear study also reveals that the inertia force has a negligible effect compare to the thermocapillary or slip. In addition, the study highlights a critical Marangoni number at which the instability sets in when the thermocapillary stress attains a critical value. The method of multiple scales is used to investigate the weakly nonlinear stability analysis of the flow. The study interprets that the variation of Mn and δ have substantial effects on different stable/unstable zones. It also shows that within a considered parametric domain, the unconditional stable zone completely vanishes for any value of Mn , when the slip length δ attains a critical value. The study also divulges that in the subcritical unstable (supercritical stable) zone the threshold amplitude (ζa) decreases (increases) with the increment of Mn and δ . Further, we discussed the spatial uniform solution of the complex Ginzburg–Landau equation for sideband disturbances. Employing the Crank–Nicolson method, the nonlinear evolution equation of the free surface is solved numerically in a periodic domain, considering the sinusoidal initial perturbation of small amplitude. The nonlinear simulations are found to be in good agreement with the linear and weakly nonlinear stability analysis. The evolution of the maximum (h_{\max}) and minimum (h_{\min}) thickness amplifies, for small change of Mn and δ . Further, it shows that the influence of the thermocapillary force amplifies the destabilizing nature of δ . The traveling wave solution confirms the existence of a fixed point for the considered parametric domain, chosen from the experimental data. Finally, the Hopf bifurcation of the fixed point exhibits that the nonlinear wave speed at the transcritical point increases as δ increases but decreases as Mn increases. The noteworthy result which arises from the study is that a transcritical Hopf bifurcation exists if the slip length $\delta > \max\left\{\left(\frac{1}{6}Mn - \frac{1}{3}\right), \frac{1}{2}\left(\frac{Mn-2}{3-Mn}\right)\right\}$.

1. Introduction

The flow of thin liquid film over uniform/non-uniform heated inclined/vertical plane studied by many researchers [1–15] and is regarded an important problem both from theoretical as well as an experimental point of view. Due to the heated substrate, an instability appears in the flow field, known as Marangoni instability. Since the surface tension of the liquid is a temperature-dependent physical property, so as the heat appears from the heated surface to the interface,

the surface tension decreases for most of the common liquids, and this results in Marangoni instability. A non-dimensional number, known as the Marangoni number is held responsible to create the Marangoni instability.

For a thin film viscous force plays a significant role. For a viscous fluid, at the rigid substrate, the adhesive force that exists between the liquid and solid particles is greater than the cohesive force that exists between the liquid particles. Due to this imbalance of forces, the liquid

* Corresponding author.



E-mail addresses: 183111001@iitdh.ac.in (S. Chattopadhyay), ananda235@email.com (A. Mukhopadhyay), abarua@iitdh.ac.in (A.K. Barua), amar.gaonkar@iitdh.ac.in (A.K. Gaonkar).

<https://doi.org/10.1016/j.ijnonlinmec.2021.103718>

Received 13 October 2020; Received in revised form 24 February 2021; Accepted 21 March 2021

Available online 27 March 2021

0020-7462/© 2021 Elsevier Ltd. All rights reserved.



Interfacial phase change effect on a viscous falling film having odd viscosity down an inclined plane

Sanghasri Mukhopadhyay^{a,*}, Asim Mukhopadhyay^b

^a Laboratoire LOCE, Université Savoie Mont Blanc, Chambéry 73000, France

^b Department of Mathematics, Vivekananda Mahavidyalaya, Burdwan 713103, West Bengal, India



ARTICLE INFO

Article history:

Received 12 March 2021

Revised 7 May 2021

Accepted 12 June 2021

Available online 13 June 2021

Keywords:

Thin film

Odd viscosity

Phase change

Instability

Film Rupture

ABSTRACT

We investigate the phase change effect at the thin film interface with broken time-reversal-symmetry falling down an inclined flat wall. We consider the impact of evaporation and as well as condensation at the fluid-vapor interface separately. The non-zero odd part of the Cauchy stress tensor with the odd viscosity coefficient, which arises due to broken-time-reversal-symmetry, adds an attractive characteristic in the flow by stabilizing the effect of evaporation/condensation. We study the long-wave instabilities of the ununiform film by deriving a non-linear evolution equation in the classical long wave expansion method framework. The one-equation model can track the free surface evolution and accounts for viscosity, gravity, surface tension, and phase change (evaporation/condensation) effects. Linear stability analysis confirms that the odd viscosity has no significant impact on the instability threshold of an evaporating film as a contrast of condensate film, where the critical Reynolds number increases with the odd-viscosity parameter μ . While studying the weakly non-linear waves, we use *the method of multiple scales* to obtain the Complex Ginzburg Landau equation that shows both supercritical and subcritical solutions are possible for evaporating and condensate film. Interestingly, while one subcritical region is visible for an evaporating film, two subcritical unstable regions are found for condensate film. The numerical solution of the free-surface equation illustrates the finite-amplitude behavior that tends to dry out for evaporating film and rapidly increase film thickness for condensate film. The presence of odd viscosity slows down both the film thinning process for evaporation and the film thickening process for condensation. Furthermore, odd-viscosity cannot prevent film rupture in case of evaporation.

© 2021 Elsevier Ltd. All rights reserved.

1. Introduction


The study of a thin film is a fascinating and evergreen topic of scientific research after its broad application in physical, chemical, and biological industries. While flowing down an inclined plane, a thin layer of the liquid becomes sensitive to surface wave instabilities. If the retentional plate above which the fluid is flowing is heated or cooled, evaporation or condensation may occur at the liquid-vapor interface. In the chemical industry, films play the role of activating medium for heat transfer in drip and tower coolers, scrubbers and rectifying columns, steam boilers, evaporators, and oil-refining equipment. In these machinery types, the thin film is forced to flow through complicated paths throughout the columns. The contact between different phases is mixed up substantially, which increases inter-phasic heat and mass transfer.

Another essential property of a fluid is viscosity, a tensorial quantity, and generally, we associate it with dissipation, which measures its resistance to velocity gradients. When time-reversal symmetry is broken spontaneously or due to rotation or due to some external magnetic field's influence, the viscosity tensor possesses a non-vanishing odd part, giving rise to a dissipation-less linear response coefficient termed as Odd or Hall viscosity Avron (1998); Banerjee et al. (2017). Prior to the above studies, Avron et al. (1995) first unveiled the phenomenon of odd viscosity in the seminal work in 1995. There are many real-world systems where time-reversal symmetry of viscosity tensor is broken, and odd viscosity effects can be observed, for example, in colloidal Maggi et al. (2015), granular Tsai et al. (2005), biological Sumino et al. (2012) systems etc. However, the effect of odd viscosity has not been studied so far deep.

The primary motivation for the present study is to see the effect of odd viscosity in the interfacial phase change in thin-film flow. To the best of our knowledge, no work has been performed before to address this particular topic though this is very important for the

* Corresponding author.

E-mail addresses: sanghasri.mukhopadhyay@univ-smb.fr (S. Mukhopadhyay), as1m_m@yahoo.co.in (A. Mukhopadhyay).



Hydrodynamic instability and wave formation of a viscous film flowing down a slippery inclined substrate: Effect of odd-viscosity

Sanghasri Mukhopadhyay^{a,*}, Asim Mukhopadhyay^b

^a LOClE, University Savoie Mont Blanc, Chambéry 73000, France

^b Department of Mathematics, Vivekananda Mahavidyalaya, Burdwan, 713103, West Bengal, India

ARTICLE INFO

Article history:

Received 19 March 2021

Received in revised form 21 May 2021

Accepted 26 May 2021

Available online 29 May 2021

Keywords:

Thin film flow

Odd viscosity

Navier-slip boundary condition

ABSTRACT

Hydrodynamic instability and formation of waves for thin viscous film flowing down a slippery inclined substrate with broken time-reversal-symmetry have been discussed in this present study. The effect of slip on the substrate is modeled using the Navier slip boundary condition. We have derived a nonlinear evolution model in the framework of the long-wave expansion technique. The one equation model can track the free surface evolution and involve the viscosity, gravity, surface tension, and the effect of the slip of the wall. The odd part of the Cauchy stress tensor with an odd-viscosity coefficient significantly modifies the characteristic of the film flow. We performed the linear stability analysis with the Orr Sommerfeld technique and classical temporal analysis from the model. Comparing the results shows a satisfactory agreement between Orr Sommerfeld and the model when the velocity scale is chosen as twice the free surface velocity. Analyzing the traveling wave solutions and studying different bifurcation analyzes and phase diagrams, we focused on and discussed two significant wave families, namely γ_1 (low-wave-speed) and γ_2 (high-wave-speed). The spatio-temporal study of the model has been performed numerically for different odd-viscosity and slip parameters. Results show that the odd-viscosity plays a stabilizing role while the slip on the substrate gives a destabilizing effect within the parameter range of our consideration.

© 2021 Elsevier Masson SAS. All rights reserved.

1. Introduction

The flow of liquid layers on a solid substrate is a subject of intense interest for several decades. In the film flow over a solid, impervious substrate, solid–liquid interfaces are generally modeled by a no-slip and no-penetration boundary conditions. However, Dussan & Davis [1] showed that if the usual no-slip boundary condition is imposed between the fluid and the solid surface, the motion necessarily implies a singularity of stress at the solid–liquid interface. Two approaches were suggested to remove this singularity that emerged early on, namely (i) the precursor layer model and (ii) the Navier slip condition. In the first approach, modeling a very thin precursor layer using hydrodynamics can be questionable since its thickness is only a few Angstroms. The second approach has received extensive study to remove the stress singularity by modifying the solid–liquid interface boundary condition. In 1832 during the long debate [2] over whether fluid can slide over a solid surface, Navier proposed a slip condition that states that the velocity at the boundary is proportional to the tangential component of the wall stress [3].

In the context of thin liquid film over a solid impermeable inclined plane Benjamin [4], and Yih [5] investigated the problem using no-slip and no-penetration boundary conditions in the solid–liquid interface. They performed linear stability analysis and determined the critical conditions for the onset of instability are rigorously obtained from the solution of the Orr–Sommerfeld equation under the assumption of long-wave perturbations when the Reynolds number is of order unity. In 1966 Benney [6] derived a wave evolution equation governing the flow by regular perturbation technique in terms of flow depth by expanding the variables in powers of the long-wave parameter. An extensive review of the literature for the film flow over flat inclined/vertical substrates with various effects can be found in Fulford [7], Lin & Wang [8], Chang [9], Hanratty [10], Chang & Demekhin [11].

In most of the articles mentioned above and references therein, the no-slip and no-penetration boundary conditions are used in the solid–liquid interface. Later, Pascal [12] considered the linear stability of a film falling on a permeable interface modeled by the Navier slip condition. Such a semi-empirical velocity slip boundary condition was initially proposed by Beavers & Joseph [13]. Under an assumption of small permeability, Pascal analyzed the Orr–Sommerfeld equation in connection with a linear stability analysis to obtain critical conditions for the onset of instability. Saffman [14] provided a theoretical justification of

* Corresponding author.

E-mail addresses: sanghasri.mukhopadhyay@univ-smb.fr (S. Mukhopadhyay), as1m_m@yahoo.co.in (A. Mukhopadhyay).

Thermocapillary instability and wave formation on a viscous film flowing down an inclined plane with linear temperature variation: Effect of odd viscosity

Cite as: Phys. Fluids **33**, 034110 (2021); <https://doi.org/10.1063/5.0040260>

Submitted: 11 December 2020 . Accepted: 03 February 2021 . Published Online: 09 March 2021

 Sanghasri Mukhopadhyay, and  Asim Mukhopadhyay



View Online




Export Citation



CrossMark

Physics of Fluids
GALLERY OF COVERS



Thermocapillary instability and wave formation on a viscous film flowing down an inclined plane with linear temperature variation: Effect of odd viscosity

Cite as: Phys. Fluids **33**, 034110 (2021); doi: 10.1063/5.0040260

Submitted: 11 December 2020 · Accepted: 3 February 2021 ·

Published Online: 9 March 2021



Sanghasri Mukhopadhyay^{1,a)}  and Asim Mukhopadhyay^{2,b)} 

AFFILIATIONS

¹Laboratoire LOCIE, Université Savoie Mont Blanc, Chambéry 73000, France

²Vivekananda Mahavidyalaya, Burdwan 713103, West Bengal, India

^{a)}Author to whom correspondence should be addressed: sanghasri.mukhopadhyay@univ-smb.fr

^{b)}Electronic mail: asim_m@yahoo.co.in

ABSTRACT

Thermocapillary instability and formation of waves for a thin viscous falling film with broken time-reversal-symmetry have been discussed in this present study. The film is flowing over a flat, rigid inclined plate with linear temperature variation. The presence of the odd part of the Cauchy stress tensor with odd viscosity coefficient brings new characteristics in thin film flow. The nonlinear evolution model, which tracks the free surface formation for this problem, has been developed using classical long-wave expansion method. Due to the presence of odd viscosity in the liquid, the evolution equation modified significantly. Both spatial and temporal analysis for linear stability has been performed along with the investigation of weakly nonlinear waves, leading the free-surface equation into the famous Kuramoto–Sivashinsky equation. Periodic stationary wave solutions of the full evolution equation confirm the existence of two significant wave families, γ_1 and γ_2 , which are discussed in detail. Formation of the dynamical system and study of different bifurcation analysis and phases diagrams are also studied. The spatiotemporal evolution of the model has been analyzed numerically for different values of the odd viscosity parameter and Marangoni number. The odd viscosity gives stabilizing effect while the increase in Marangoni number increases the instability.

Published under license by AIP Publishing. <https://doi.org/10.1063/5.0040260>

I. INTRODUCTION

Hydrodynamics is a discipline of science concerned with forces acting on or exerted by fluids. Viscosity customarily measures the resistance of the fluid to velocity gradients. Viscosity is a tensor, and normally we associate viscosity with dissipation. However, in a breakthrough insight, Avron and Elgart¹ demonstrated that, in a classical fluid, when time-reversal symmetry is broken, either spontaneously or due to an external magnetic field or rotation, the viscosity tensor can have a nonvanishing odd part, giving rise to a dissipation-less linear response coefficient termed as odd or Hall viscosity. Realistic odd viscosity effects can be observed frequently, in granular,² biological,³ and colloidal⁴ systems, since time-reversal symmetry is broken in such systems. However, the effect of odd viscosity has drawn attention to the researchers only in recent years. In the context of swimming strategies,⁵ the efficiency of the swimmer is under the sway of odd viscosity. Hydrodynamics of chiral (asymmetric in such a way that the structure and its mirror image are not superimposable) active fluids was studied by Banerjee *et al.*⁶ They showed odd viscosity in chiral active fluids

can lead to a density and pressure excess within vortex cores. In bubble dynamics, the steady state of the bubble explicitly depends on odd viscosity, which is a classical example of a free surface boundary in hydrodynamics in which odd viscosity plays a significant role.⁷ Abanov *et al.*⁸ studied free surface dynamics of two-dimensional incompressible fluids with odd viscosity. They established that the surface waves are chiral and even exist in the absence of gravity and vanishing shear viscosity. Within the small surface angle approximation, they found that the equation of motion leads to a new class of nonlinear chiral dynamics governed by a complex Burger's equation with imaginary viscosity and an additional analytical requirement that enforces chirality. Kirkins and Andreev⁹ investigated the effects of odd viscosity on the thermocapillary instability of a viscous liquid film sitting on a uniformly heated solid substrate by considering a fixed temperature gradient across the free surface. They found that the odd viscosity incipient waves can suppress thermocapillary instability, leading to the stabilization of thin liquid film. In addition, there are experimental observations in the flow of ferrofluids¹⁰ that cannot be

Waves and instabilities of viscoelastic fluid film flowing down an inclined wavy bottomSanghasri Mukhopadhyay^{1,*} and Asim Mukhopadhyay²¹*Laboratoire LOCIE, Université Savoie Mont Blanc, Chambéry 73000, France*²*Vivekananda Mahavidyalaya, Burdwan 713103, West Bengal, India*

(Received 3 July 2020; accepted 14 August 2020; published 31 August 2020)

Evolution of waves and hydrodynamic instabilities of a thin viscoelastic fluid film flowing down an inclined wavy bottom of moderate steepness have been analyzed analytically and numerically. The classical long-wave expansion method has been used to formulate a nonlinear evolution equation for the development of the free surface. A normal-mode approach has been adopted to discuss the linear stability analysis from the viewpoint of the spatial and temporal study. The method of multiple scales is used to derive a Ginzburg-Landau-type nonlinear equation for studying the weakly nonlinear stability solutions. Two significant wave families, *viz.*, γ_1 and γ_2 , are found and discussed in detail along with the traveling wave solution of the evolution system. A time-dependent numerical study is performed with Scikit-FDif. The entire investigation is conducted primarily for a general periodic bottom, and the detailed results of a particular case study of sinusoidal topography are then discussed. The case study reveals that the bottom steepness ζ plays a dual role in the linear regime. Increasing ζ has a stabilizing effect in the uphill region, and the opposite occurs in the downhill region. While the viscoelastic parameter Γ has a destabilizing effect throughout the domain in both the linear and the nonlinear regime. Both supercritical and subcritical solutions are possible through a weakly nonlinear analysis. It is interesting to note that the unconditional zone decreases and the explosive zone increases in the downhill region rather than the uphill region for a fixed Γ and ζ . The same phenomena occur in a particular region if we increase Γ and keep ζ fixed. The traveling wave solution reveals the fact that to get the γ_1 family of waves we need to increase the Reynolds number a bit more than the value at which the γ_2 family of waves is found. The spatiotemporal evolution of the nonlinear surface equation indicates that different kinds of finite-amplitude permanent waves exist.

DOI: [10.1103/PhysRevE.102.023117](https://doi.org/10.1103/PhysRevE.102.023117)**I. INTRODUCTION**

Investigations of thin liquid films are one of the most important hydrodynamic problems, as they are ubiquitous in nature and technology; this has attracted much attention from a number of researchers over the last six decades. A simple and obvious example is the flow of rainwater down a windowpane under the action of gravity. It has extensive use in various industrial and technological applications such as evaporators, condensers, heat exchangers [1,2], canisters for nuclear waste disposal, nuclear reactor cooling systems, material processing, food and chemical industries, biomedical engineering, and geothermal reservoirs. A typical thin-film flow consists of an expanse of a liquid partially bounded by solid substrates with an interface where the liquid is exposed to another fluid, usually gas and most often air in applications. The solid substrates may be planar or undulated. It is well known that the waves on the surface of a thin film enhance the transport of heat mass and momentum across the liquid-gas and liquid-solid interface. In some applications, the presence of surface waves may be a desirable feature, as in the case of cooling films, where they enhance heat and mass transfer [3,4]. On the other hand, it is undesirable in the coating films

to increase the glossy texture of the finished product [5]. So to model improved devices, it is desirable to know details about the film flow and its finite-amplitude behavior.

Wave evolution on falling liquid film has been extensively studied over the last few decades, starting from the pioneering work by Kapitza [6] and Kapitza and Kapitza [7], in which a vast variety of wavy regimes, like a rolling wave with a capillary hill and a series of nearly solitary waves or almost-harmonic waves of falling liquid films, was observed. In this situation, we need to understand the stability and its criteria for falling films. In 1957 Benjamin [8] and in 1963 Yih [9] were reportedly the first to investigate theoretically the long-wave instability of falling film over an inclined plane. They determined the phase velocity of the waves and critical Reynolds number for the transition, respectively. In 1966 Benney [10] derived a wave evolution equation governing the flow by regular perturbation technique in terms of flow depth, by expanding the variables in powers of the long-wave parameter. Extensive reviews of the literature for the film flow over flat inclined or vertical substrates with various effects are reported by Fulford [11], Hanratty [12], Chang and Demekhin [12], Lin and Wang [13], and Chang [14].

The corresponding problem of falling film for non-Newtonian fluid has also been studied extensively, since the simple model of considering the linear law of viscous fluids is not a reasonable approximation to the real physical

*sanghasri.mukhopadhyay@univ-smb.fr

Hydrodynamics and instabilities of falling liquid film over a non-uniformly heated inclined wavy bottom

Cite as: Phys. Fluids 32, 074103 (2020); <https://doi.org/10.1063/5.0010461>

Submitted: 10 April 2020 . Accepted: 18 June 2020 . Published Online: 06 July 2020

Sanghasri Mukhopadhyay , and Asim Mukhopadhyay 



View Online



Export Citation



CrossMark



NEW!

Sign up for topic alerts
New articles delivered to your inbox



Hydrodynamics and instabilities of falling liquid film over a non-uniformly heated inclined wavy bottom

Cite as: Phys. Fluids 32, 074103 (2020); doi: 10.1063/5.0010461

Submitted: 10 April 2020 • Accepted: 18 June 2020 •

Published Online: 6 July 2020



View Online



Export Citation



CrossMark

Sanghasri Mukhopadhyay^{1,a)}  and Asim Mukhopadhyay² 

AFFILIATIONS

¹Laboratoire LOCIE, Université Savoie Mont Blanc, Chambéry 73000, France

²Vivekananda Mahavidyalaya, Burdwan 713103, West Bengal, India

^{a)} Author to whom correspondence should be addressed: sanghasri.mukhopadhyay@univ-smb.fr

ABSTRACT

Hydrodynamics and instabilities of a thin viscous liquid film flowing down an undulated inclined plate with linear temperature variation have been investigated. Using the long-wave expansion method, a non-linear evolution equation for the development of the free surface is derived under the assumption that the bottom undulations are of moderate steepness. A normal mode approach has been considered to take into account the linear stability of the film to investigate both the spatial and temporal instabilities, while the method of multiple scales is used to obtain the Ginzburg–Landau-type worldly equation for studying the weakly non-linear stability solutions. The numerical study has been carried out in python with a newly developed library Scikit–FDif. The entire investigation is done for a general bottom profile followed by a case study with a sinusoidal topography. The case study reveals that the Marangoni effect destabilizes the film flow throughout the domain, whereas the bottom steepness ζ gives a dual effect for the linear stability. In the “uphill” portion, an increase in ζ stabilizes the flow, and in the “downhill” portion, an increase in ζ gives a destabilizing effect. Furthermore, a weakly non-linear study shows that both supercritical and subcritical solutions are possible for the system. It is noted that the unconditional stable region decreases and all the other region increases in the “downhill” portion in comparison with the “uphill” portion for a fixed set of parameters. The stability analysis of a truncated bimodal system is investigated. The spatial uniform solution of the complex Ginzburg–Landau equation for sideband disturbances has also been discussed. Numerical simulation indicates that a different kind of finite-amplitude permanent wave exists. The amplitudes and the phase speeds of the wave are dependent on thermocapillary as well as the bottom steepness.

Published under license by AIP Publishing. <https://doi.org/10.1063/5.0010461>

I. INTRODUCTION

The primary aspiration for research is to develop technology that makes human life easier and convenient. Application of falling liquid films’ flow over a substrate can be found everywhere in our daily life from nature to the industry. A few common industrial examples are found in coating applications,¹ heat exchangers,² evaporators, condensers, absorbers, and rectification columns.³ Numerous commercial, medical, biological, and natural examples can be found where the gravity-driven film flows over undulated or rough substrates.

In some applications, the presence of surface waves may be a desirable feature as in the case of cooling films, where they enhance

heat and mass transfer.^{4,5} On the other hand, it is undesirable in the coating films to increase the glossy texture of the finished product.⁶

The hydrodynamics of thin viscous fluid film has been extensively studied over the past few decades starting from the pioneering work by Kapitza and Kapitza and Kapitza.^{7,8} They reported a vast variety of wavy regimes, such as a rolling wave with a capillary hill, and a series of nearly solitary waves or almost harmonic waves of falling liquid films. In this situation, we need to understand the stability and its criteria for falling films. In 1957, Benjamin⁹ and, in 1963, Yih¹⁰ were reportedly the first to investigate theoretically the long-wave instability of the falling film over an inclined plane. An extensive review of the literature for the film flow over flat inclined/vertical substrates with various effects can be found in



International Journal of Bifurcation and Chaos, Vol. 31, No. 3 (2021) 2150046 (16 pages)

© World Scientific Publishing Company

DOI: 10.1142/S0218127421500462

Complex Dynamics of an Eco-Epidemic System with Disease in Prey Species

Absos Ali Shaikh* and Harekrishna Das†

*Department of Mathematics, The University of Burdwan,
Burdwan-713104, West Bengal, India*

**aask2003@yahoo.co.in*

†hkdas74@gmail.com

Nijamuddin Ali

*Department of Mathematics, Vivekananda Mahavidyalaya,
Burdwan-713103, West Bengal, India*

nijamuddin.math@gmail.com

Received : Revised

The objective of this study is to investigate the complex dynamics of an eco-epidemic predator–prey system where disease is transmitted in prey species and predator population is being provided with alternative food. Holling type-II functional response is taken into consideration for interaction of predator and prey species. The half saturation constant for infected prey, the growth rate of susceptible prey and force of infection play a significant role to create complex dynamics in this predator–prey system where alternative food is present. It is seen that healthy disease-free system is possible here. The system shows some important dynamics viz. stable coexistence, Hopf bifurcation, period doubling bifurcation and chaos. The analytical results obtained from the model are justified numerically.

Keywords: Eco-epidemiological system; stability; bifurcation; alternative food; chaos.

1. Introduction

Researchers rightly have paid great attention to the eco-epidemiological issues recently to study the effect of infection. It has also been the topic of wide interest in the literature. In ecology, parasite plays a major role for various reasons. It has the ability to alter the quantitative dynamics of their host population. It can also create high amplitude oscillations in abundance and may even cause the extinction of host population. Ecosystems with regard to competing species is now the topic of greater interest in the field of bio-mathematical literature. The pioneering work of Anderson and May [1991] on epidemic model describes the dynamics of disease transmission. Subsequently, many researchers

[Huang *et al.*, 2019; Shaikh *et al.*, 2018; Biswas *et al.*, 2018; Mbava *et al.*, 2017] have paid attention to study predator–prey model with infection in predator. Disease in prey is assumed in the models [Chattopadhyay & Arino, 1999; Hethcote *et al.*, 2004; Lu *et al.*, 2019; Meng *et al.*, 2018; Saha & Samanta, 2019; Simon & Rabago, 2018] and disease in both prey and predator is considered in [Kant & Kumar, 2017; Mandal *et al.*, 2018]. In [Guin *et al.*, 2015; Guin & Mandal, 2014; Guin & Baek, 2018; Pal *et al.*, 2014; Pal *et al.*, 2011; Han *et al.*, 2020; Sarwardi *et al.*, 2011a], the authors studied the predator–prey models with and without disease. The widely studied topic in theoretical ecology is the predator–prey interaction. The interaction is

*Author for correspondence



Control of Japanese encephalitis by active principles, 3-(2-Hydroxyphenoxy)-1, 2-propanediol isolated from n-hexane extract of leaf of *Mesua ferrea* Linn.

Someshwar Singha¹

Received: 17 April 2020 / Accepted: 28 September 2020
© African Association of Insect Scientists 2020

Abstract

Japanese encephalitis is a vector borne disease and the best procedure for control of this disease is control of vector population. Now a day use of phyto-chemicals more preferred over use of chemical insecticides. Isolation, purification and determination of chemical structures of bioactive compounds were done successfully from n-hexane extract of leaf of *M. ferrea*. The compounds shows better potentiality to control *Cx. vishnui* 3rd instars larvae. n-hexane extract of leaf of *M. ferrea* was prepared by Soxhlet apparatus and further used for bioassay against 3rd instars larvae of *Cx. vishnui*. n-hexane extract was further fractioned by Thin layer chromatography to isolate bioactive compounds. From different band of TLC, bioactive compounds bearing band was isolated by bioassay test. Structures of active principles were determined by FTIR, gas chromatography, mass spectrometry and with the help of library data list. Cent percent mortality of *Cx. vishnui* larvae was recorded at 45 ppm concentration of n-hexane extract of *M. ferrea* after 72 h of exposure. In isolated bioactive compounds 3-(2-Hydroxyphenoxy)-1, 2-propanediol is one of predominant compound, may be responsible for mortality of *Cx. vishnui* larvae. LC₅₀ value for *Cx. vishnui* 3rd instars larvae of active compound are 26.76, 25.64 and 20.32 ppm for 24 h, 48 h and 72 h respectively. No mortality were recorded when sub lethal concentration (LC₅₀) of 24 h of bioactive compound applied on non-target organisms i.e. *Chironomus circumdatus*, *Daphnia*, *Diplonychus* etc. The compound i.e. 3-(2-Hydroxyphenoxy)-1, 2-propanediol is predominant compound of active principles and its chemical structure is determine which is major component of n-hexane extract of leaf of *M. ferrea*. These bioactive principles are safe for other organisms (non-target) those share the same natural habitat.

Keywords Vector control · n-hexane extract · *Mesua ferrea* · *Culex vishnui* · Japanese encephalitis · Active principles

Introduction

Mosquitoes constitute a major public health hazard having the potential and lethal capacity to kill more than a million victims a year around the world (Vatandoost and Vaziri 2001). Mosquito borne diseases such as malaria, filariasis, dengue, yellow fever and encephalitis are continuing to be major health problems for the.

People (Das and Ansari 2003). Japanese encephalitis caused by the mosquito bearing Japanese encephalitis virus (Mahmud et al. 2010). According to WHO more than 3 billion people of South-East Asia and Western Pacific regions are

under the risk of JE transmission. The symptoms of the JE are quick start of high fever, headache, neck stiffness, coma, seizures, spastic paralysis and death. 30% mortality occurs among affected individual bearing disease symptoms. *Culex vishnui* Theoblad belonging to the *Cx. vishnui* group is the most important vector of JE in India, Srilanka and Thailand (Lindahl et al. 2012).

Different strategies have been taken to reduce the spreading of mosquito-borne diseases in many regions of the world. However, control of such diseases are becoming increasingly difficult because the over production of detoxifying mechanisms of chemical insecticides as well as emergence of pesticide resistance has been reported for *Culex* species (Severini et al. 1993). Biological control of larval mosquitoes by the application of plant products is one of the important techniques which affords a cheap, easy to use and environment friendly method. Search for natural pesticides which do not have any ill effects on the non target organisms and are easily

✉ Someshwar Singha
someshbio@gmail.com

¹ Vivekananda Mahavidyalaya, Burdwan, Sripally, Purba Barddhaman, Burdwan, West Bengal Pin 713103, India

New records and new taxa of genus *Xanthidium* Ehrenberg (Desmidiaceae, Desmidiales, Conjugatophyceae) from India

Prasanta Mallick^{1,*} and Jai Prakash Keshri²

¹Vivekananda Mahavidyalaya, Sripally, Purba Bardhaman, West Bengal, India

²Department of Botany, The University of Burdwan (CAS), Purba Bardhaman, Golapbag – 713104, West Bengal

*Corresponding Author – prasantamallickbu@gmail.com

Abstract

The present communication deals with four taxa of *Xanthidium* Ehrenberg. Two taxa viz. *Xanthidium aculeatum* Ehrenberg and *X. antilopaeum* (Bréb) Kützing f. *javanicum* Nordstedt are new records from India while another two viz. *X. turneri* sp. nov. and *X. freemanii* West and West var. *minor* var. nov. are proposed as new to science.

Key words: *Xanthidium*; new records; *X. turneri* sp. nov.; *X. freemanii* West and West var. *minor* var. nov.

Introduction

Several works have appeared on Indian desmids in recent times apart from the classical work of Turner (1892) when the taxa of *Xanthidium* have been described. Among the recent workers the name may be mentioned of Bharati (1963, 1965, 1966), Suxena and Venkateswarlu (1970), Bharati and Pai (1972), Freitas and Kamat (1979), Pandey and Pandey (1980), Hegde and Bharati (1980, 1983, 1984), Gurudeva *et al.* (1983), Hegde (1986, 1987, 1988), Hegde and Isaacs (1989), Habib *et al.* (1990), Mukherjee and Srivastava (1993).

During the systematic investigation on the desmid flora of Bankura and Purulia districts of West Bengal, and recent field survey on Burdwan district (MRP) the authors have recorded several taxa of *Xanthidium*. In the present communication besides recording two for the first time from

India, two new taxa have also been proposed.

Materials and methods

Specimens were collected from different aquatic habitats of Bankura, Burdwan and Purulia districts of West Bengal. Specimens were preserved in 4% formalin; pH, temperature and ecological notes were recorded simultaneously. Camera Lucida drawing and photomicrography (Leica DM 1000) were made using GWF (Bando, 1988) as mountant from both preserved and live specimens.

Results and discussion

X. aculeatum Ehrenberg

Prescott *et al.*, 1982, p. 45, pl. 311, fig. 1; Dillard 1991, p. 171, pl. 52, fig. 3.

Plate 1, Fig. 3; Plate 2, fig. 7

Cell as broad as long excluding spines; semi cells elliptic, reniform, apex

A Geospatial Morphometric Analysis of Kulbera and Daurighara River Basins in Western Part of Purulia District of West Bengal, India



Shambhu Nath Sing Mura

Abstract: Morphometric analysis is used to understand the hydrological process and assessment of hydrological characteristics of surface water basin. In the present paper, an attempt has been made to study the detail morphometric characteristics of Kulbera and Daurighara river basin, which are tributaries of Subarnarekha River in Purulia district, West Bengal. For detailed study, SRTM data has been used for preparing digital elevation model (DEM), and Geographic Information System (GIS) has been used for the analysis of linear, areal, and relief aspects of the basins. Watershed boundary, flow accumulation, flow length, stream ordering have been prepared by using ILWIS 3.0. Different thematic maps i.e. elevation, geology, drainage density, slope and longitudinal profiles of river channels have been prepared by using QGIS 3.0 and MapInfo 10.0 GIS software. More than 58 morphometric parameters of all aspects of the basins have been computed. On the basis of morphometric analysis it has been argued that the erosional development has progressed well beyond maturity and that the drainage development is controlled by lithology. Besides, it can be concluded that this study will also be very useful for rain water harvesting planning and watershed management.

Keywords : Morphometric Analysis, SRTM (DEM), Kulbera & Daurighara and RSGIS.

I. INTRODUCTION

Water is a valuable resource and an essential human need. Demands of water already exceed supply in many parts of the world and many more areas are expected to experience the imbalance of demand and supply in the near future. Climate change will have significant impacts on water resources around the world because of the close connections between the climate and hydrological cycle. Watershed management plays an important role of it and watershed morphometry study is an important aspect in its management [1- 4]. Morphometry analysis of a watershed is helpful in understanding the impact of stream morphometry. Morphometry analysis is the measurement and mathematical analysis of the configuration of the Earth's surface, shape and dimension of its landforms [5-6]. Morphometric analysis tool and technique is one of the most important to determine and evaluate drainage basin responses to climate change and drainage characteristics [7], flash flood hazard [8], and

hydrological processes [9]. Flood analysis in the river basins needs geomorphological parameters which govern the hydrological response of the river basin [10]. The morphometric characteristics at the watershed scale may contain important information regarding its formation and development because all hydrologic and geomorphic processes occur within the watershed. Morphometric analysis of a watershed provides a quantitative description of the drainage system, which is an important aspect of the characterization of watershed [11]. Remote sensing technique has been developed for the analysis of the stream morphometry and it is a powerful tool in recent past. Remote sensing has the capacity to get information for an extensive and remote zones and it is also a very useful technique in analyzing the morphometry in any drainage system. Remote sensing and GIS techniques have developed as an effective tool for the watershed development programmes. Morphometry analysis is used in watershed prioritization and it helps to understand hydrological characteristics of the watershed like structure, relief of the watershed, stream network, platform and topology [12-14]. Linear features, areal aspects, gradient of channel network and ground slope of the drainage basin are required for morphometric analysis. Watershed is used as a basic unit for morphometric analysis in a logical choice. Remote sensing and Geographical Information System (GIS) is a powerful tool in recent years, which plays a vital role for understanding the hydrogeological conditions, prevailing climate, geological structure and geomorphology of the drainage basin [15]. Geographical Information System (GIS) technique is a much efficient and time saving technique which are suitable for spatial planning. Manipulation and retrieval of large data base can be handled by the GIS more effectively. It can also solve many complex issues besides facilitating retrieval and querying of data [16]. Morphometry characteristics of the basin help us for the management of rainwater harvesting in the watershed.

II. STUDY AREA

Kulbera and Saurighara rivers are the tributary of Subarnarekha River and these basin are contiguous basin to each other. Kulbera and Daurighara river basins are covered an area of 118.50 sq. km. and 160.04 sq. km. respectively and the area is located between $23^{\circ} 06' 45''$ N to $23^{\circ} 16' 56''$ N latitude and $85^{\circ} 54' 30''$ E to $86^{\circ} 08' 39''$ E longitude (Figure 1).

Manuscript received on February 15, 2021.

Revised Manuscript received on February 22, 2021.

Manuscript published on February 28, 2021.

* Correspondence Author

Dr. Shambhu Nath Sing Mura*, Department, of Geography Vivekananda Mahavidyalaya, Burdwan, West Bengal, India. Email: shambhu.vmbwn@gmail.com

© The Authors. Published by Blue Eyes Intelligence Engineering and Sciences Publication (BEIESP). This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>)

Morphometric Analysis of Kumari River Basin Using Geospatial Approach in Purulia District of West Bengal, India

Shambhu Nath Sing Mura

Abstract— The morphometric analysis of the drainage basin plays an important role in the geohydrological nature of the drainage basin and it expresses the prevailing evolutionary history of the basin. Remote Sensing (RS) and Geographic Information System (GIS) have emerged as an important tool in demarcation of drainage basin, pattern and groundwater potential and its planning. Geospatial techniques can be used for the identification of morphological characteristics of the drainage basin. In this study, SRTM data has been used to extract the basin boundary and various morphometric parameters of Kumari river basin. The morphometric parameters of the basin deals with linear, areal and relief features such as stream order (Nu), stream length (Lu), bifurcation ratio (Rb), drainage density (Dd), stream frequency (Fs), elongation ratio (Re), circulatory ratio (Rc), texture ratio (Rt), length of overland flow (Lg), and form factor ratio (Rf) etc. have been dealt in the present study. Morphometric analysis of Kumari drainage basin reveals that it is a 7th order and dendritic type of drainage basin thereby indicates homogeneity in texture and lack of structural control. In the Kumari watershed, total number of stream is 2087 whereas first order stream is 1577 and second order stream is 386, 87 third order stream, 28 fourth order stream, 6 fifth order stream, 2 sixth order stream and one seventh order stream. First order stream length is maximum and it decreases with increasing stream order. In this study, morphometric analysis is a useful tool for the sustainable development and planning strategies in control the soil erosion and conservation of water resources.

Abstract— Morphometric Analysis, RS & GIS, Water Resource, Management, Kumari River Basin

1 INTRODUCTION

THE drainage basins are the most important fundamental units of the watershed management and in terms of geomorphic characteristics of fluvial landscape. Geographical Information System (GIS) and Remote Sensing (RS) have used for understanding the morphometric characteristics of river channel and its drainage network. Morphometry indices of the watershed interpret the hydrological characteristics of a river basin [1]. Morphometric analysis has been used to identify the relationship of various parameters in the watershed. It is a comparative morphometric parameters evaluation of various watersheds to know different geomorphological and topographical condition. Watershed is a natural is a natural hydrological entity from which surface runoff flows to defined drained, channel, stream at a particular point [2]. Morphometric parameters of the watershed is very important for watershed planning and management and it gives an idea about the basin characteristics such as slope, topography, soil condition, runoff characteristics, surface water potential etc. [3]. The most common morphometric parameters of the watershed are stream order, stream number, stream length, mean stream length, stream length ratio, bifurcation ratio, mean bifurcation ratio, drainage density, drainage texture, stream frequency, relief ratio, form factor, elongation ratio, circulatory ratio, length of overland flow etc. [4]. In many papers has defined

the formula of each parameters as same. There is no complete classification for all parameters. Several papers have stated that resulted values of certain parameter are either high or low and it indicates condition but the range of value is not included. There are no statements of the implication of high and low value of a particular morphometric parameter. The quantitative analysis of morphometric parameters likes linear, relief and areal are immense utility in river basin evaluation, watershed prioritization for flood and water conservation and natural resource management [5]. Drainage basin in the semi arid region is conducive to flash flood generation [6]. GIS helps to create data base for the watershed which is used for carrying out spatial analysis and decision makers informing appropriate measure for critically affected areas [7]. This study will help in better understanding the hydrological characteristics of the basin, flood potentiality, drainage management, groundwater potential and erosion for watershed planning and management.

2 METHODOLOGY AND DATA BASE

For the study of morphometric parameters of the basin are effective done using modern RS and GIS techniques. Kumari watershed map is a sub-watershed drainage basin of Kangsabati watershed was prepared with the help of Survey of India (SoI) toposheets and SRTM-DEM data and then it was digitized. SoI toposheets number 73E/15, 73E/16, 73I/3 and 73I/4 have been used to extract morphometry parameters for the present study. A geo-hydro processing model was used for

• Assistant Professor of Geography, Vivekananda Mahavidyalaya, Burdwan, West Bengal, India. E-mail:shambhu.vmbwn@gmail.com

IAPQR Transactions
*Journal of the Indian Association for Productivity,
Quality and Reliability*

ISSN 0970-0102

CONTENTS

Volume 45, Numbers 1 & 2, 2020-2021

KAILAS GOVINDA KHADSE RAMKRISHNA LAHU SHINDE <i>Multivariate Process Capability Indices for Non-Normal Processes</i>	1-24
RENU KAUL AND SANJOY ROY CHOWDHURY <i>Combined Array Approach for the 12 Run Plackett-Burman Design</i>	25-35
ANISUR RAHMAN AND GOPINATH CHATTOPADHYAY <i>Estimation of Parameters for Distribution of Timber Pole Failures Due to In-Ground Decay</i>	36-48
SOBITA SAPAM, NRIPES KUMAR MANDAL AND BIKAS KUMAR SINHA <i>On the Nature of Saturated 2-Factor Quadratic Response Designs for Unbiased Estimation of Quadratic Effects Parameters</i>	49-62
DYUTI CHATTERJEE <i>Regional Variation in Female Employment Within the Tertiary Sector – A State wise Analysis</i>	63-75
MANISHA PAL AND N. K. MANDAL <i>Bayesian Optimal Designs for Testing Interaction Effects in a Quadratic Mixture Model with Three Components</i>	76-92
SUBRATA RATH, ASHIS KUMAR CHAKRABORTY AND SUBHASHIS CHATTERJEE <i>Development of a Model to Integrate Six Sigma Approaches</i>	93-115
MADHURA MANDAL <i>On Model Robustness in Discrete Design(s) Set Up: A Teacher's Manual</i>	116-123
NEWS CORNER	



PRINTS PUBLICATIONS PVT LTD

Viraj Tower-2, 4259/3, Ansari Road, Darya Ganj,
New Delhi-110002, INDIA
Tel : +91-11-45355555 | Fax : +91-11-23275542
contact@printspublications.com
www.printspublications.com



IAPQR Transactions

Journal of
The Indian Association
for Productivity, Quality and Reliability

VOLUME 45

Numbers 1 & 2

2020-2021

IAPQR Transactions

VOLUME 45
Numbers 1 & 2
2020-2021



Prints Publications Pvt Ltd
New Delhi
www.printspublications.com

ON MODEL ROBUSTNESS IN DISCRETE DESIGN(S) SET UP: A TEACHER’S MANUAL

MADHURA MANDAL*

Vivekananda Mahavidyalaya, Burdwan, West Bengal, India

Abstract: The problem studied here involves choice of optimum designs for estimation of a full set of treatment effects contrasts in a block design (BD) setup, when positional effects may also be present, besides treatment and block effects. The experimenter is not sure about which of the two models, viz. a block design model or a row-column design model is appropriate. Using weights on the optimality criteria in the two set-ups based on prior knowledge, robust designs are investigated.

Keywords and phrases: Discrete set-up, Model robust designs, BIB designs, Youden Square designs.

1. INTRODUCTION

Substantial literature has accumulated on the theory of optimum designs both in the regression and discrete set-up. Optimum designs are determined for the estimation of parameters or functions of the parameters of the model assumed. The approaches and methodologies or treatments in the two set-ups viz. discrete and continuous, are completely different. There is a vast literature on the theory of optimum designs and related construction procedures for both regression and discrete designs. Generally optimality studies, as in other statistical investigations, are based on a set of assumptions. Naturally the question arises : how far an optimum design in a given set-up remains optimum when one or more of the assumptions are violated. Parallel to optimality studies, several researchers investigated the robustness aspects of

* Communicating Email: mandal.madhura@gmail.com

DOI-<https://doi.org/10.32381/IAPQRT.2021.45.01-02.8>

ISSN 0975-4067

KIRANĀVALĪ

Journal of Sanskrit Research Foundation

The New Trivandrum Sanskrit Series
Vol.XII.Book.I-IV

January - December 2020



किरणावली
Sanskrit Research Foundation
Thiruvananthapuram

Contents

Editor's note		- 5
The Contribution of Kaikkulaññara Rāmavāriyar to Āyurveda	- Dr.M.Sathian	- 7
Karma And Dharma In Ayurveda	- Dr Rajeshkumar P	- 13
Philosophical Influences in the Interpretation of Rasasūtra	- Dr. E.suresh Babu	- 19
Transcultural Journey of Cosmopolitan Women in Select Fictions	- Swathi M B	- 26
The Viṣṇudharmottarapurāṇa and the Kathakali: A study	- Bhagyasree Sarma	- 30
A Study on Jayadeva's Gitagovindam	- Sanghamitra Sinha, Malavika Sinha	- 42
Grammatical Functions of Anubandhas in Kṛtya Suffixes	- Dr. Pritilaxmi Swain	- 60
Improvisation as a training technique in Mohiniyāṭṭam.	- Anitha U S	- 70
The Impact of Buddhist Philosophy in Sanskrit Literature	- Satyaprasad Mishra	- 75
Impact Of NāṭyaŚāstra On Indian Theatre And Aesthetics	- Renjith K	- 80
Tectonic Activities in Mahapuranas – A Geographical Observation	- Sabna T Thaj	- 96
The Educational Philosophy of Sri Narayana Guru	- Arun P. R	- 102
Ravindranath Tagore: a Humanist and Mystic	- Anu. K.S	- 110
क्रिस्तुभागवतदर्पणे कालिदासप्रतिबिम्बनम्	- डा.के.उष्णिक्कृष्णन्	- 113
विश्वमङ्गलसाधकं योगशास्त्रम्	- डा.सि.एन्.विजयकुमारी	- 117
होरायाःविवरणव्याख्या परिचयः	- डा.हरिनारायणन्.एम्	- 122
चट्टम्पिस्वामिनां वेदान्तसारे शैवाद्वैत-वेदान्तसमन्वयः	- अश्वति गोपिनाथ्	- 125
चरकसंहितायां व्याकरणशास्त्रस्य समन्वयः	- गीतु प्रेमन्	- 129
जलविज्ञानं - बृहत्संहितायाम्	- अर्चना पी.	- 131

धर्मशास्त्रानुगुणं जनानां सामाजिक-दायित्वबोधानां

समीक्षात्मकम् अध्ययनम् -	जयन्तः मण्डलः	- 136
नैषधीयचरिते सज्जनवृत्तान्तः - सामान्यपरिचयः - अश्वनी एस् मोहन्		- 148
न्यायनये विचारपद्धतिविमर्शः - श्रीशशांकशेखरपालः, ड. उत्तमविश्वासः		- 153
जातिलक्षणे गोलपदार्थविचारः -	श्रीमन्तभद्रः	- 164
पक्षतायाः अनुमितिकारणत्वविचारः -	करुणानन्दमुखोपाध्यायः	- 171
पाणिनिनिकाये अधिकारविमर्शः -	उदय शंकर खाटुया	- 175
बृहज्जातकस्य स्वल्पत्वम् अर्थबहुलता च -	राजीव् एस्	- 187
भक्तिसविशेषतायां नारदमहर्षिमतम् -	अश्वती वि	- 192
व्याकरणोदाहरणकाव्येषु लट्लकारप्रयोगवैविध्यम् -	पण्ड्या योगेशः एन्	- 196
श्वासोयं फलसूचकः -	डा. गिरीष् एम्. पी	- 204
वैशेषिकदर्शने आत्मस्वरूपम् -	डा. एस् शिवकुमारः	- 209
सांख्यकारिकायाः शङ्करकृतजयमङ्गलायाः कारणतत्त्वविमर्शः -	सुरजरायः	- 212
स्वामिविवेकानन्द रचितस्तोत्राणि -	डा. सुनिता वर्मन्	- 220

The Impact of Buddhist Philosophy in Sanskrit Literature

Satyaprasad Mishra

Abstract

Sanskrit is a language always kept in high esteem and used mostly for religious and scientific discourses in Hinduism, Buddhism and Jainism. The philosophical thoughts of those religions were written in Sanskrit language and Pali language. The most of treatises of Hinduism were written in Sanskrit language. We know, The Buddhist Philosophy Tripitaka literature were written in Pali Language, with some in Sanskrit as well as other local Asian languages. Basically, the Philosophers of Buddhism gave more stress to teach their thoughts in Pali language. After Buddhist era, We found the impact of Buddhist philosophy in Sanskrit epics. Both Buddhist literature and Sanskrit literature are very rich and large. I could not examine the each and every word of both literatures. I just try to present some instance where the poets were influenced in Buddhist literature. In this work, I just take only 'Jatakamala' of Buddhist literature and try to find the similarities with popular epics of Sanskrit literature.

Keywords

Buddhism, Jainism, Pali, Sanskrit, Tripitaka, Jatakamala, Sanskrit epics.

Introduction

The Literature is the medium of communication between the thinker and reader. A philosopher can spread his thoughts easily in this society through the epics, poems and dramas of any languages. A grammarian can easily express the uses of grammar rules through the epics like 'Bhatti Mahākāvyaṃ'. The wiseman can spread the use full thoughts for the art of living through the epics like 'Māhābhārat'. So, literature is not only the way of sharing the views and thoughts in our country but also in the whole world.

Satyaprasad Mishra is Assistant Professor in the Department of Sanskrit,
at Vivekananda Mahavidyalaya, Burdwan, West Bengal

There are so many epics, poems and dramas were written in Sanskrit language. The views of Aryan peoples were written in *Vedas*, *Brahmans*, *Aranyakas* and *Upanishads*. After the Vedic age, the views and philosophical thoughts of Lord Buddha's were written in Tripitaka, Agamas, Sutras, Stotras, Shastras, Tantras and Jatakas etc. We see, the most of Sanskrit poets were influenced in Buddhist Philosophy.

The Philosophy of Buddhism

Lord Buddha tried to teach the truths of life in simple way. In Buddhist literature, we see the stories deals on philosophical thoughts and views of Lord Buddha on Enlightenment, Peace, Free of Suffering, Meditation and Nirvana. The authors of Buddhism have composed treatise and literary works in Sanskrit and Pali languages dealing with Buddhist Philosophy, logic etc. Arya Sura written 'Jatakamāla' where 34 Jatakas stories are found. The *Jatakamala* is a Buddhist Literature one of those where the previous births of Gautama Buddha in both human and animal form.

श्रीमन्ति सद्गुणपरिग्रहमङ्गलानि कीर्त्यास्पदान्यनवगीतमनोहाराणि ।

पूर्वप्रजन्मसु मुनेश्वरीताङ्गतानी भक्त्या स्वकाव्यकुसुमाञ्जलिना रचयिष्ये ॥(Jatakamala / 1)

The impact of Buddhist philosophy in Sanskrit literature

Sanskrit is a classical Indian language. The name Sanskrit means sacred. Sanskrit was not thought of as a specific language but as a refined or perfect sacred tongue. It is a language always kept in high esteem and used mostly for religious and scientific discourses in Hinduism, Buddhism and Jainism. The Sanskrit language is supposed to have

व्यासश्रीः VYĀSAŚRĪḤ

(A UGC Care listed Refereed Research Journal)

Jan-June 2020

Date of Publication : 01.07.2020

**This Issue is dedicated to
Padmashree Abhiraj Rajendra Mishra**

: Chief Editor :

Dr. Buddheswar Sarangi

: Editor :

Dr. Somanath Dash

: Associate Editors :

Dr. Prasanta Kumar Mahala

Dr. Saroj Kumar Padhi

Dr. Jagamohan Acharya

Dr. Bharatbhushan Rath

Dr. Priyabrata Mishra

Dr. Gyanaranjan Panda

Dr. Shiuli Basu

Publisher

Padmashree Ramaranjan Mukherjee Chair of

Maharshi Vyasadev National Research Institute

A Unit of Vyasayanam, Regd. No. 1635-IV-477/04

Vedavyas, Rourkela-4, Odisha

Contact No. : 7003415810, 7044016153

email : vyasasri12@gmail.com, website:vyasasri.com

सृष्टिः	विषयसूची सद्य	पृष्ठम्
भूमिकाविद्वत्परिचयादयः शिशुपालवर्धीयप्रयोगवैचित्र्यम्		i-xii
अधिकारस्वरूपमीमांसा	डॉ. कामेश्वरचौधरी	1
माघकाव्ये प्रतिबिम्बितं लोकजीवनम्	डॉ. प्रियव्रतमिश्रः	5
श्रीसत्सङ्गिजीवनग्रन्थानुसारेण स्त्रीणां स्वातन्त्र्यं शिक्षा सुरक्षा च	डा. रत्नमोहनझाः	10
वेदे प्राणिविज्ञानम्	साधुः लक्ष्मणप्रकाशदासः	21
उपनिषत्सु सृष्टितत्त्वविमर्शः	डा. श्वेतपद्मा शतपथी	26
सप्रयोजनं काव्यस्वरूपनिरूपणम्	डॉ. सपनकुमारपण्डा	32
खण्डकाव्यम्	डॉ. पूर्णचन्द्र उपाध्यायः	44
वेदान्तदृष्ट्या ज्ञानम्	डॉ. सोमनाथदाशः	53
संस्कृतवाङ्मये पञ्च महाभूतानि	डॉ. नन्दिघोषमहापात्रः	65
ब्रह्मपुराणोक्तजम्बुद्वीपे भुवनकोषः	किशनलाल जोशी	72
वैशेषिकमतमाश्रित्य सर्वमुक्तिविमर्शः	डा. पारमिता पण्डा	81
विविधकाव्येषु किरातः - एकमालोचनम्	डॉ. विप्लवचक्रवर्ती	86
कालिदाससाहित्ये चिकित्साविज्ञानम्	डॉ. प्रदीपकुमारबागः	90
कतिपयपाश्चात्यच्छन्दसां परिचयः संस्कृतवाङ्मये तेषां प्रयोगश्च	डॉ. नृसिंहनाथगुरुः	94
शब्दार्थविकारे काशिकोदाहरणानां प्रासङ्गिकता	डॉ. भास्करच्याटार्जी	102
श्रौतयज्ञेषु विष्णुस्वरूपविमर्शः	डॉ. धर्मेन्द्रदासः	113
	डॉ. दे. दयानाथः	124

सृष्टिः

स्रष्ट

पृष्ठम्

महाभारते शान्तिनीतिः	डॉ. लक्ष्मीकान्त षडङ्गी	131
न्यायकुसुमाञ्जलौ परमाणुनिरवयवत्ववादः	ड. प्रलयो व्यानार्जी	137
काव्य शास्त्रे अलङ्कार प्रयोगः	शान्तनुः प्रधानः	144
ओडिशाराज्यस्य शिल्पकलायां खण्डगिरेः उदयगिरेश्च वैशिष्ट्यम्	डा. भारतभूषणरथः	143
समासभेदविमर्शः	डॉ. गिरिधारी पण्डा	158
श्रीमद्भागवतमते पादसेवनेन जीवमुक्तेः अवधारणा	तरणीकुमारपण्डा	161
जुमरकौमुदीकारयोः तौलनम्	अरविन्दनायकः	184
आचार्यवाचस्पतिप्रकाशात्मनोर्भामती विवरणप्रस्थानयोस्समीक्षणम्	डा. दयानन्दपाणिग्राही	190
उपनिषत्सु सृष्टिवैशिष्ट्यम्	डॉ. पि.टि.जि. रङ्गरामानुजाचार्यः	201
Tales and Society: In the context of Sanskrit Literature	Dr. Satyaprasad Mishra	204
Gita and Personality Development	Dr. Jagamohan Acharya	214
साम्प्रतिक युगे गीतगोविन्द ...	Dr. Gyanaranjan Panda	222
वाल्मीकि रामायण मे वर्णित	Dr. Dev Prakash Gujela	232
ग्रन्थसमीक्षा		246
Mundakopanisad and Swaminarayan Bhasyam	Dr. Buddheswar Sarangi	
Writers' World		248
Vyasashri Registration Form		254

**TALES AND SOCIETY:
IN THE CONTEXT OF SANSKRIT LITERATURE.**

Dr Satyaprasad Mishra

Abstract :

The tales and stories reflect the culture of a society. The knowledge of morality is developed through the listening of tales and stories of human beings. We never say that we did not listen any tales and stories from our family which are useful for developing our moral sense. The interest of tale listening is generated naturally in human mind. There are so many tales and stories were written in Sanskrit language. Some of those are taught in schools and colleges. Those stories and tales reflect the culture and history of our society, civilization and community. So, There is a good impact of tales and stories in our society. I could not analyze the whole Sanskrit fable literature which were written from Vedic age to 19th century. So, I have analyzed few tales and present some aspects of tales which are related directly with our society.

Keywords:

Āgveda, Brāhmaṇa, Aranyaka, Upanishad, Rāmāyaṇa, Mahābhārata, Purāṇas, Akhyāna, Upakhyāna, Avadhāna, Jātakmālā, Brhatakathā, Brhatakathāmanjari, Kathāsaritsāgar, Pancatantra, Hitopadesha, Simhāsandwatrinshikā, Vetālpāncbimshati, Purushaparīkṣha, Sukasaptati, Prabandhakosha, Prabandhacintamani, Kathākoutuka, & Bhojaprabandha, & Society.

UGC - CARE LISTED

ISSN-2321-7626

Vol. XXVII, Year VIII

फरवरी-अप्रैल 2021

पाणिनीया PĀṆINĪYĀ

त्रैमासिक - सान्दर्भिक - पुनरीक्षितशोधपत्रिका
(Quarterly Refereed and Reviewed Research Journal)



महर्षिपाणिनिसंस्कृत-एवं-वैदिकविश्वविद्यालयः, उज्जयिनी (म.प्र.)

अनुक्रमणिका

संस्कृत - प्रभागः

1.	श्रीमद्देवीभागवते मणिद्वीपवर्णनम् डॉ. सोमनाथदाशः	1
2.	व्याकरण-शास्त्रे वर्णितानां परिभाषाणां सामाजिकोपयोगिता डॉ. दयालसिंहः	8
3.	रामायणे करुण एव रसो विशेषः डॉ. तुलसीदासपरीहा	13
4.	श्रीमद्भागवतपुराणे कर्मसिद्धान्तः डॉ. अखिलेशकुमारद्विवेदी	19
5.	ज्योतिष्टोमे दीक्षापरिमाणविचारः डॉ. संकल्पमिश्रः	26
6.	संस्कृत-व्याकरणशास्त्रे कर्मकारकम् - एकमध्ययनम् डॉ. सत्यप्रसादमिश्रः	31
7.	नारदश्रोक्ता गानगुणदोषाः डॉ. ऋषिराजपाठकः	38
8.	माघमहाकवेः नृपनीतिर्नैपुणी डॉ. राधावल्लभशर्मा	48
9.	नैरुक्तसमयालोके सायणीयगर्वेदभाष्यभूमिका डॉ. विश्वबन्धुः	60
10.	वेदान्तदर्शने आत्मविभुत्वविमर्शः मोहनलालशर्मा	67
11.	वास्तुशास्त्रदृष्ट्या भू-विमर्शः डॉ. विजयकुमारः	72

हिन्दी - प्रभागः

12.	बौद्ध एवं सांख्यदर्शन के विशेष सन्दर्भ में दुःखनिवृत्ति मुरलीधर पालीवाल	79
13.	संस्कृत-कुमाउँनी-गढ़वाली और पञ्जाबी में नामधातु क्रियाएं सुनील जोशी	90

आंग्ल - प्रभागः

14.	Role of Sanskrit Grammatical Model in The Making of Early Bengali Grammar A Survey of Literature Written Between 18th and 19th Century AD. Jay Saha	99
-----	---	----



संस्कृत-व्याकरणशास्त्रे कर्मकारकम् - एकमध्ययनम्

डॉ. सत्यप्रसादमिश्रः*

शोधसारः

आर्यभूमौ आर्यभाषा सर्वेषां मनुष्याणां हृत्सु विद्यते। अस्माकं पुण्यभूमेः भारतवर्षस्य सर्वप्राचीना इयं संस्कृतभाषा। अस्याः भाषायाः गौरवं विश्वे सर्वत्र विद्यते। एषा कापि विद्या नास्ति या अनया भाषया नैव विरचिता भवति। भाषायाः अनुशासनं येन शास्त्रेण विहितं तत्तु व्याकरणशास्त्रम्। अस्मिन् शास्त्रे उपदिष्टेषु बहुषु विषयेषु कारकप्रकरणान्तर्गतं कर्मकारक-विषयमाधृत्य मया प्रस्तूयते। संस्कृतवाङ्मये वाक्येषु प्रयोज्यमानानि पदानि सुवन्तं तिङन्तञ्चेति द्विधा विभज्यन्ते। 'सुप्तिङन्तं पदम्'-1.4.14 इति सूत्रेण महर्षिणा पाणिनिनोक्तमेतत्। 'उद्याप्रातिपदिकात्' 4.1.1 इति सूत्रेण ज्ञायते प्रातिपदिकेभ्यः सुप्-प्रत्ययाः भवन्ति। प्रातिपदिकेभ्यः सुप्-प्रत्ययाः कारकादनन्तरं जायन्ते। संस्कृतव्याकरणे उपदिष्टेषु षट्सु कारकेषु कर्मकारकस्य लक्षणं विभागश्च शोधपत्रेऽस्मिन् मया पर्यालोचितम्। प्रक्रियात्मक-व्याकरणे दार्शनिक-व्याकरणे च कर्मकारकस्य विषयः उल्लिखितः आसीत्। कर्मकारकस्य लक्षणे वैयाकरणैः स्व स्व वुद्धिवलेन यथोपयुक्तप्रमाणैः सह सुदीर्घं विश्लेषणं कृतम्। तेषां विश्लेषणं मतवादञ्च संग्रह्य शोधपत्रमिदं मया प्रस्तुतम्। अत्र कर्मकारकस्य विषये पाणिनीयवैयाकरणानाम् अपाणिनीय-वैयाकरणानाञ्च वचनं मया संगृहीतम्।

* सहायकाचार्यः, संस्कृतविभागः, विवेकानन्दमहाविद्यालयः, वर्द्धमानम्, श्रीपल्ली,
पूर्ववर्द्धमानम्, पश्चिमबङ्गप्रदेशः-७१३१०३

‘এবং মহুয়া’ -বিশ্ববিদ্যালয় মঞ্জুরী আয়োগ (UGC-CARE)
অনুমোদিত তালিকার অন্তর্ভুক্ত।
২০২০সালে প্রকাশিত ৮৬পৃ.তালিকার ৬০ পৃ.এবং ৮৪পৃ.উল্লেখিত।

এবং মহুয়া

(বাংলা ভাষা, সাহিত্য ও গবেষণাধর্মী মাসিক পত্রিকা)

২৩ তম বর্ষ, ১২৯ সংখ্যা

জানুয়ারী ২০২১

সম্পাদক

ড. মদনমোহন বেরা

সহসম্পাদক

পায়েল দাস বেরা

মৌমিতা দত্ত বেরা

যোগাযোগ :

ড. মদনমোহন বেরা, সম্পাদক।

গোলকুঁয়াচক, পোস্ট-মেদিনীপুর, ৭২১১০১, জেলা-প.মেদিনীপুর, প.বঙ্গ।

মো.-৯১৫৩১৭৭৬৫৩

কে.কে. প্রকাশন

গোলকুঁয়াচক, মেদিনীপুর, পশ্চিমবঙ্গ।

৩৪. কাষ্টের রাষ্ট্র দর্শনে স্বাধীনতা :: দেবপ্রিয়া চক্রবর্তী.....	২৬১
৩৫. অমর মিত্রের 'ধনপতির চর' : ম্যাজিক রিয়্যালিজমের মোড়কে চরভূমির ঔপনিবেশিক শাসনকামিতার রসায়ন :: দিলদার কিবরিয়া.....	২৬৪
৩৬. মুর্শিদাবাদের জারিগান :: জাহির আক্বাস.....	২৭৫
৩৭. উত্তরবঙ্গের সিলেটি অভিবাসী মানুষের লোকগান : বিস্মৃতির আলোকে :: দেবশ্রী সরকার	২৮৬
৩৮. বিধবাবিবাহ আন্দোলন ও বিদ্যাসাগর :: হাসিনা খাতুন.....	২৯৩
৩৯. রবীন্দ্রনাথের স্বদেশ সমাজ খোঁজ : গ্রাম বাংলা :: তাপস কুমার মন্ডল.....	২৯৯
৪০. বিষয়-বৈচিত্র্যের দর্পণে আবুল বাশারের ছোটগল্প :: সমীরণ সরকার.....	৩০৩
৪১. বাংলার গণমাধ্যম রূপে থিয়েটার ও সমাজ : এক বিবর্তনের ধারা :: উৎকলিকা সাহ.....	৩২৩
৪২. ব্রিটিশ শাসনাধীন বাংলায় ক্যানেলের মাধ্যমে জলসেচন :: সন্দীপ কুমার পাল.....	৩৩৩
৪৩. ভারতবর্ষ ও বিবেকানন্দ :: মেহের সেখ.....	৩৪৮
৪৪. নবেন্দু ঘোষের ছোটগল্পে সমাজ বাস্তবতা :: কারিমুল চৌধুরী.....	৩৫৩
৪৫. বন্দে আলী মিয়ার কবিতায় লোকায়ত অনুষ্ণ :: নাকিসা ইয়াসমিন.....	৩৫৭
৪৬. পরমারদের রাজত্বকালে মধ্যভারতে শৈবধর্মের অগ্রগতি :: মল্লিকা ঘোষ.....	৩৬৫
৪৭. নারী সমকামিতা এবং অমিয়ভূষণ মজুমদারের 'বিবিক্তা' :: রজত বিশ্বাস.....	৩৭১
৪৮. সংস্কৃতসাহিত্যস্য প্রবাদপ্রবচনস্য সামাজিকং মূল্যবোধম্ :: মনোজ বর্মণ.....	৩৭৬
৪৯. 'হাসুবানু' উপন্যাসে দেশভাগের পরিপেক্ষিতে বিপর্যস্ত জীবনের প্রতিচ্ছবি :: ড. শিপ্রা রায়.....	৩৮০
৫০. গোরা : দ্বন্দ্বিকতার নতুন পাঠ :: ড. সুমন ঘোষ.....	৩৮৭
৫১. সামাজিক আইন প্রণেতারূপে মনু : একটি পর্যালোচনা :: ড. সুজিত ঘোষ.....	৩৯১
৫২. ভক্তিভাবের আলৌকিক ভাবনাবিমর্শ :: ড. শংকর চ্যাটার্জী.....	৪০০

নবেন্দু ঘোষের ছোটগল্পে সমাজ বাস্তবতা

কারিমুল চৌধুরী

নবেন্দু ঘোষ মূলত বিশ শতকের চারের দশকের শুরুর লেখক। তিনি ছিলেন প্রগতিশীল ও সমাজমনস্ক শিল্পীসচেতন ব্যক্তি। 'আমার সাহিত্যজীবন' শীর্ষক নিবন্ধে তিনি জানিয়েছেন—

“আমি সেই সময়ে মানুষের দুঃখ দুর্দশায় ভয়ানক অবিভূত হয়ে পড়তাম; দারিদ্র, হিংসা ও কপটতা একেবারে সহ্য করতে পারতাম না, জাতিভেদ ও শ্রেণীভেদ আমার মনে বিদ্রোহের সঞ্চার করতো, অসাম্য ও শোষণের বিরুদ্ধে যুদ্ধ করতে ইচ্ছা হত। সেইসঙ্গে এক ধরনের দার্শনিক চিন্তাও আমার মনকে প্রায় আচ্ছন্ন করত যা সেই বয়সের পক্ষে অস্বাভাবিক ছিল— এই ধরনের চিন্তা যে সংসার অনিত্য, জীবন ক্ষণস্থায়ী, এই জীবনের হাট যেমন একদিন বসে তেমনি একদিন সাজও হয়। একটি আকুল বাসনার ভার নামত, তীব্রভাবে মন চাইত দুঃখের কথা বলতে, মন চাইত এমনভাবে বলি যাতে আমার পাঠকেরা আমার গল্পের চরিত্র এবং প্রতিপাদ্যের সঙ্গে একাত্মবোধ করেন...।” এই সময়কাল ছিল ১৯৩৬ খ্রিস্টাব্দ নাগাদ। এই সময়ের অভিজ্ঞতা তাঁর ছোটগল্পকে সমৃদ্ধ করে তুলেছে।

ছোটগল্পকার হিসাবেই বাংলা সাহিত্যে নবেন্দু ঘোষের প্রথম আবির্ভাব ঘটে। ১৯৪৩ খ্রিস্টাব্দে দুর্ভিক্ষ-মহাস্তরের প্রেক্ষাপটে রচনা করেন তাঁর 'কঙ্কি' গল্পটি। আলোচ্য গল্পে মহাস্তরের ভয়ঙ্কর চিত্র ফুটিয়ে তুলেছেন গল্পকার। একদিকে বুর্জোয়া মধ্যবিত্ত ও ধনী এবং অন্যদিকে সর্বহারা দরিদ্র— এই দুইয়ের বিরোধে খাদ্যাভাবে সর্বহারাদের অসহায়তার চিত্র কলকাতায় সমবেত অনন্যমূল মানুসদের দিয়ে অঙ্কন করেছেন গল্পকার। সেখানে ক্ষুধার্ত মিছিলের আতর্নাদ, মিছিল ক্রমশ এগোয় ডাস্টবিনের দিকে।

'কঙ্কি' গল্পের কেন্দ্রের আছে দুর্ভিক্ষের কারণে আসা একটি পরিবারের কত্রী মা— তারা, তার মেয়ে দুর্গা, ছেলে ভোলা এবং একটি শিশুপুত্র। তারার জীবনধারণের উৎস হল ডাস্টবিনের খাদ্য। দীর্ঘদিনের অনশনে সামান্য ভাতের জন্য তারার যে আর্তি প্রকাশিত হয়েছে তার চিত্র যেমন বাস্তব তেমনি অমানবিক :

“খাদ্য লইয়া দুই ভাইবোন আবার মারামারি আরম্ভ করিয়াছে। তারা তাহাদের মধ্যে গিয়া জোর করিয়া আধমুঠো কাড়িয়া লইয়া বৃকের ছেলেটার মুখে দিল। ছেলেটা তাহা গিলিল। ছেলেটাকে খাওয়াইতে আর ভোলা ও দুর্গার খাওয়া দেখিতে তারার রসনার জল আসিল। ভাত! আঃ! সে ক্ষীণকণ্ঠে ডাকিল, দুগগা, মা, ক্যামন নাগছে

Volume 9, No. 1: 2021
(Jan-Mar)

ISSN (p):2395-2636
ISSN(e):2321-3108

Research Journal of English Language and Literature (RJELAL)

International, Open access, Indexed, Peer-reviewed and Refereed Journal

<http://rjelal.com/>

editorrjelal@gmail.com

<https://doi.org/10.33329/rjelal.9.1>

KY Publications



S.No	Article information	Page No
39.	MASCULINITY AND MANHOOD IN SHASHI DESHPANDE'S FICTION Dr.SATISH KUMAR doi:10.33329/rjelal.9.1.217	217-225
40.	DECONSTRUCTING THE NARRATIVE AND NORMATIVITY IN DEVADUTT PATTANAIK'S THE PREGNANT KING SANTHI KRISHNA doi:10.33329/rjelal.9.1.226	226-230
41.	ON THE ROLE OF CHINESE-ENGLISH TRANSLATION SKILLS IN COLLEGE ENGLISH WRITING ZHANG YU1, HUANGFU WEI2 doi:10.33329/rjelal.9.1.231	231-235
42.	ONTOLOGICAL DEADLOCK: A STUDY OF AMITAV GHOSH'S <i>THE CALCUTTA CHROMOSOME</i> Dr. RITU SHARMA doi:10.33329/rjelal.9.1.236	236-238
43.	MEANING OF LIFE IS AN ART: A MISE-EN-SCENE STUDY THROUGH THE FILM CHARLIE ALISHA JAMES doi:10.33329/rjelal.9.1.239	239-244
44.	ASSIMILATION OF THE TRADITIONAL EAST AND THE MODERN WEST: AN ANALYSIS OF A.K. RAMANUJAN'S POETRY ANANDITA SHARMA doi:10.33329/rjelal.9.1.245	245-250
45.	REMEMBERING PARTITION OF BENGAL AND THE LIBERATION WAR OF BANGLADESH SUBHAM HAZRA doi:10.33329/rjelal.9.1.251	251-256



INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA

2395-2636 (Print); 2321-3108 (online)

REMEMBERING PARTITION OF BENGAL AND THE LIBERATION WAR OF BANGLADESH

SUBHAM HAZRA

State Aided College Teacher, Dept. of English,
Vivekananda Mahavidyalaya, Burdwan, West Bengal

Abstract

Memory and amnesia are always at the core of the relation between human beings and History. The interplay between past and present, memory and amnesia are always considered as a shape giver to investigate the earlier years of cataclysmic events. Partition is an empirical reality of human civilization. But how far it is possible to recreate that defunct memory of the horror and anxiety through a speculative narrative? Even if one embarks on this project can he bring forth something more than an exhaustive history of the Liberation War. The partition of Bengal in 1947 and the Bangladesh liberation war of 1971 are the major tumultuous episodes dismantled the course of history –millions of people become homeless, abducted and decapitated by the name of religion and politicized nationalism. The cataclysmic events of partition is not a matter of contingency –one has to understand the political and religious agenda of Pakistani colonialism and the ‘localized’ narratives that led the liberation war of Bangladesh. It is rightly unjustful to target one specific religion to withhold the other. The history of Bengal partition is not about the division of Bengal, Pakistan and Bangladesh but a grim reality of the scapegoats of the country.

Keywords : convulsion, racism, identity, violence



Article Received: 22/02/2021

Article Accepted: 29/03/2021

Published online: 31/03/2021

DOI: [10.33329/rjelal.9.1.251](https://doi.org/10.33329/rjelal.9.1.251)

Partition and liberation war are not synonymous. Historians prefer the phrase ‘Partition of Bengal’ whereas they use ‘Bangladesh Liberation War’ while narrating the events of Bengal and Bangladesh. Does the partition leads the liberation war or the liberation war leads the partition? Are the narratives reliable enough to underscore a specific conclusion? where from the historian should begin the narrative? Bangladesh as a separate nation has emerged not due to any specific movement that a historian can probably claim. while one may begin with the 1905 partition embedded in the ‘divide and rule’ policy to safeguard and dictate the provincial state of Bengal contains nearly eighty million people before the convulsion. while other critics may not agree with the same assumption that led such

cataclysmic events. The chronology remains ambiguous when the course of the events itself appear ambiguous. This paper is an attempt to justify and redefine the problems of historiography, locating the fissures in the documentation of such narrative. Amrita Bazar Patrika had organized a survey on 23rd April 1947 regarding the partition of Bengal. The framed question was “do you want a separate homeland for Bengali Hindus?” and the poll reports that 98.3% were in favour of division. Surprisingly 99.6% Hindus responded to the poll and demanded Partition.

The Hindu community believe in tranquil cohabitation and solely follows the virtues of ‘Samskara’ and ‘Karma’. Peace is their religion. They embrace anything pitiable, denounce communalism

IJRAR.ORG

International Peer Reviewed, 5.75 Impact Factor

editor@ijrar.org
UGC and ISSN Approved

International Open Access Journal
UGC and ISSN Approved | E-ISSN 2348-1269,
P- ISSN 2349-5138

INTERNATIONAL
JOURNAL OF RESEARCH
AND ANALYTICAL REVIEWS

IJRAR.ORG

INTERNATIONAL JOURNAL OF RESEARCH
AND ANALYTICAL REVIEWS (IJRAR)

*International Peer Reviewed, Open Access
Journal*

E-ISSN 2348-1269, P- ISSN 2349-5138 | Impact factor: 5.75 | ESTD Year: 2014

UGC and ISSN Approved and added in the UGC Approved List of Journals

Website: www.ijrar.org



IJRAR

Website: www.ijrar.org

Perversion, Homophobia and Language difference: A Study of Joe Orton

Subham Hazra, State Aided College Teacher, Dept of English,
Vivekananda Mahavidyalaya, Burdwan

Abstract

In the course of time the nuances of human activity rationalize the cultural standpoint of the generation though it cannot be described accurately. The cultural politics of perversion requires justification in post 1950's Britain. Is perversion merely a psychological disorder? Does the domain strictly confined within sexual orientation? Does perverseness have a language? why homosexual desire is considered as a perverse desire? This paper scrutinizes the heteronormative nuances of sexuality and the experiences of a certain community being considered by the society as pervert in the Plays of Joe Orton who is a British playwright and diarist.

Key words : stereotype, perversion, sexuality, gaze

Joe Orton explores the post world war II English theatre where the emotional poverty is interweaved much with sexual disempowerment. The erotic subjects deal with distinctive identities in which sexual and racial factors interconnect with class and gender constructions. People were confused about the nuances of sexual morality when they no longer believed in theological canons and hardly there was no room for adherence of virtues. perversion suggests a deviation from the connotations of moral, indeed theological later changed its course in sexual denotations when psychoanalysis and sexology interpret its multidirectional operative forces. Orton perhaps, demands to project the ideology of perverse fascination publicly for our natural emotion has become perverse and wishes to create a subversive community to counter it. Perversion indeed, can serve as a drive for a social, economic and political change. Its existence is not merely restricted within a sexual orientation. Racism, avariciousness and war are all forms of perverseness for it is an expression of resistance to difference.

In orton's society there was no belief in conventional morality, nor was there any felt need to keep a fidelity within marriage. J.M.Carstairs, professor of psychological medicine in Edinburgh surveyed that divorces in pre-war period was eight thousand increased thirty-two thousand in 1950s and continued to rise. Marriage turns out to be a constant negotiation paves the rise of



Website : www.vmbdn.in
Email : vmprincipal2012@gmail.com, M : 7384634726
Phone No : 0342-2541208 (Day Office), 2541521 (Morning Office)
Fax No : 0342-2646916

VIVEKANANDA MAHAVIDYALAYA, BURDWAN

(GOVT. SPONSORED) □ ESTD-1964

P.O- Sripally ★ Dist- Purba Bardhaman ★ Pin-713103 ★ W.B

NAAC Re-Accredited (2nd cycle, B+ with PG in Chemistry)

No...../V.M.

Date :

From : Principal / Teacher-in-Charge & Secretary

List of publications during the session 2021-2022

Sl.No.	Title of paper	Name of the author/s	Department of the teacher	Name of the Journal	Calendar Year of publication	ISSN number	Link to the recognition in UGC enlistment of the Journal / Dig Link to website of the Journal	Link to article / paper / abstract of the article
1	Maternal and Child Health Deprivation Scenario- An analysis of Longitudinal Data across Selected SAARC Countries	Tanushree De, S. K. Datta	Economics	The Indian Journal of Economics	2021	ISSN: 0019-5170	https://ugccare.unipune.ac.in/Apps1/User/WebA/SearchList	https://ugccare.unipune.ac.in/Apps1/User/WebA/SearchList
2	Investigating the present status, spatial change and emerging issues related to riparian wetlands of Bhagirathi- Jalangi Floodplain (BJF) in lower deltaic West Bengal, India	Sunam Chatterjee, Kunal Chakraborty, Shambhunath Singh Mura	Geography	Environment, Development and Sustainability	2021	ISSN: 7388 - 7434	https://doi.org/10.1007/s10668-021-01710-8	https://doi.org/10.1007/s10668-021-01710-8
3	Raniganjer Kayla Khani: Ekti Samiksha	Sanjiban Mohaldar	History	Rabindra Bharati Patrika	2021	ISSN: 0975-0037	N.A	N.A
4	Weakly viscoelastic film on a slippery slope	Souradip Chattopadhyay; Akshay S. Desai; Amar K. Gaonkar; Amlan K. Barua; Anandamoy Mukhopadhyay	Mathematics	Physics of Fluids	2021	ISSN: 1089-7666 (Online)	https://doi.org/10.1063/5.0070495	https://doi.org/10.1063/5.0070495
5	Weakly viscoelastic film flowing down a rotating inclined plane	Souradip Chattopadhyay, Anandamoy Mukhopadhyay	Mathematics	Physics of Fluids	2022	ISSN: 1089-7666 (Online)	https://doi.org/10.1063/5.0077366	https://doi.org/10.1063/5.0077366
6	Effect of odd-viscosity on the dynamics and stability of a thin liquid film flowing down on a vertical moving plate	Souradip Chattopadhyay; Gowri Y Subedar; Amar K. Gaonkar; Amlan K. Barua; Anandamoy Mukhopadhyay	Mathematics	International Journal of Non-Linear Mechanics	2022	ISSN: 0020-7462	https://doi.org/10.1016/j.ijnonlinmec.2022.103905	https://doi.org/10.1016/j.ijnonlinmec.2022.103905
7	Surface wave and thermocapillary instabilities on flowing film under the sway of Hall viscosity	Sanghasri Mukhopadhyay, Asim Mukhopadhyay	Mathematics	Physica D- Nonlinear Phenomenon	2022	ISSN: 0167-2789	https://doi.org/10.1016/j.physd.2022.133404	https://doi.org/10.1016/j.physd.2022.133404




Principal
Vivekananda Mahavidyalaya
Burdwan



Website : www.vmbdn.in
Email : vmprincipal2012@gmail.com, M : 7384634726
Phone No : 0342-2541208 (Day Office), 2541521 (Morning Office)
Fax No : 0342-2646916

VIVEKANANDA MAHAVIDYALAYA, BURDWAN

(GOVT. SPONSORED) □ ESTD-1964

P.O- Sripally ★ Dist- Purba Bardhaman ★ Pin-713103 ★ W.B

NAAC Re-Accredited (2nd cycle, B+ with PG in Chemistry)

No...../V.M.

Date :

From : Principal / Teacher-in-Charge & Secretary

8	Long-wave instabilities of evaporating/condensing viscous film flowing down a wavy inclined wall: Interfacial phase change effect of uniform layers	Sanghasri Mukhopadhyay, Nicolas Cellier, Asim Mukhopadhyay	Mathematics	Physics of Fluid	2022	ISSN: 1070-6631	https://doi.org/10.1063/5.0089068	https://doi.org/10.1063/5.0089068
9	Complex dynamics of an eco-epidemic system with disease in prey species	Nijamuddin Ali	Mathematics	World Scientific Publishing Company	2021	ISSN: 2150046	https://scholar.google.com/citations?view_op=view_citation&hl=en&user=QGKai7AAAAJ&citation_for_view=QGKai7AAAAJ:2osOgNQ5qMEC	https://scholar.google.com/citations?view_op=view_citation&hl=en&user=QGKai7AAAAJ&citation_for_view=QGKai7AAAAJ:2osOgNQ5qMEC
10	Influence of Allee effect on the spatiotemporal behavior of a diffusive predator-prey model with Crowley-Martin type response function	Nijamuddin Ali, Lakshmi Narayan Guin, Pallav Jyoti Pal, Jawaher Alzahrani, Krishnendu Sarkar, Salih Djilali	Mathematics	Scientific Reports	2022	ISSN: 2045-2322	https://doi.org/10.1038/s41598-023-28419-0	https://doi.org/10.1038/s41598-023-28419-0
11	उत्तररामचरिते प्रकृतिचेतना	Dibyajyoti Hazra	Sanskrit	Vyasasrih	2022	ISSN: 2320-2025	https://vyasari.com/notice/16641894181%20Inner%20cover%20and%20Index-Vol-XXI.pdf	https://vyasari.com/notice/16641894181%20Inner%20cover%20and%20Index-Vol-XXI.pdf
12	Panchamahayajna-A Shining Cite of Moral values in Ancient India	Sirija Khatun	Sanskrit	University research Publication	2021	ISSN: 2582-8002	N.A	N.A
13	Seasonal Variation In Mosquito Larvicidal Potentiality Of Holoptelea Integrifolia	S. Singha & G. Chandra	Zoology	Uttar Pradesh Journal Of Zoology	2022	ISSN: 0256-971X	10.56557/upjoz/2022/v43i62982	10.56557/upjoz/2022/v43i62982
14	Adoption Of Englishlanguage: An Instrument To Counter Patriarchal Oppression In The Works Of Kamala Das	Santanu Saha	English	RJELAL	2022	ISSN: 2395-2636 (P) 2321-3108 (O)	http://www.rjelal.com/10.122/293-297%20Dr.%20SANTANU%20SAHA.pdf	http://www.rjelal.com/10.122/293-297%20Dr.%20SANTANU%20SAHA.pdf
15	Contribution of Women in the Formation of Bangladesh: A Critical Appraisal on Thmima Anam's Novels Golden Age and The Good Muslim	Samimuddin Khan	English	Akados: An Interdisciplinary Journal, International	2021	ISSN: 2583-2875	Contribution of Women in the Formation of Bangladesh: A Critical Appraisal on Thmima Anam's novels A Golden Age and The Good Muslim (zenodo.org)	Contribution of Women in the Formation of Bangladesh: A Critical Appraisal on Thmima Anam's novels A Golden Age and The Good Muslim (zenodo.org)




Principal
Vivekananda Mahavidyalaya
Burdwan



Website : www.vmbdn.in
Email : vmprincipal2012@gmail.com, M : 7384634726
Phone No : 0342-2541208 (Day Office), 2541521 (Morning Office)
Fax No : 0342-2646916

VIVEKANANDA MAHAVIDYALAYA, BURDWAN

(GOVT. SPONSORED) □ ESTD-1964

P.O- Sripally ★ Dist- Purba Bardhaman ★ Pin-713103 ★ W.B

NAAC Re-Accredited (2nd cycle, B+ with PG in Chemistry)

No...../V.M.

Date :

From : Principal / Teacher-in-Charge & Secretary

16	Every Like is not the Same: Reorientation of Shakespeare's Julius Caesar in Bengali Novelization	Biswajit Majumder	English	JUES XXXV	2021	ISSN: 0975- 3478	https://juenglishorg.files.wordpress.com/2023/07/9-every-like-is-not-the-same-reorientation-of-shakespeares-julius-caesar-in-bengali-novelization-biswajit-majumder.pdf	https://juenglishorg.files.wordpress.com/2023/07/9-every-like-is-not-the-same-reorientation-of-shakespeares-julius-caesar-in-bengali-novelization-biswajit-majumder.pdf
----	---	-------------------	---------	-----------	------	---------------------	---	---




Principal
Vivekananda Mahavidyalaya
Burdwan



The Indian Journal of Economics



Home

About the Journal

Executive Committee

Editorial Board

Subscription

Instructions to Authors

Recent Publication

Other Publication

Contact Info

Quarterly Publication

July, October, January, April.

In Press

Issue No. 412 - July, 2023

Latest Publication

Issue No. 411 - April, 2023

Issue No. 410 - January, 2023

Issue No. 409 - October, 2022



Special Centennial Issue

No. 405

October 2021

Vol. CII

ISSN: 0019-5170

Contents

- Shrikant Madar & Sheetal D. Arondekar : Insurance Parameters, Linkages between Investment and Economic Growth in India
- Diptarghya Bhattacharjee : Does High Trade Volume Affect the Fiscal Deficit of India? An Econometric Investigation
- Soumyendra Kishore Datta & Tanushree De : Maternal and Child Health Deprivation Scenario - An Analysis of Longitudinal Data Across Selected SAARC Countries
- T. Lakshmanasamy : Policy Transmission Channels and the Economy: Structural Vector Autoregression Estimation of the Monetary Policy Effects
- Owais Ibin Hassan & Shahid Ashraf : Investigating the Agriculture-induced Environmental Kuznets Curve in Indian context
- Debolina Saha & Avinandan Taron : Joint Forest Management in India: A Game Theoretic Analysis of Its Evolution and Reasons Behind Poor Performance
- Shah M. Tarzi : Host Country-Transnational Corporations Relative Power Positions and Bargaining Outcomes: A Distinct Model
- Reema Jain & Saba Ismail : Exploring Trade Potential Between India and Mexico-An Empirical Assessment

Insurance Parameters, Linkages between Investment and Economic Growth in India

Shrikant Madar¹
Sheetal D. Arondekar²

With the advent of private sector life insurance firms, the post-2000 period has led to fierce competition amongst the firms to retain existing and attract prospective consumers with their innovative life insurance products. This paper is an attempt to examine the trends and performance of the life insurance sector in India and to analyze the impact of this sector's investment on the gross domestic product(GDP)for the period from 2000-01 to 2019-20. The database for this study is purely dependent on secondary sources namely, the Handbook on Indian Insurance Statistics and RBI. Data were analyzed using MS-Excel and GRETl Software and results were presented in the form of tables and graphs. For effective data analysis, the econometrics models such as linear trend line analysis, Log-linear model, and correlation analysis were applied. The performance of the life insurance sector is assessed using the parameters, viz., insurance penetration, and insurance density. The study reveals that life insurance density and penetration have an increasing trend that results in the overall growth of the economy and also shows that investment in the life insurance sector has a significant association with India's GDP.

Keywords: Insurance, Investment, Economic Growth, Hypothesis testing, Econometric and Statistical Methods.

JEL Codes: G22, P45, F43, C12, C10

1. VVM's Shree Damodar College of Commerce & Economics (Economics and Banking), Margao (Goa), India. E-mail: shrikantmadar00@gmail.com

2. VVM's Shree Damodar College of Commerce & Economics (Commerce and Management), Margao (Goa), India. E-mail: sheetaldnyan11@gmail.com

[Top](#)

Does High Trade Volume Affect the Fiscal Deficit of India? An Econometric Investigation

Diptarghya Bhattacharjee¹

This paper establishes the relation between fiscal deficit and trade volume of India and apart from trade volume also the other variables are government final consumption expenditure and share of defence expenditure of total GDP of India and the theory says that the trade volume has the negative relation with the fiscal deficit but by using the Engle-Granger two step cointegration approach it is found that there is the cointegration between fiscal deficit, trade volume, government final consumption expenditure and share of defence expenditure even though there is no cointegration between trade volume and fiscal deficit solely and also having the positive relation between trade volume and fiscal deficit in case of India which contradicts the theory and the only reason is high import which raises the expenditure of government and the fiscal deficit is suppressed if there is the balance trade and also government should increase the tax base and which will automatically reduce the government expenditure and fiscal deficit as well.

Keywords: Fiscal deficit; Trade volume; Government final consumption expenditure; Share of defence expenditure

1. M.Sc. (passed in 2021) in Economics, University of Calcutta, West Bengal, India. E-mail: rick.bhattacharjee02@gmail.com

[Top](#)

Maternal and Child Health Deprivation Scenario - An Analysis of Longitudinal Data Across Selected SAARC Countries

Soumyendra Kishore Datta¹

Tanushree De²

The issue of health care benefits for females during maternity and that of children should be considered in an integrated manner and not in isolation. Children health deprivation often gets aggravated due to inadequacy in maternal health condition. It is rightly viewed that child bearing phase of mother and condition at delivery constitute the prime definite life incidents that have a bearing on the health status of a child's future life courses. In this context, a maternal health deprivation index and child health deprivation index based on some relevant components are developed in the context of six SAARC countries over 2000-2016. Principal component method and UNDP goalpost method are applied in this context for deriving the indices and corresponding ranks. The variation in these indices are further tried to be explained by considering several relevant factors. A recursive simultaneous equation structure is applied for explaining the simultaneity in variation of these two deprivation indices. It is observed that provision of several health related benefits needs to be made in order to lift the poor state of maternal and child health in some of the considered countries.

Keywords : Maternal Health, Child Health, Deprivation Index, Simultaneous Equation, SAARC Countries.

1. Professor, Department of Economics, The University of Burdwan, Burdwan, West Bengal, India, Email: soumyendra_d@rediffmail.com

2. Assistant Professor, Department of Economics, Vivekananda Mahavidyalaya, Burdwan, West Bengal, India, Email: shree_de2009@rediff.com


[Top](#)

Policy Transmission Channels and the Economy: Structural Vector Autoregression Estimation of the Monetary Policy Effects

T. Lakshmanasamy¹

Investigating the present status, spatial change, and emerging issues related to riparian wetlands of Bhagirathi–Jalangi Floodplain (BJF) in lower deltaic West Bengal, India

- Case study
- [Published: 25 August 2021](#)
- Volume 24, pages 7388–7434, (2022)



[Environment, Development and Sustainability](#) [Aims and scope](#) [Submit manuscript](#)

- [Sunam Chatterjee,](#)
- [Kunal Chakraborty](#) &
- [Shambhu Nath Sing Mura](#)


Abstract

Floodplain wetlands have considerable ecological and economic significance. The study area, consisting of the Bhagirathi–Jalangi Floodplain (BJF), is endowed with numerous wetlands. Based on the tentative time of origin and wetland index map, the investigation selects eight major riparian wetlands and their surroundings from the meander belt of the rivers Bhagirathi and Jalangi. The study primarily emphasizes on periodic mapping for areal change detection and identification of emerging issues between 1955 and 2018. The data used for the present research includes Topographical maps, Landsat imagery, Google maps, Sentinel 2B imagery of different time periods and some ancient maps which depict the old courses of river Bhagirathi and Jalangi. By using geospatial techniques and field investigation, the study reveals that from 1955 to 2018, wetlands have been shrinking rapidly. It is found from the investigation that total wetland area has reduced by about 39.60% due to land reclamation and wetland transformation. The land use change detection depicts that agricultural expansion, which has increased up to 35%, is the dominant control factor for wetland decay. More than 87% of the selected wetlands have experienced area loss. Among the selected wetlands, 25% have lost more than 90% of their areal extent during the stipulated study period. Normalized Difference Vegetation Index (NDVI) and Normalized Difference Water Index (NDWI) are the two indices used for measuring the concentration of aquatic plants. Geospatial analysis suggests that the NDVI value is higher in pre-monsoon season in comparison with post-monsoon. High NDVI value which is ≥ 0.51 covers more than 81% of the wetland surface area. In contrast, low NDWI value (≤ 0.20), covering more than 60% of the wetland surface area, is found in 75% of the selected wetlands. The study finally concludes that due to accelerated anthropogenic intervention floodplain wetlands in the BJF require special attention to ensure future sustainability.

ISSN 0975-0037

রবীন্দ্রভারতী পত্রিকা

রবীন্দ্রস্মরণ সংখ্যা। ১৪২৮



Rabindra Bharati Patrika

August, 2021

সূচীপত্র

- বাংলা কবিগানের সাহিত্যমূল্য ও বৈশিষ্ট্য সাবিত্রী ঝুরি ১
- উত্তর ভারতীয় শাস্ত্রীয় সংগীতে ঘরানা প্রথা ও আখ্রা ঘরানা তাপস দত্ত ১৭
- মীরা আলফাসার (শ্রী মা) শিল্পসৃষ্টি ও তার কালানুক্রমিক বিবর্তন পার্থ সারথী ভট্টাচার্য ২৯
- উনিশ ও বিংশ শতকের প্রেক্ষাপটে বিজ্ঞানের ইতিহাসে নারীর প্রাসঙ্গিকতা : একটি ঐতিহাসিক পর্যালোচনা তাপসী ভট্টাচার্য ৪১
- রানীগঞ্জের কয়লাখনি : একটি সমীক্ষা সঞ্জীবন মহলাদার ৬১
- স্বাধীনতা পরবর্তী দুই দশকে (১৯৪৭-১৯৬৭ খ্রিস্টাব্দ) সন্ন্যাসী সামন্ত ৭৫
পশ্চিমবঙ্গের শিল্প ও শিল্পশ্রমিকের অবস্থা : একটি পর্যালোচনা
- স্বাধীনতা উত্তর পশ্চিমবঙ্গে শরণার্থী আন্দোলন ও রাজনৈতিক অজ্ঞতা বিশ্বাস ৮৯
পটপরিবর্তন : একটি ঐতিহাসিক মূল্যায়ণ (১৯৪৭-১৯৬৭)
- বিভাজন পরবর্তী উদ্বাস্ত নারী জীবনে নিরাপত্তা সঙ্কট : পলাশ মণ্ডল ১০১
প্রসঙ্গ দুইবঙ্গ—(১৯৪৭-১৯৫৮)
- Travel with Sound (Analog to digital) Nilanjan Ghosh ১১২
- User Interface Design Development (Website) Rahul Sadhukhan ১২১
- Guidelines for contributors ১৩৯

রানীগঞ্জের কয়লাখনি : একটি সমীক্ষা সঞ্জীবন মহলাদার

সংক্ষিপ্তসার

মানুষের জীবিকার সঙ্গে জীবনযাপনের সম্পর্ক গভীরভাবে বহু শতাব্দীব্যাপী জড়িয়ে আছে। উৎপাদনের সঙ্গে ঘনিষ্ঠসূত্রে জড়িয়ে আছে শ্রমশক্তি আর শ্রমশক্তিকে প্রতিদিন সম্পদ সৃষ্টির কাজে ব্যবহার করে মানুষের কর্মসম্পন্ন। আদিপর্বে কয়লা খাদানে বাউরি ও সাঁওতাল পরিবার ভিত্তিতে খনি শ্রমিক হিসাবে কাজে যোগদান করেছিল। পরবর্তীকালে ছোটনাগপুর, বিহার, উত্তরপ্রদেশ থেকে বিভিন্ন জাতির মানুষ খনিশ্রমিক হিসাবে কাজে যোগদান করেছিল। গড়ে উঠেছিল জাতিভিত্তিক কোড়া, বীওড়া, নুনিয়াবন্তি, মনসুরীবীওড়া প্রভৃতি। দ্বিতীয় বিশ্বযুদ্ধের কালে শ্রমিক সমস্যা সমাধানের জন্য প্রতিষ্ঠিত হয়েছিল 'কোলফিল্ড সেন্ট্রাল রিক্রুটিং অর্গানাইজেশন'। এই বহিরাগত শ্রমিকদের 'অতিপ্রায়িত হওয়ার পশ্চাতে 'push' ও 'pull' factor কে দায়ী করেছেন অনেকে। এ বিষয়ে রণজিৎ দাসগুপ্ত, এ. ডি. হান, আনন্দ এ ইয়ং, আর চান্দভারকার, তীর্থকর রায় প্রমুখের নাম উল্লেখযোগ্য। শ্রমিক সংগ্রহ করা হত জমিদারী পদ্ধতির সরাসরি বা সর্দারি পদ্ধতি, অপ্রত্যক্ষ পদ্ধতি ও ঔপনিবেশিক সরকার কর্তৃক পদ্ধতিতে। কয়লাখনি অঞ্চলের শ্রমিকরা বংশ পরম্পরায় 'progency of labour force' তৈরি করেছিল। এই অভিবাসিত কয়লা শ্রমিকেরা শ্রমিক শ্রেণি হিসাবে চেতনা অর্জনের পরিবর্তে একই সঙ্গে একজন কৃষক ও একজন খনি কর্মী হিসাবে সাংস্কৃতিক আয় দ্বৈত সম্মত বজায় রেখে চলতে পছন্দ করত। সুতরাং ১৮৭০ সাল থেকে ১৯৪৭ সাল পর্যন্ত বর্ধমান জেলার আসানসোল ও রানীগঞ্জের কয়লা খনিতে আদিপর্বে নিযুক্ত শ্রমিক, পরবর্তীকালে অভিপ্রায়িত শ্রমিকদের আগমন ও কারণ, শ্রমিকদের নিয়ে আসা ও নিয়োগের পদ্ধতি, জাতিব্যবস্থা, কাজের পরিবেশ এবং দ্বিতীয় বিশ্বযুদ্ধের পরবর্তী কালের শ্রমিক নিয়োগের পরিবর্তিত পদ্ধতি অনুসন্ধানই এই নিবন্ধের উদ্দেশ্য।

সূচকশব্দ : কয়লাখনি, শ্রমিক, সর্দার, অভিপ্রায়ন, নিয়োগপদ্ধতি।

বর্ধমান জেলার কয়লাখনি অঞ্চল বলতে যে বিস্তীর্ণ ক্ষেত্রকে বোঝায় তা বর্ধমান জেলার আসানসোল ও দুর্গাপুর মহকুমা দুটির বিস্তীর্ণ অঞ্চল এবং পার্শ্ববর্তী হল বিহারের ধানবাদ জেলা ও সাঁওতাল পরগনার কিছু অঞ্চল এবং পশ্চিমবঙ্গের দামোদরের দক্ষিণে পুরুলিয়া ও বাঁকুড়ার অববাহিকা অঞ্চল ও অজয় নদের উত্তরে অবস্থিত বীরভূম জেলার অববাহিকা অঞ্চল। বীরভূম অবশ্য এখনও কয়লাখনির সক্রিয় মানচিত্রে চিহ্নিত হয়নি। এই কয়লাখনি ক্ষেত্রে, মগমা থেকে দুর্গাপুর, দৈর্ঘ্য ৭৫ কিলোমিটার ও উত্তর-দক্ষিণে প্রস্থে ৩৫ কিলোমিটার। মোট ক্ষেত্রফল ১৫৬০ বর্গ কিলোমিটার। বর্তমান 'আসানসোল-দুর্গাপুর উন্নয়ন অঞ্চল' (বুদবুদ থানা অঞ্চল বাদে আসানসোল ও দুর্গাপুর মহকুমা) এর ক্ষেত্রফল ১৬২৫.৯ বর্গ কিলোমিটার। তার মধ্যে ১৩৫৭.৪ বর্গ কিলোমিটার গ্রামীণ ও ২৬৮.৫ বর্গ কিলোমিটার শহরাঞ্চল। ১৯৭১-৮১ খ্রিস্টাব্দের মধ্যে ১৫৬.১ বর্গ কিলোমিটার গ্রামাঞ্চল শহর এলাকায় রূপান্তরিত হয়েছে।

১৮৭২ সালে বর্ধমান, কাটোয়া, কালনা, জাহানাবাদ, বুদবুদ ও রানীগঞ্জ এই ৬টি মহকুমা নিয়ে গঠিত হয়েছিল সেদিনকার বর্ধমান জেলা। মোট লোকসংখ্যা ছিল ১৮,৬১,৬৬৩। জেলার মোট আয়তন ৩৫১৩ বর্গমাইল। মোট গ্রাম ছিল ৫১৯১। মোট শহর মাত্র ৬।

Weakly viscoelastic film on a slippery slope

Cite as: Phys. Fluids **33**, 112107 (2021); doi: 10.1063/5.0070495

Submitted: 7 September 2021 · Accepted: 15 October 2021 ·

Published Online: 5 November 2021



Souradip Chattopadhyay,^{1,a)} Akshay S. Desai,^{2,b)} Amar K. Gaonkar,^{2,c)} Amian K. Barua,^{1,d)}
and Anandamoy Mukhopadhyay^{3,e)}

AFFILIATIONS

¹Department of Mathematics, Indian Institute of Technology Dharwad, Karnataka 580011, India

²Department of Mechanical, Materials and Aerospace Engineering, Indian Institute of Technology Dharwad, Karnataka 580011, India

³Department of Mathematics, Vivekananda Mahavidyalaya (The University of Burdwan), West Bengal 713103, India

^{a)}sdipmath@gmail.com

^{b)}203121003@iitdh.ac.in

^{c)}amar.gaonkar@iitdh.ac.in

^{d)}abarua@iitdh.ac.in

^{e)}Author to whom correspondence should be addressed; anandamoymukhopadhyay@smbdri.ac.in

ABSTRACT

We study the stability of weakly viscoelastic film (Walter's B⁰) flowing down under gravity along a slippery inclined plane. The focus is to investigate the interaction of the bottom slip with the viscoelastic parameter as well as the influence of the other flow parameters on the stability of the flow. For the slippery substrate, we use the Navier-slip boundary condition at the solid-liquid interface. The dimensionless slip length β is first assumed to be small and its order is considered same as the order of the film aspect ratio $\epsilon = H/L$, where H is the mean film thickness and L is a typical wavelength. To discuss the coupled effect of slip length β and viscoelastic parameter γ , we have used the classical Benney equation model (BEM) as well as the weighted residual method (WRM). For linear stability, the normal mode analysis is carried out to capture the instability threshold. The critical Reynolds numbers (Re_c) are obtained for BEM and WRM separately for the system. We found that the first-order WRM is a better choice to capture the instability threshold in comparison with a first-order BEM when β is small. Another noteworthy result we obtain is that, in the absence of β , WRM and BEM yield the same expression for the critical Reynolds number. Further, we have extended the study for moderate values of β , that is, β of order unity and it is found that both BEM and WRM are able to capture the effects of β and γ . We derive the Orr-Sommerfeld (OS) type eigenvalue problem and an asymptotic analysis is performed for small perturbation wavenumbers, which gives an expression for the critical Reynolds number for the instability of very long perturbations. The critical Reynolds number obtained by the OS eigenvalue problem exactly matches with that obtained by BEM. Finally, we validate our analytical predictions by performing a direct numerical simulation of the WRM and good agreement between the results of the linear stability analysis, weighted residual model, and the numerical simulations is found.

Published under an exclusive license by AIP Publishing. <https://doi.org/10.1063/5.0070495>

I. INTRODUCTION

A vast body of the literature is devoted to the stability and dynamics of thin-film flow in the case of Newtonian fluids^{1–4} following the pioneering works of Kapitza and Kapitza,⁵ Benjamin,⁶ and Yih.⁷ However, there are many applications in which the fluid deviates from the Newtonian behavior. These applications include molten metals/lava flows, thin coating processes in the industry, manufacturing of plastics, and the movement of several biological fluids.^{8,9} Blood and mucus are two typical examples of non-Newtonian fluids within our own bodies. In these cases, the shear stress must be a nonlinear function of the local strain rate. Non-Newtonian fluids can be grouped

mainly in three general classes: (a) time-independent (memoryless fluid) or generalized Newtonian fluids (GNF), (b) time-dependent, and (c) viscoelastic fluids. For GNFs, the value of the strain rate at a point is determined only by the current value of the shear stress at that point. The GNFs can further be categorized as shear-thinning, shear-thickening, power-law, or the Ostwald-de Waele relationship and viscoplastic fluids. On the other hand, the time-dependent fluids are those where the relation between the shear stress and strain rate shows dependence on the duration of kinematic and shearing history. Time-dependent fluids may be further sub-divided into two categories: (a) thixotropy and (b) rheopexy or negative thixotropy. In this study, we

Weakly viscoelastic film flowing down a rotating inclined plane

Cite as: Phys. Fluids 34, 012115 (2022); doi: 10.1063/5.0077366

Submitted: 2 November 2021 · Accepted: 3 January 2022 ·

Published Online: 19 January 2022



Souradip Chattopadhyay^{1,a)} and Anandamoy Mukhopadhyay^{2,bi)}

AFFILIATIONS

¹Department of Mathematics, Indian Institute of Technology Dharwad, Karnataka 580011, India

²Department of Mathematics, Vivekananda Mahavidyalaya (The University of Burdwan), West Bengal 713103, India

^{a)}E-mail: sdipmath@gmail.com

^{bi)}Author to whom correspondence should be addressed: anandamoymukhopadhyay@vmbdn.ac.in

ABSTRACT

We investigate the nonlinear stability of a thin viscoelastic film flowing under the effects of gravity and Coriolis and centrifugal forces. We assume that the viscoelastic liquid satisfies the rheological property of Walters' liquid B'. We may consider this case as a viscoelastic flow down a rotating cone and far from the apex. Using the classical long wave expansion technique, we derive a nonlinear evolution equation describing the shape of the liquid interface as a function of space and time and also derive its stability characteristics. We solve the physical system in a two-step procedure. In the first step, we use the normal mode method to characterize the linear nature. The linear study reveals that the linear growth rate is invariant with the Coriolis effect but is significantly affected by the viscoelastic parameter Γ as well as the Taylor number Ta . It is found that both Γ and Ta destabilize the flow. In the second step, we solve an elaborated nonlinear film flow model based on the method of multiple scales and demarcate different instability zones. The weakly nonlinear study shows that with an increase in Γ and Ta , the supercritical stable region and the explosion area increase whereas the unconditional stable and the subcritical unstable region shrink. Finally, on validating our analytical predictions by performing a direct numerical simulation, a good agreement between the results of the linear stability analysis, weakly nonlinear stability analysis, and the numerical simulations is found.

Published under an exclusive license by AIP Publishing. <https://doi.org/10.1063/5.0077366>

1. INTRODUCTION

The stability of thin liquid films falling down a rotating inclined plane is one of the most important instability phenomena both from the practical and theoretical points of view. Davalos-Orozco and Ruiz-Chavarria¹ first investigated the instability of a thin film flowing down a rotating inclined plane. To neglect the effect of the centrifugal force, they considered the region of investigation very near to the axis of rotation. They described the linear instability of the film in the limit of small wave numbers as well as small Reynolds numbers. They showed the crucial stabilizing role of the Coriolis force on the evolution of thin film dynamics. Furthermore, Davalos-Orozco and Busse² studied the instability of a thin liquid film flowing under the effects of gravity, Coriolis as well as the centrifugal force. In order to capture the centrifugal force effects, they considered the region of flow far from the axis of rotation. They showed that the film flowing down a rotating inclined plane is more stable than the flow on a horizontal rotating plane up to a certain critical value of rotation, whereas the situation is reversed above this rate of rotation. They also obtained an equation describing the nonlinear evolution of surface waves and described an

equation including dispersion as well as dissipation, whose solutions may possess solitary waves. Mukhopadhyay and Mukhopadhyay³ investigated the stability and dynamics of a thin viscous liquid film flowing down a rotating non-uniformly heated inclined plane. They assumed that the rotation is small and considered the region of investigation very far from the axis of rotation to investigate the role of centrifugal force in the instability mechanism. Using the long-wave expansion technique, they constructed a Benney-like free surface evolution equation in terms of the film thickness at any instant. They performed both linear and weakly nonlinear stability analyses. Their linear study revealed that the growth of linear perturbation is independent of the Rossby number (Ro) but depends on the Taylor number (Ta) as well as the Marangoni number (Mn). They showed the destabilizing behavior of Mn as well as Ta . In addition, they observed that the Coriolis force is dominant at very small rotation, while for a relatively large rotation the centrifugal force dominates the flow field. Using the momentum-integral method, Mukhopadhyay *et al.*⁴ studied the stability of a thin liquid film flowing down a rotating inclined plane. Considering a self-similar velocity profile for specific ranges of flow



Contents lists available at ScienceDirect

International Journal of Non-Linear Mechanics

journal homepage: www.elsevier.com/locate/nlme

Effect of odd-viscosity on the dynamics and stability of a thin liquid film flowing down on a vertical moving plate

Souradip Chattopadhyay^a, Gowri Y. Subedar^b, Amar K. Gaonkar^b, Amlan K. Barua^a, Anandamoy Mukhopadhyay^{c,*}

^a Department of Mathematics, Indian Institute of Technology Dharwad, Karnataka 580011, India

^b Department of Mechanical, Materials and Aerospace Engineering, Indian Institute of Technology Dharwad, Karnataka 580011, India

^c Department of Mathematics, Vivekananda Mahavidyalaya (The University of Burdwan), West Bengal 713103, India



ARTICLE INFO

Keywords:

Thin film

Vertical moving plate

Odd viscosity

Nonlinear stability

ABSTRACT

In this study, we focus on the problem of hydrodynamic instability of a thin, viscous, Newtonian liquid film with broken time-reversal-symmetry flowing down along the surface of a vertical moving plate. The presence of odd viscosity gives rise to new terms in the pressure gradient of the flow. Utilizing the classical long-wave perturbation method, we obtain the analytical solutions as well as derive the nonlinear evolution equation of Benney-type in terms of film thickness $h(x, t)$ which is significantly modified due to the presence of odd viscosity in the liquid. We solve the linear model by using the normal mode approach and for three different conditions, namely, the quiescent, up-moving and down-moving plate velocity. The linear study shows that the effect of the down-moving motion of the vertical plate is to enhance the stability of the film flow whereas the up-moving motion of the vertical plate tends to reduce it. Further, the study shows that odd viscosity always has a stabilizing effect on the flow field. In addition, the Orr–Sommerfeld equation is also derived and solved analytically to obtain the critical Reynolds number. Finally, we show the numerical solution of the evolution equation in a periodic domain which clearly demonstrates the role of odd-viscosity on the dynamics of the plate motions of thin film flows coating in isothermal environments. Our study clearly shows how odd viscosity influences the stability of the flow.

1. Introduction

The dynamics of thin film waves has received much attention from various industries due to its dramatic effect on the transport rate of mass, heat and momentum in designing distillation and adsorption columns, evaporators, condensers, nuclear reactor emergency cooling system, etc [1–4]. Liquid films play a central role in many engineering applications, biological and physiological processes, and geophysics, to name a few. Apart from the fascination they hold for theoreticians for their rich dynamics, their great practical importance is evidenced by the existence of extensive reviews covering a large number of fundamental and applied studies [5–7], to which the reader is referred for a panoramic view of the subject. Such dynamics are related to the nonlinear spatiotemporal evolution of their free surface when subjected to various thermal, structural, and mechanical factors. The dissipative nature of such a thin liquid has led to the understanding of wave pattern formations at its free surface as a consequence of energy flow within the fluid. Thus, under isothermal conditions, when the flow takes place on an inclined/vertical plate, these factors encompass the

competitive actions of hydrostatic pressure as well as inertia. When these actions turn in favour of the latter i.e., when the Reynolds number crosses a critical value, the geometry of the basic flow modifies.

The study on the wave evolution on a falling film started with the pioneering experiment by Kapitza and Kapitza [8]. They showed a wide variety of wavy flow regimes: harmonic waves, large amplitude periodic waves and solitary waves. The type of flow depends on the perturbations put into the system. All observed waves are long with respect to the film thickness. Later Benjamin [9] and Yih [10] investigated the linear stability analysis of the liquid film flowing down an inclined plane where they determined the critical Reynolds number as a function of the angle of inclination. Yih [10] showed that with sufficiently long wavelength, the parallel flow of a vertically falling layer is always unstable to periodic perturbations. Further, based on the solution of the Orr–Sommerfeld equations, he obtained the critical conditions for the onset of instability under the assumption of long-wave perturbations and for the case in which the Reynolds number is of order unity. Using the method of small parameters, Benney [11]

* Corresponding author.

E-mail addresses: 183111001@iitdh.ac.in (S. Chattopadhyay), 180030019@iitdh.ac.in (G.Y. Subedar), amar.gaonkar@iitdh.ac.in (A.K. Gaonkar), abarua@iitdh.ac.in (A.K. Barua), anandamoymukhopadhyay@vmbdn.ac.in (A. Mukhopadhyay).

<https://doi.org/10.1016/j.ijnonlinmec.2022.103905>

Received 19 August 2021; Received in revised form 23 December 2021; Accepted 2 January 2022

Available online 11 January 2022

0020-7462/© 2022 Elsevier Ltd. All rights reserved.



Surface wave and thermocapillary instabilities on flowing film under the sway of Hall viscosity

Sanghasri Mukhopadhyay^{a,*}, Asim Mukhopadhyay^b

^a Department of Mathematics, School of Advanced Science, Vellore Institute of Technology, Vellore 632014, Tamil Nadu, India

^b Department of Mathematics, Vivekananda Mahavidyalaya, Burdwan 713103, West Bengal, India

ARTICLE INFO

Article history:

Received 14 November 2021

Received in revised form 1 June 2022

Accepted 2 June 2022

Available online 20 June 2022

Communicated by A. Mazzucato

Keywords:

Falling films

Free surface flow

Surface wave instability

Thermocapillary instability

Hall/odd-viscosity

ABSTRACT

The present study investigates the influence of Hall/odd-viscosity on the surface wave and thermocapillary instabilities in a thin viscous film flowing down an inclined plane. A detailed analysis considering a generalized scaling for the velocity field to understand the effect of odd-viscosity in the hydrodynamic and thermocapillary modes of instabilities has been performed, and later the results are presented for a specific velocity scale. Starting with Orr–Sommerfeld (OS) linear stability analysis for all ranges of wavenumber and then constructing two low-dimensional models; namely, the Long wave expansion model (LWE) and the Weighted residual integral boundary layer model (WRIBL) under the assumption of small wavenumber are analysed for linear and nonlinear behaviour of the instabilities analytically and numerically. Two energy transferring mechanisms reinforce each other to the disturbance: hydrodynamic H-mode and thermocapillary S-mode are focused and found that the odd viscosity plays a stabilizing role for both the modes of instabilities. For small Reynolds number (Re) values, both LWE and WRIBL models give consistent results as that of the OS. However, for a large value of Re , WRIBL gives way better match with OS than LWE. Increasing odd viscosity flattens the streamlines in a moving frame of reference, confirming the odd viscosity's stabilizing effect. However, being non-dissipative, odd viscosity has no significant influence on the temperature field. In a static frame, the intensity of capillary separation and flow reversal phenomena decreases with the increase of odd viscosity, confirming its stabilizing effect on the flow.

© 2022 Elsevier B.V. All rights reserved.

1. Introduction

Hydrodynamics of falling film on a flat surface usually involve the classical fluid motion due to gravitational pressure gradient and become unstable when inertia overcomes hydrostatic pressure effects. The disturbance emanates at the free surface, where the vorticity is produced by the base flow shear stress. With the disturbing interface, as advected by the base flow, the perturbation vorticity becomes out of phase to cause the amplification of the disturbance at the interface.

When a fluid layer is allowed to flow over a heated surface, the dynamics are regulated by several competing mechanisms. The first one is the classical long-wave instability developed from the isothermal flows, which was first studied experimentally by Kapitza and Kapitza [1] where a wide variety of wavy regimes, like a rolling wave with a capillary hill, a series of nearly solitary waves or almost harmonic waves of falling liquid films had been observed. This mode of instability is known as the hydrodynamic

mode or H-mode in the literature. This instability mode was analysed theoretically in more detail by Benjamin [2] and Yih [3]. The key findings of these analyses are that the instability of the film manifested as a gravity-driven surface wave of long-wavelength disturbances and for a critical value of the Reynolds number, given by $Re_c = 5 \cot \beta / 6$, (β being the inclination angle), beyond which flow become unstable. Benney [4] exploited the relative thinness of the liquid layer and carried out an asymptotic analysis which yielded a single evolution equation for the thickness of the layer. Gjevik [5] improved the accuracy of the asymptotic expansions and obtained an equation for the evolution of the thickness, referred to as the Benney equation (BE). Unfortunately, this equation suffers from an artificial singularity for sufficiently large Reynolds numbers. However, it is much simpler than the full dynamic equations. The BE model is proved to be consistent and frequently used to study the weakly non-linear behaviour of film flows for example, film evaporation (Joo et al. [6]), non-uniform heating [7], topographical effects (Kalliadasis et al. [8]), Van der Waals force (Tan et al. [9]), a chemical reaction (Trevelyan et al. [10]), etc.

Scheid et al. [11] have studied the validation domain of Benny equation deeply with the Marangoni effect. They ultimately concluded that BE would remain useful as a consistent falling film

* Corresponding author.

E-mail addresses: sanghasri.m@vit.ac.in (S. Mukhopadhyay), asimmukhopadhyay@vmbdn.ac.in (A. Mukhopadhyay).

Long-wave instabilities of evaporating/condensing viscous film flowing down a wavy inclined wall: Interfacial phase change effect of uniform layers

Cite as: Phys. Fluids **34**, 042124 (2022); <https://doi.org/10.1063/5.0089068>

Submitted: 22 February 2022 • Accepted: 06 April 2022 • Accepted Manuscript Online: 06 April 2022 • Published Online: 21 April 2022

 Sanghasri Mukhopadhyay,  Nicolas Cellier and  Asim Mukhopadhyay



View Online



Export Citation



CrossMark

ARTICLES YOU MAY BE INTERESTED IN

[Linear stability of a contaminated shear-imposed viscoelastic liquid flowing down an inclined plane](#)

Physics of Fluids **33**, 123107 (2021); <https://doi.org/10.1063/5.0074864>

[Weakly viscoelastic film flowing down a rotating inclined plane](#)

Physics of Fluids **34**, 012115 (2022); <https://doi.org/10.1063/5.0077366>

[The effect of odd-viscosity on Rayleigh–Taylor instability of a liquid film under a heated inclined substrate](#)

Physics of Fluids **34**, 044104 (2022); <https://doi.org/10.1063/5.0085318>

APL Machine Learning

Open, quality research for the networking communities

COMING SOON

LEARN MORE



Long-wave instabilities of evaporating/condensing viscous film flowing down a wavy inclined wall: Interfacial phase change effect of uniform layers

Cite as: Phys. Fluids **34**, 042124 (2022); doi: [10.1063/5.0089068](https://doi.org/10.1063/5.0089068)

Submitted: 22 February 2022 · Accepted: 6 April 2022 ·

Published Online: 21 April 2022



View Online



Export Citation



CrossMark

Sanghasri Mukhopadhyay,¹  Nicolas Cellier,²  and Asim Mukhopadhyay^{3,a)} 

AFFILIATIONS

¹Department of Mathematics, IIT Madras, Chennai, India

²Department of Industrial Engineering, IMT Mines Albi, Toulouse University, 81013 Albi Cedex 9, France

³Department of Mathematics, Vivekananda Mahavidyalaya, Burdwan, West Bengal, India

^{a)} Author to whom correspondence should be addressed: asimmukhopadhyay@vmbdn.ac.in

ABSTRACT

The interfacial phase change effect on a thin film flowing down an undulated wall has been investigated in the present study. The study is performed for a general periodic undulated bottom of moderate steepness that is long compared to the film thickness, followed by a case study over the sinusoidal bottom. The long-wave instabilities of the ununiform film are used by deriving a nonlinear evolution equation in the classical long-wave expansion method framework. The one-equation model can track the free surface evolution and involve the bottom undulation, viscosity, gravity, surface tension, and phase change (evaporation/condensation) effects. Linear stability analysis shows that the bottom steepness ζ has a dual role. In the downhill region, increasing ζ destabilizes, whereas increasing ζ stabilizes in the uphill region. Weakly nonlinear waves are studied using the method of multiple scales to obtain the complex Ginzburg–Landau equation. The results show that both supercritical and subcritical solutions are possible for evaporating and condensate film. Interestingly, while one subcritical region is visible for an evaporating film, two subcritical unstable regions are found for condensate film. The numerical solution of the free-surface equation demonstrates the finite-amplitude behavior that tends to dry out for an evaporating film. For condensate film, the thickness increases rapidly. The rupture dynamics highly depend on the initial perturbation, and the bottom steepness has a negligible effect on it. Kutateladze number has a significant impact on the stability characteristic of the film flow as it represents a sort of efficiency of phase change that occurs at the interface.

Published under an exclusive license by AIP Publishing. <https://doi.org/10.1063/5.0089068>

I. INTRODUCTION

Falling liquid film on an inclined/vertical plane substrate is one of the most important hydrodynamic problems that exhibit a wide variety of spatial and temporal structures. It is a convectively unstable open-flow hydrodynamic system, governed by Navier–Stokes equations coupled with equation of continuity with appropriate boundary conditions, except when the Reynolds number and angle of inclination are small enough and surface tension is large enough and in that case flow remains parallel, laminar, and unidirectional down the plane surface. The problem is extensively studied experimentally, numerically, and analytically for a long time. Wave evolution on falling liquid film has been extensively studied over the last few decades, starting from the pioneering work by Kapitza and Kapitza.^{1,2} Where a wide variety of wavy regimes, like a rolling wave with a capillary hill, a series of nearly solitary waves or almost harmonic waves of falling liquid films

had been observed. In this situation, the stability and its criteria for falling films are needed to be understood. Reportedly, the beginning works in the field of stability analysis or falling films were done by Benjamin³ and Yih⁴ who investigated the long-wave instability of falling film over an inclined plane theoretically. They determined the phase velocity of the waves and critical Reynolds number for the transition, respectively. Benny⁵ derived a wave evolution equation governing the flow by regular perturbation technique in terms of flow depth by expanding the variables in powers of the long-wave parameter. Turkyilmazoglu *et al.*^{6,7} recently worked on the absolute and convective instabilities on boundary layer flow problems. An absolute instability is appropriate for unstable flow if its response to an impulse in time and space amplifies unboundedly everywhere in space for a large time.

A detailed review can be found previous research studies.^{8–13}



International Journal of Bifurcation and Chaos, Vol. 31, No. 3 (2021) 2150046 (16 pages)

© World Scientific Publishing Company

DOI: [10.1142/S0218127421500462](https://doi.org/10.1142/S0218127421500462)

Complex Dynamics of an Eco-Epidemic System with Disease in Prey Species

Absos Ali Shaikh* and Harekrishna Das†

*Department of Mathematics, The University of Burdwan,
Burdwan-713104, West Bengal, India*

**aask2003@yahoo.co.in*

†hkdam74@gmail.com

Nijamuddin Ali

*Department of Mathematics, Vivekananda Mahavidyalaya,
Burdwan-713103, West Bengal, India*

nijamuddin.math@gmail.com

Received ; Revised

The objective of this study is to investigate the complex dynamics of an eco-epidemic predator–prey system where disease is transmitted in prey species and predator population is being provided with alternative food. Holling type-II functional response is taken into consideration for interaction of predator and prey species. The half saturation constant for infected prey, the growth rate of susceptible prey and force of infection play a significant role to create complex dynamics in this predator–prey system where alternative food is present. It is seen that healthy disease-free system is possible here. The system shows some important dynamics viz. stable coexistence, Hopf bifurcation, period doubling bifurcation and chaos. The analytical results obtained from the model are justified numerically.

Keywords: Eco-epidemiological system; stability; bifurcation; alternative food; chaos.

1. Introduction

Researchers rightly have paid great attention to the eco-epidemiological issues recently to study the effect of infection. It has also been the topic of wide interest in the literature. In ecology, parasite plays a major role for various reasons. It has the ability to alter the quantitative dynamics of their host population. It can also create high amplitude oscillations in abundance and may even cause the extinction of host population. Ecosystems with regard to competing species is now the topic of greater interest in the field of bio-mathematical literature. The pioneering work of [Anderson and May, 1991] on epidemic model describes the dynamics of disease transmission. Subsequently, many researchers

[Huang *et al.*, 2019; Shaikh *et al.*, 2018; Biswas *et al.*, 2018; Mbava *et al.*, 2017] have paid attention to study predator–prey model with infection in predator. Disease in prey is assumed in the models [Chattopadhyay & Arino, 1999; Hethcote *et al.*, 2004; Lu *et al.*, 2019; Meng *et al.*, 2018; Saha & Samanta, 2019; Simon & Rabago, 2018] and disease in both prey and predator is considered in [Kant & Kumar, 2017; Mandal *et al.*, 2018]. In [Guin *et al.*, 2015; Guin & Mandal, 2014; Guin & Baek, 2018; Pal *et al.*, 2014; Pal *et al.*, 2011; Han *et al.*, 2020; Sarwardi *et al.*, 2011a], the authors studied the predator–prey models with and without disease. The widely studied topic in theoretical ecology is the predator–prey interaction. The interaction is

*Author for correspondence



OPEN

Influence of Allee effect on the spatiotemporal behavior of a diffusive predator–prey model with Crowley–Martin type response function

Lakshmi Narayan Guin¹, Pallav Jyoti Pal², Jawaher Alzahrani³✉, Nijamuddin Ali⁴, Krishnendu Sarkar¹, Salih Djilali^{5,6}, Anwar Zeb⁷, Ilyas Khan⁸✉ & Sayed M Eldin⁹

The present paper is dealt with a predator–prey model in which the growth of the prey population is influenced by the Allee effect while the predator species are contended with the prey population following the Crowley–Martin type response function. The proposed model is comprehensively analyzed in terms of stability and manifestation of bifurcation of the system. The system unveils the bi-stability together with the existence of a separatrix. In view of the eminence of spatial ecology, the dynamical complexity emanating from the induction of the Allee effect in prey species of a Crowley–Martin reaction–diffusion predator–prey model is also investigated profoundly. The results of numerical simulations reveal that the present system dynamics is motivated by both the Allee effect and diffusion-controlled pattern formation growth to hot spots, stripe-hot spot mixtures, stripes, labyrinthine, stripe-cold spot mixtures, and cold spots replication. The theoretical consequences of the spatiotemporal model under study are validated through numerical simulations.

During the last couple of decades, the Allee effect, together with its immediate consequences on ecology and conservation of biomass has been drawing attention to the researchers^{1,2}. The Allee effect usually refers to a process that alleviates the growth rate for small population density². For example, the Allee effect in prey population is designated by the fact that the prey species possess a probability of localized extinction, causing the specialist predator to suffer from looking for resources thereby. This may result in saturation in consumption that goes against the assumption in the realm of ecological system^{3–6}. The concept of the Allee effect was widely accepted and gained momentum in major recognition towards the golden period of the late eighties of the 20th century^{7–11}. It has been reported that the induction of the Allee effect in the predator–prey interacting system leads to various dynamical complexities^{12–16} where the researchers highlighted mainly on the conditions for extinction and survival of the population. Diverse factors, including mating limitation, cooperative defense, combined feeding, and environmental conditioning, give rise to the growth of prey species influenced by the Allee effect. Of all these factors, the mating constraint¹⁷ seems to be the most pervasive one as it becomes difficult to locate the mating individuals at low density.

In the event of one, multi Allee effects exerting impact on a single population concomitantly, the situation may be expressed as single, double, or multiple Allee effects, respectively. It can be either multiplicative or additive. The most known increasing function that describes this effect is

¹Department of Mathematics, Visva-Bharati, Santiniketan, West Bengal 731235, India. ²Department of Mathematics, Krishna Chandra College, Hetampur, Birbhum, West Bengal 731124, India. ³Department of Mathematics, College of Education, Majmaah University, Al-Majmaah 11952, Saudi Arabia. ⁴Department of Mathematics, Vivekananda Mahavidyalaya, Purba Bardhaman, West Bengal 713103, India. ⁵Laboratoire d'Analyse Non Linéaire et Mathématiques Appliquées, University of Tlemcen, Tlemcen, Algeria. ⁶Department of Mathematics, Université Hassiba Benbouali de Chlef, 02000 Chlef, Algeria. ⁷Department of Mathematics, COMSATS University Islamabad, Abbottabad, Khyber Pakhtunkhwa 22060, Pakistan. ⁸Department of Mathematics, College of Science Al-Zulfi, Majmaah University, Al-Majmaah 11952, Saudi Arabia. ⁹Center of Research, Faculty of Engineering, Future University in Egypt, New Cairo 11835, Egypt. ✉email: j.alzahrani@mu.edu.sa; i.said@mu.edu.sa

Volume - XXI

January-June 2022

ISSN 2320-2025

व्यासश्रीः VYĀSĀŚRĪH

A Bilingual Refereed Research Journal of Indology

(UGC CARE LISTED)



Padma Bhushan Vashistha Tripathi

: Chief Editor :

Dr. Buddheswar Sarangi

Publisher

Maharshi Vyasadev National Research Institute

Vedavyas, Rourkela-4, Odisha

email : vyasasri12@gmail.com

vist us : www.vyasasri.com

व्यासश्रीः

Vol. XXI

ISSN 2320-2025

व्यासश्रीः VYĀSASRĪḤ

Impact Factor 5.321

(A UGC Care listed Refereed Research Journal)

Jan-Jun 2022

Date of Publication : 01.06.2022

**This Issue is dedicated to
Padma Bhushan Vashistha Tripathi**

: Chief Editor :

Dr. Buddheswar Sarangi

: Associate Editors :

Prof. Prasanta Kumar Mahala

Dr. Saroj Kumar Padhi

Dr. Jagamohan Acharya

Dr. Bharatbhushan Rath

Dr. Priyabrata Mishra

Dr. Gyanaranjan Panda

Dr. Pradeep Kumar Bag

Dr. Babulal Meena

Publisher

Padmashree Ramaranjan Mukherjee Chair of

Maharshi Vyasadev National Research Institute

A Unit of Vyasayanam, Regd. No. 1635-IV-477/04

Vedavyas, Rourkela-4, Odisha

Contact No. : 7003415810, 7044016153

email : vyasasri12@gmail.com

Website : www.vyasasri.com

सृष्टिः	स्रष्टा	पृष्ठम्
पद्मभूषणोपाधिभाजां वशिष्ठत्रिपाठिमहोदयानां परिचयः		(iii)
प्रास्ताविकम्		(vi)
सूचीपत्रम्		(viii-x)
१. संस्कृतालंकारशास्त्रेषु काव्यस्वरूपविमर्शः		1
अर्पिता नाथ		
२. Mangalacharana of Amarushataka : A Study		12
Dr. Preeti R. Pujara		
३. शङ्करकृताऽद्वैतप्रस्थाने अध्यासतत्त्वविश्लेषणम्		27
मदन-देवशर्मा तथा डॉ स्वपन-मालः		
४. कविक्षेमधारिसिंहविरचितसुरथचरितमहाकाव्यस्य विषयसारविमर्शः		37
जगदीशमालः		
५. श्वेताश्वतरोपनिषदि योगदर्शनसम्मतमीश्वरतत्त्वसमीक्षणम्		44
डॉ स्वपन मालः		
६. अद्वैतवेदान्तस्य मायातत्त्व-साख्यदर्शनप्रकृतितत्त्वयोः		58
तुलनात्मकमध्ययनम्		
सुरज-रायः		
७. भारतवसुन्धरासान्त्वनगीतिकाव्ये भारतवसुन्धरायाः सौन्दर्यवर्णनम्		71
राहुलमण्डलः		
८. Emotional and Intellectual Development of Children Portrayed		80
in Padma Venkatraman's the Bridge Home		
Agalya C. R & Dr. K Rajkumar		
९. Draupadi - An Image of Ardent Devotion		89
Dr. M. S. Sheeba		
१०. आचार्यक्षेमेन्द्रकृतचतुर्वर्गसङ्ग्रहस्य अनुशीलनम्		98
डॉ. गोगिकर प्रकाशः		
११. कुमारसम्भवे चतुर्दशविद्यानां तथा चतुःषष्टिकलानां प्रतिफलनविमर्शः		111
डॉ. श्वेतपद्माशतपथी		
१२. Modern Sanskrit Poet and Poetry in Rajasthan		118
A Selected Approach		
Dr. Tania Sikder		
१३. Impact of Rta on this World		129
Dr. Mamani Saha		
१४. Socio-cultural aspects in Mahabhasya		137
Dr. Anitha Kallyadan		
१५. The concept of mind in the Upanisads		147
Sanchita Kundu		

सृष्टिः	स्रष्टा	पृष्ठम्
३५. अभ्युदयसिद्धौ संस्कारोपयोगः	डॉ. सुरजित ब्यानार्जी	314
३६. The Relationship Between Vedic Sanskrit & A Vestan (Old Persian) Language	Dr. Bidisha Misra	322
३७. किं इदमेव ज्योतिषम्	रजत गौतम छेत्री	332
३८. कैवल्य और मोक्ष का तुलनात्मक अध्ययन	डॉ. रोहित तलवलकर	339
३९. नैषधीयचरितमहाकाव्ये दार्शनिकतत्त्वानां सोदाहरणं समन्वयः	देवसुजनमुखार्जी	344
४०. पाणिनीयप्रस्थाने काशिकाया गुरुत्वम्	डॉ. श्रीमन्तचटर्जी	356
४१. संस्कृतवाङ्मये नारीणां स्वरूपविमर्शः	सन्दीप चटर्जी	363
४२. भगवद्गीतास्वामिनारायणभाष्यवैशिष्ट्यम्	हरप्रिया बेहेरा	372
४३. वेदान्तदृष्ट्या कर्म	डॉ. नन्दिघोषमहापात्रः	385
४४. वैदिकवाङ्मये पर्यावरणस्य संरक्षणम्	डॉ. निवेदिता पति	391
४५. Euthanasia : An Ethical and legislative Dimensions	Ketan Tewari & Manish Bhardwaj	396
४६. उत्तररामचरिते प्रकृतिचेतना	दिव्यज्योति हाजरा	408
४७. Biodiversity : A Legislative Dimension For Its Protection	Manu Kumar Sing & Ashutosh Kumar	411
४८. Relevance of Dharmasastra and Arthasastra.....	Arpita Dey	424
४९. रथेशशतकस्य समीक्षात्मकमध्ययनम्	सुनेली देई	431
५०. वैशेषिकनये गुणलक्षणसम्बन्धिमतविमृष्टिः	सुजन-दासः	439
५१. लक्षणग्रन्थेषु दृश्यकाव्यस्वरूप भेदाश्च	डा. प्रदीपकुमारबाग	449
५२. श्रीमद्भागवतमहापुराण में वर्णित भारतीय संस्कृति के मूलभूत तत्त्व	- डा. आशा सिंह रावत	458
५३. अश्वघोष का विविधशास्त्रीय ज्ञान	- डा. बाबूलाल मीना	463

उत्तररामचरिते प्रकृतिचेतना

Dibyajyoti Hazra

Assistant Professor

Vivekananda Mahavidyalaya, Burdwan, West Bengal

विषयसारः (Abstract) :

अस्मिन् विश्वसंसारे प्रकृतिचेतनायां मानवानां मनसि निगूढः संयोगः सर्वदैव विद्यते नास्ति खलु संशयः। प्रकृतिं विना मानवानामस्तित्वमस्यां पृथिव्यां कदापि न सम्भवति। अस्मिन् ब्रह्माण्डमण्डले यथा सूर्यचन्द्रादिग्रहानामवस्थानं विस्मयोत्पादनं करोति तथा सृष्टिचक्रे उद्भिदप्राणिसमूहानां जन्ममरणव्यापारे आदिकालाद् अस्माकं मनसि विविधः प्रश्नः समुपजायते। अथर्ववेदसंहितायां द्वादशकाण्डे पृथिवीसूक्ते सृष्टिकार्यविषये स्पष्टतया प्राणस्पन्दनरूपविषयः मन्त्रेणोद्घोषितः। संस्कृतसाहित्ये तस्माद् विविधेन महाकविना नाट्यकारेण च प्रकृतिवर्णनं समुल्लिखितम्। महाकविभवभूतिविरचिते उत्तररामचरिते प्रकृतिचित्रणमभूत्पूर्वव्यापारम्। अस्मिन् नाटके यथा विविधानां प्राणिनां चलाचलं लक्षणीयं तथैव प्राकृतिकभूतं वनसौन्दर्यं सत्यमेव सहृदयपाठकवर्गानामुपभोग्यमनिर्वचनीयञ्चेति मम विषयस्य संक्षिप्तसारः।

उपक्रमणिका :

विश्वसृष्टेरादिकालादधुनापि प्रकृत्या सह मानवानामेकः अविच्छेदः सम्पर्कः वर्तते। युगादतिक्रम्य इदाणीमपि मानवानां सर्वेषां सृष्टिकार्यमूलोत्स्वरूपसमन्वयभूता भवति इयं प्रकृतिचेतना। प्रसङ्गेऽस्मिन् अथर्ववेदे द्वादशकाण्डे पृथिवीसूक्ते विद्यते एकस्मिन् मन्त्रे¹ यत् - अस्यां पृथिव्यां यथा विद्यन्ते समुद्रनदीजलाशयप्रभृतयः तथा सम्भूताः सन्ति शस्याः मनुष्याश्चेति। अस्मिन् धरातले प्राणशीलाः कम्पनशीलाः च सर्वे एव स्पन्दिताः भवन्ति। तर्हि संस्कृतविबिधकाव्येषु प्रकृतिवर्णनमेकं सहृदयपाठकवर्गानां समीपे आनन्दजनकव्यापारमेव नास्ति खलु संशयः। विधातुः सृष्टिकार्ये आसमुद्रात् हिमाचलपर्यन्तं सकलं प्रकृतिनिर्देशनं विस्मयकरं मनोमुग्धकरञ्चेति व्यापारं मानवानां चित्तेषु। विज्ञानशिल्पसाहित्यचारुकलानां सृजनीशक्तिः समुपजायते प्रकृतिमाश्रित्य। काव्येषु नाटकेषु प्रवक्ष्ये च यथायथं प्रकृतिवर्णनं मानवजीवने वैपरीत्यं सूचयति मार्गचालनाय। तस्माद् नाट्यकारः भवभूतिः तदीये उत्तररामचरिते स्वातन्त्रेण समुज्ज्वलेन च प्रकृतिचित्रवर्णने स्वप्रतिभया अभिनवपरिचयप्रदाने सिद्धहस्तः बभूव।

विषयोपस्थापनम् :

संस्कृतकाव्येषु सप्ताङ्कसमन्वितस्य उत्तररामचरितस्य नाटकस्य विशिष्टं स्थानं चिराय सहृदयपाठकवर्गानां मनसि विराजते। यतः विविधेषु काव्येषु वर्णनीयविषयरूपेण उद्दीपकविभावरूपेण वा केकारवं ज्योत्स्नावर्णनं विहगानां कोलाहलं चेति लक्षणीयं विविधैः कविभिः समुल्लेखनैः। परन्तु महाकविभवभूतिः एतत् मार्गं विहाय किञ्चिदन्यमार्गमवलम्बनं चकार एवं तस्य लेखने वैलक्षण्यं जायते। प्रकृतेः गाम्भीर्यं, अरण्यणां भयानकदृश्यवर्णने, रुक्षपर्वतशृङ्गानां निविडमालायां, क्वचिच्च पर्वतानां सानुदेशे प्राकृतिकचित्राङ्कने, कदापि वा गिरिगुहायां जलप्रपातानां शब्दोल्लेखने, भीतजनकजीवजन्तुनां समुल्लेखने च महाकविः भवभूतिः आसीत् अन्यतमः श्रेष्ठः नाट्यकारः मागनिर्देशकश्चेति। प्रसङ्गेऽस्मिन् डॉ. भानुदत्तः इति प्रख्यातस्य विदुषः मतं² प्रतिधानयोग्यम्। उत्तररामचरितस्य प्रथमाङ्के आस्माभिः दृश्यते यत् श्रीरामचन्द्रं प्रति संवर्धनाज्ञापनाय सुहृदसदृशाः समुपस्थिताः आसन् प्लवङ्गराक्षसाः³। अस्य नाटकस्य विशिष्टत्वं भवति प्रथमाङ्के चित्रफलकप्रदर्शनं यत् लक्षणेन प्रदर्शितं श्रीरामचन्द्रमुद्दिश्य। अनेन चित्रप्रदर्शनेन श्रीरामचन्द्रसीतादेवीद्वयस्य स्मृतिचारणमेकमभिनवव्यापारम्। अनेन कौशलेन यथा विविधानां विषयाणां समुपस्थापनसमकं दृष्टिं हरति तथा प्रकृतिवर्णनस्य सुनिपुणं मार्गं महाकविः भवभूतिः प्रदर्शनं चकार। यथा परिलक्ष्यते अस्माभिः यत् श्रीरामचन्द्रवचनान् इङ्गुदीवृक्षस्य⁴ कथा। अपि च अस्माभिः ज्ञायते चित्रफलकदर्शनेन लक्षणवचनमाश्रित्य यत् कालिन्दीतटे श्यामनामक वटवृक्षस्य⁵ प्रसङ्गः। विषयवर्णनावसरे प्रथमे अङ्के सीतादेव्याः कथाछलेन पुण्यसलिला गङ्गेति⁶ नद्याः चित्रं चित्रितं नाट्यकारेण। अपरतः लक्षणवचने यथा विन्धारण्ये विराधसंवादः लक्षणीयः तथैव अन्यत्र रामचन्द्रकथनेन लभते पार्वत्यनदीनां सौन्दर्यवर्णनं⁷ वैखानसाश्रमस्थितवृक्षस्य अवस्थानञ्च। अनेन वर्णनेन प्रकृत्याः स्वाभाविकसौन्दर्यमुपभोगं येन सहृदयपाठकवर्गस्य

পঞ্চমহাযজ্ঞ : প্রাচীন ভারতীয় নীতিধর্মের একটি উজ্জ্বল নিদর্শন

(Pañcamahāyajña : A Shining Cite of Moral Values in Ancient India)

Sirija Khatun
State Aided College Teacher
Dept. of Sanskrit
Vivekananda Mahavidyalaya,
Burdwan, West Bengal

In the Vedic period the very occasion of Sacrifice was one of the major forms of religious Performance. Literally, the word Yajña implies a kind of Sacrifice to gain the blessings and to satisfy the gods and goddesses. Yajña, in the true sense of the term is a means of uniting the world of humanity to the world of divinity. There are two aims in human life – one is ‘Avyudaya’ (awakening of conscience) and the other is ‘Mokṣa’ (getting relief from all human bondage). ‘Avyudaya’ can be attained by correcting one’s character in this human world and one can attain ‘Mokṣa’ by keeping himself away from the shackle of Karma. Here ‘restraining from the shackle of Karma’ means doing some righteous deeds only to smooth the way of ‘Nirvāṇa’. And Yajña is the best means to achieve the State of ‘Nirvāṇa’. There are various sacrificial performances mentioned in Vedic Literature. Among those religious performances Pañcamahāyajña is the most important ritual performed daily by the common people.

The sense of morality preserved in Pañcamahāyajñas is recognized since the time immemorial. Even in the present time the virtues of human being like kindness, honesty, sympathy, gentility are still recognized in our society as high values. And the root of these social values is Pañcamahāyajña. The purport of this research article is to define Pañcamahāyajña along with its importance, at the same time this article is also going to discuss about the moral ideologies connected to the ritual of Pañcamahāyajña.

Keywords – Vedic literature, Pañcamahāyajña, importance of Pañcamahāyajña, moral values, relevance in the present society.



SEASONAL VARIATION IN MOSQUITO LARVICIDAL POTENTIALITY OF *Holoptelea integrifolia*

S. SINGHA^{a,b≡*} AND G. CHANDRA^{b∅}

^aDepartment of Zoology, Vivekananda Mahavidyalaya, Burdwan, West Bengal, India.

^bMosquito, Microbiology and Nanotechnology Research Laboratory, Department of Zoology, The University of Burdwan, West Bengal, India.

AUTHORS' CONTRIBUTIONS

This work was carried out in collaboration between both authors. Author SS contributed to methodology, data collection, statistical analysis, writing original manuscript. Author GC contributed supervision of total work, checking and editing of manuscripts. Both authors read and approved the final manuscript.

Article Information

Editor(s):

(1) Dr. Villagomez Cortes Jose Alfredo Santiago, University of Veracruz, Mexico.

Reviewers:

(1) Dامتew Bekele, Ambo University, Ethiopia.

(2) Stan Florin Gheorghe, University of Agricultural Sciences and Veterinary Medicine, Romania.

Received: 12 December 2021

Accepted: 15 January 2022

Published: 27 April 2022

Original Research Article

ABSTRACT

Japanese encephalitis (JE) which was previously known as Japanese B encephalitis, is caused by the Japanese encephalitis virus. Plant produced the photochemical mainly for their own defense mechanism is experimentally used to control varieties of insect pests or vectors. Crude extract (0.1%, 0.2%, 0.3%, 0.4% and 0.5%) of leaves of *Holoptelea integrifolia* when applied on third instars mosquito larvae in successive seasons i.e. Summer, Rainy and Winter, caused 100 percent mortality at 0.5% concentration in summer after 72 h of exposure. In Winter, also a 100 percent mortality of the third instars of *Cx. vishnui* group larvae were noticed after 48 h of exposure at 0.5% concentration. Out of three predominant seasons in West Bengal, variation in the mortality of *Cx. vishnui* group larvae by crude extract of *H. integrifolia* leaf are well established and mortality increases with higher extract concentration and time of exposure. Highest mortality was noted in Rainy season followed by Summer and Winter.

Keywords: *Holoptelea integrifolia*; *Culex vishnui*; mortality; mosquito; larvae; seasonal variation.

1. INTRODUCTION

Mosquito belonging to the family Culicidae is divided into three sub families namely Culicinae, Anophelinae, and Toxorhynchitinae, in which all the disease transmitting vectors are included. Female


mosquito uses blood meal as protein and vitamin source for egg development. According to NVBDCP (National Vector Borne Disease Control programme) under The Ministry of Health and Family Welfare, Government of India. *Culex vishnui* is the chief vector of Japanese Encephalitis in different parts of India,

[≡]Dr.;

[∅]Prof.;

*Corresponding author: Email: someshbio@gmail.com;

RESEARCH ARTICLE



INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA
2395-2636 (Print);2321-3108 (online)

ADOPTION OF ENGLISH LANGUAGE: AN INSTRUMENT TO COUNTER PATRIARCHAL OPPRESSION IN THE WORKS OF KAMALA DAS

Dr. SANTANU SAHA

Assistant Professor of English

Vivekananda Mahavidyalaya, East Burdwan

Sripally, East Burdwan, West Bengal, Pin-713103

Email. 214santanu@gmail.com



Article Received: 20/02/2021
Article Accepted: 28/03/2022
Published online:31/03/2022
DOI: [10.33329/rjelal.10.1.293](https://doi.org/10.33329/rjelal.10.1.293)

Abstract

In the initial days of post-colonial India the acceptance of English language as a medium of expression in literary works was seen against Nationalistic approach. In that juncture Kamala Das's (1934-2009) adoption of English language over her mother tongue Malayalam was considered an audacious act. And this was due to the fact that being a woman she choose powerful English language as her medium of writing. In my paper I've tried to show the probable reasons behind Das's use of English language in delivering her literary works. Among numerous reasons the most important one is the dominating nature of this language that helps Das to release the suppressed self of being a woman. English language has a masculine nature and using it according to someone's needs require inherent power. And the same in case of Das becomes really a matter of audacity as she challenges the male-dominated society in her works.

Keywords: Indian Writing in English, Feminism, Gender Study, Confessional Poems.

Kamala Das (1934-2009), a bilingual writer of both Malayalam and English languages, is widely known as an Indian English Writer. She is considered as a seminal poet writing in Indian English. She started writing in a post-colonial India. Her first poem was published in 1947. That was a time when literature(s) of significant quantity and quality, as well, were being produced in numerous regional languages in India. In post-1947 scenario writing in Indian languages was considered having a nationalistic approach. Apart from this, there was a tendency to underestimate the value of literature written by an Indian in the English language as an inferior one. It was generally considered that

literature of seminal value could only be written in writer's mother language as according to them it was an impossible task to acquire other languages as a medium of spontaneous expression. The same argument was voiced by Buddhadeva Bose, a prominent Bengali writer and critic, in 1963, "Indo-Anglian poetry is a blind alley, lined with curio shops, leading nowhere" (415). And it was not Bose alone, there were other critics too who were thinking in the same manner.

K.R.S. Iyengar was well aware of the fact and in the formative years of Indian Writing in English (earlier known as Indo-Anglian Literature), when



**Contribution of Women in the Formation of Bangladesh: A Critical Appraisal on
Tahmima Anam's novels *A Golden Age* and *The Good Muslim***

Samimuddin Khan,

An Independent Scholar

Email Id- 1993samimkhan786@gmail.com

Abstract

The 1971 Bangladeshi Liberation war is one of the most significant and phenomenal event in the history of twentieth century Indian subcontinent. This bloodstained historical event constantly lingers in the minds of Bangladeshi people while constructing the Bangladeshi sense of nationalism. Till today, the Liberation war has been in the centre of attention in both national and international media. It has been depicted in various mediums both in home and abroad. And in the traditional history of war and in the formation of any nation, women have always been depicted as passively exploited figures, merely a victim of war and doing nothing so actively to be recognized. Such traditional representation of the contribution of women in history has been reconstructed by Bangladeshi diasporic novelist, Tahmima Anam in her debut novel *A Golden Age* (2007) and in its sequel, *The Good Muslim* (2011). Anam has relocated the traditional presentation of women as exploited, tortured, raped, submissive and passive in the war history. Unlike the conventional passive victims, her heroines are active, liberal, brave and courageous women who not only defy the men controlled situations to live in it, but also shows the way for her contemporary women how to cope with the double colonization faced by every woman in their home and the society and thus contribute in the formation of nation and its identity. This proposed research seeks to explore the role of women in the formation of Bangladesh as a nation with the references to Tahmima Anam's fictions *A Golden Age* and *The Good Muslim*.

Key Words: partition, 1971 Bangladeshi Liberation war, partition and gender, feminism, trans-nationalism



JADAVPUR UNIVERSITY

ESSAYS
AND
STUDIES
XXXV

Edited by
ABHISHEK SARKAR



Jadavpur University
2021

CONTENTS

PRODOSH BHATTACHARYA
Beowulf's Followers and Beowulf's 'Guilt'
1-17

HAONAN CHI
Rewriting the Anti-footbinding Movement: Alicia Little's
T'ien Tsu Hui and Qiu Jin's Revolutionary New Woman
18-32

ISHAN CHAKRABORTY
Epic Blindness and its Ethical Interpretations: A Critical Analysis of the
Representation of Blindness in Rabindranath Tagore's *Gandharir Avedan*
33-47

SHANTANU MAJEE
O bella libertà: The Public Life of Elizabeth Barrett Browning
48-61

GOURAB GOSWAMI
The Poetic Lawsuit: Understanding the Religio-Political
Genealogy of the Colonial 'Secular' through Aga Khan
Case and Gitan Poetry
62-73

M. D. MAHASWETA
The Calcutta Corpses: Exploring the Urban Ecogothic in Late
Nineteenth Century Accounts of Colonial Calcutta
74-88

SARBAJAYA BHATTACHARYA
From Land to Landscape: A Study of Select Travelogues from *Balak*
89-103

BISWAJIT MAJUMDER
"Every Like is not the Same": Reorientation of
Shakespeare's *Julius Caesar* in Bengali Novelization
104-117

SOUMYAJIT CHANDRA

Problematization of the Divine Feminine in Bibhutibhusan
Bandyopadhyay's Stories Featuring Taranath Tantrik
118-135

UDITA CHAKRABORTY

Perilous Motherhood: Two Novels on the Spanish Flu
136-146

VEDATRAYEE BANERJEE

'Onyo Onner Kotha': A Study of the Poetry of Sukanta
Bhattacharya as a Literary Thirdspace
147-159

DIGANTA RAY

Ghosts through the Walls: Suburban Conformity and
Haunted Spaces in Shirley Jackson's Novels
160-170

ADITI DAS KHAN

I feel a proper dog: Challenging Humannormativity in J.R.
Ackerley's *My Dog Tulip*
171-182

CHAYANA MONDAL

River Routes in Bengali Fiction: Envisioning Cognitive
Mapping of Communities
183-191

PARAMITA PURAKAYASTHA

Painting the Indian Subcontinent: Tracing the Unique
Trajectories of Violence in Intizar Husain's *Basti*
192-207

BALAGOPAL S. MENON

Of Gods, Monsters, and Other Casualties: On the Origin
Stories of Indian Superheroes
208-226

CHRISTINA MARIA MIRZA

"Only Art Now": Citationality and Performance in *Rapture*
227-242

“Every Like is not the Same”: Reorientation of Shakespeare’s *Julius Caesar* in Bengali Novelization

BISWAJIT MAJUMDER

Introduction

With the consolidation of the East India Company’s power in Calcutta, and the gradual dissemination of English education among a section of the indigenous population, Bengal received a cultural heritage named Shakespeare. The English tradition was initially alien to the Bengalis, but from the mid-nineteenth century onwards, several Bengali translations of Shakespeare’s plays were made by different authors. Along with this process of translating Shakespeare’s plays into Bengali plays, another form of translation became popular. It was the translation of the plays in the form of prose narratives. This article attempts a close study of Bengali novelized versions of Shakespeare’s *Julius Caesar*, which were published during the colonial period and after it in West Bengal. The close study will be on the adaptation strategy from the perspective of postcolonialism, gender, sexuality and cross-cultural interaction. Georges Mounin has said that “translation is like a glass through which we see the art but at times the glass is clear, at times distorted or at times coloured” (Mounin and Aury 1963, 296). This article will analyse if there is any coloured glass translation brought about by the shift in cultural setting and at what instances these reorientations have occurred.

For the close study I have considered the novelized texts of *Julius Caesar* from the third volume of Haran Chandra Rakshit’s book titled *Shakespeare*, published in 1902, and Dev Sahitya Kutir’s (DSK) *Dramas of Shakespeare* published in 2013, which was originally published as separate books, “Tragedies of Shakespeare” and “Comedies of Shakespeare” in 1959. These novelized *Julius Caesar* texts will be analysed by comparing them with Shakespeare’s *Julius Caesar*.

This essay will inspect the following questions: How do the novelizations try to represent the Western worldview that are found in Shakespeare’s



Website : www.vmbdn.in
Email : vmprincipal2012@gmail.com, M : 7384634726
Phone No : 0342-2541208 (Day Office), 2541521 (Morning Office)
Fax No : 0342-2646916

VIVEKANANDA MAHAVIDYALAYA, BURDWAN

(GOVT. SPONSORED) □ ESTD-1964

P.O- Sripally ★ Dist- Purba Bardhaman ★ Pin-713103 ★ W.B

NAAC Re-Accredited (2nd cycle, B+ with PG in Chemistry)

No...../V.M.

Date :

From : Principal / Teacher-in-Charge & Secretary

List of publications during the session 2022-2023

Sl.No.	Title of paper	Name of the author/s	Department of the teacher	Name of the Journal	Calendar Year of publication	ISSN number	Link to the recognition in UGC enlistment of the Journal /Di Link to website of the Journal	Link to article / paper / abstract of the article
1	Photoprotective, antioxidant potential and DNA damage protection assay of leaf methanolic extract of <i>Holoptelea integrifolia</i> (Roxb) Planch and determination of some bioactive phenolic compounds by RP-HPLC	Sumita Mondal, Abhijit Bandyopadhyay,	Botany	Biocatalysis and Agricultural Biotechnology.	2023	ISSN: 1878-8181	https://doi.org/10.1016/j.bcab.2023.102728	https://doi.org/10.1016/j.bcab.2023.102728
2	Effect of uni-divalent electrolyte in the interaction associated with solubility for the predominant form of L-isoleucine and L-serine in aqueous media,	Nilam Sing	Chemistry	Journal of Molecular Liquids	2023	ISSN: 18733166, 01677322	https://doi.org/10.1016/j.molliq.2023.122432	https://doi.org/10.1016/j.molliq.2023.122432
3	Anticancer Potential of Biologically Active Diosgenin and its Derivatives: An Update,	Sadhan Mondal	Chemistry	Current Traditional Medicine	2023	ISSN: 2215-0846	http://dx.doi.org/10.2174/2215083809666230202143136	http://dx.doi.org/10.2174/2215083809666230202143136
4	Synthesis and characterization of 1H-imidazole-4,5-dicarboxylic acid functionalized silver Nanoparticles: Dual colorimetric sensors of Zn ²⁺ and Homocysteine	Palash Mondal, Jeffery L. Yarger	Chemistry	ACS Omega	2022	ISSN: 2470-1343	https://doi.org/10.1021/acsomega.2c04165	https://doi.org/10.1021/acsomega.2c04165
5	"From Margin to Mainstream": An Inquiry into the Select Poems Written by Indian Women Poets in English	Santanu Saha	English	Adhunik Sahitya	2023	ISSN: 2277-7083	https://ugccare.unipune.ac.in/Apps1/User/WebA/SearchList	https://ugccare.unipune.ac.in/Apps1/User/WebA/SearchList
6	Memory as a Metaphor: A reconsideration of Julian Barnes' The Sense of an Ending	Enakshi Banerjee	English	Journal of Emerging Technologies and Innovative Research	2023	ISSN : 2349-5162	http://www.ijetir.org/	http://www.ijetir.org/




Principal
Vivekananda Mahavidyalaya
Burdwan



Website : www.vmbdn.in
Email : vmprincipal2012@gmail.com, M : 7384634726
Phone No : 0342-2541208 (Day Office), 2541521 (Morning Office)
Fax No : 0342-2646916

VIVEKANANDA MAHAVIDYALAYA, BURDWAN

(GOVT. SPONSORED) □ ESTD-1964

P.O- Sripally ★ Dist- Purba Bardhaman ★ Pin-713103 ★ W.B

NAAC Re-Accredited (2nd cycle, B+ with PG in Chemistry)

No...../V.M.

Date :

From : Principal / Teacher-in-Charge & Secretary

14	Influence of Allee effect on the spatiotemporal behavior of a diffusive predator-prey model with Crowley-Martin type response function	Nijamuddin Ali, Lakshmi Narayan Guin, Pallav Jyoti Pal, Jawaher Alzahrani, Krishnendu Sarkar, Salih Djilali	Mathematics	Scientific Reports	2022	ISSN: 2045-2322	https://doi.org/10.1038/s41598-023-28419-0	https://doi.org/10.1038/s41598-023-28419-0
15	Circular-lattice microstructured optical fibers with near-zero ultra flattened chromatic dispersion and high birefringence	Kajal Mondal	Physics	Materials Today: Proceedings	2022	ISSN: 2214-7853	https://doi.org/10.1016/j.matpr.2022.06.538	https://doi.org/10.1016/j.matpr.2022.06.538
16	Quantitative analysis of the magnetic properties of a mixture of single- and multi-domain Zn-substituted CuFe ₂ O ₄ nanoparticles with canted spin	Bhaskar Jyoti Sarkar, Atul Bandyopadhyay	Physics	Journal of Materials Science: Materials in Electronics	2022	ISSN: 0957-4522	https://doi.org/10.1007/s10854-022-08825-2	https://doi.org/10.1007/s10854-022-08825-2
17	Determination of exchange integrals and effect of cationic site occupancy (8b/24d) on the structural and magnetic properties of nanocrystalline Mn-doped Gd ₂ O ₃	A. Karmakar, H. Arora, M. Nath, S. Sutradhar, B.J. Sarkar, G. Mandal, A. Samanta, A. Bandyopadhyay	Physics	Journal of Alloys and Compounds	2022	ISSN: 0925-8388	https://doi.org/10.1016/j.jallcom.2022.167475	https://doi.org/10.1016/j.jallcom.2022.167475
18	Microstructural investigation of sonochemically synthesized Zn substituted CuFe ₂ O ₄ nanoparticles for heterogeneous green catalytic click chemistry and dye degradation	Bhaskar Jyoti Sarkar, Mousumi Kundu, Bibhas Mondal, Sunil Mukherjee, Atul Bandyopadhyay, UjjalKanti Roy	Physics	Journal of Molecular Structure	2022	ISSN: 0022-2860	https://doi.org/10.1016/j.molstruc.2022.134493	https://doi.org/10.1016/j.molstruc.2022.134493
19	মহাভারতের আখ্যায়নের প্রেক্ষিতে নদীত্রয়ী -একটি সমীক্ষা	Sirija Khatun	Sanskrit	Bharat Bidyacharcha Kendra	2023	ISSN: 9788-1956-17722	N.A	N.A
20	Row-Column Designs with Minimum Non-orthogonality Indices	Madhura Mandal	Statistics	Journal of the Indian Society for Probability and Statistics	2022	ISSN: 23649569	https://doi.org/10.1007/s4096-022-00142-5	https://doi.org/10.1007/s4096-022-00142-5




Principal
Vivekananda Mahavidyalaya
Burdwan



Website : www.vmbdn.in
Email : vmprincipal2012@gmail.com, M : 7384634726
Phone No : 0342-2541208 (Day Office), 2541521 (Morning Office)
Fax No : 0342-2646916

VIVEKANANDA MAHAVIDYALAYA, BURDWAN

(GOVT. SPONSORED) □ ESTD-1964

P.O- Sripally ★ Dist- Purba Bardhaman ★ Pin-713103 ★ W.B

NAAC Re-Accredited (2nd cycle, B+ with PG in Chemistry)

No...../V.M.


Date :

From : Principal / Teacher-in-Charge & Secretary

21	Chemical characterization of n-alkane compounds in the leaves of <i>Holoptelea integrifolia</i> and its repellence against Japanese encephalitis vector	S. Singha, G. Chandra	Zoology	Entomon	2022	ISSN: 0377-9335	https://doi.org/10.33307/entomon.v47i4.805	https://doi.org/10.33307/entomon.v47i4.805
22	Prabandhik Kazi Nazrul Islam: Ekti Porjalochona	Karimul Chowdhury	Bengali	Sahitya Angan	2023	ISSN: 2394-4889	N.A	N.A
23	"The Rule of Father": A Study of Father-Daughter Relationship in Select Poems of Indian Poetry in English	Santanu Saha	English	International Journal of English Literature and Social Sciences	2022	ISSN: 2456-7620	https://ijels.com/detail/the-rule-of-father-a-study-of-father-daughter-relationship-in-select-poems-of-indian-poetry-in-english/	https://ijels.com/detail/the-rule-of-father-a-study-of-father-daughter-relationship-in-select-poems-of-indian-poetry-in-english/
24	Kamala Das's Poetry: An Instrument to Counter Gender Based Violence in a Patriarchal Society	Santanu Saha	English	Research Journal Of English (RJOE)	2022	ISSN: 2456-2696	DOI:http://doi.org/10.36993/RJOE.2022.7333	DOI:http://doi.org/10.36993/RJOE.2022.7333
25	The Healing Power of Poetry: A Study of Rupi Kaur's Instagram Poems	Santanu Saha	English	(International Journal Of English and Studies(IJOES))	2022	ISSN: N2581-8333	https://www.ijoes.in/papers/v4i9/4.IJOES-Dr.Santanu(22-28).pdf	https://www.ijoes.in/papers/v4i9/4.IJOES-Dr.Santanu(22-28).pdf
26	"নব্বই দশক পরবর্তী মহিলা কবিতায় অন্য বয়ান"	Santanu Saha	English	সাহিত্যঅঙ্গন	2023	ISSN: 2349-4889	N.A	N.A
27	Puruṣārtha rupe Mokṣa: ekti alochona	Satyam Roy	Philosophy	Ebong Prantik	2023	ISSN: : 2582-3841 (0) 2348-487X (P)	N.A	N.A
28	Purusartha: The way of life	Satyam Roy	Philosophy	Pratidhwani the Echo	2023	ISSN: 2278-5264 (Online) 2321-9319 (Print)	https://www.thecho.in/files/14.-Satyam-Roy.pdf	https://www.thecho.in/files/14.-Satyam-Roy.pdf




Principal
Vivekananda Mahavidyalaya
Burdwan



Photoprotective, antioxidant potential and DNA damage protection assay of leaf methanolic extract of *Holoptelea integrifolia* (Roxb) Planch and determination of some bioactive phenolic compounds by RP-HPLC

Sumita Mondal, Abhijit Bandyopadhyay*

Cytogenetics and Molecular Biology Laboratory, Department of Botany, The University of Burdwan, Burdwan, 713104, West Bengal, India

ARTICLE INFO

Handling Editor: Dr. Ching Hou

Keywords:

Holoptelea integrifolia
SPF
Antioxidant
TLC
RP-HPLC

ABSTRACT


The methanolic leaf extract (MLE) of medicinally important plant *Holoptelea integrifolia* (Roxb.) Planch, a tree member of Ulmaceae family, exhibits prominent photoprotective and antioxidant activity mainly due to presence of phenols, flavonoids and tannins in notable amounts. Photoprotective efficacy (Sun Protection Factor value) of MLE was found to be 16.265 ± 0.0077 , which can effectively block around 93% UV-B radiation. The transmission erythema (%Te) and transmission pigmentation (%Tp) values are lowest (2.4102 ± 0.620 and 3.050984 ± 0.183 respectively) at highest concentration of MLE (500 $\mu\text{g/ml}$). The antioxidant potential of MLE was evaluated by Reducing Power Assay (IC_{50} value: $88.52 \pm 0.583 \mu\text{g/ml}$), DPPH (IC_{50} value: $61.96 \pm 0.721 \mu\text{g/ml}$) and ABTS scavenging (IC_{50} value: $210.15 \pm 0.329 \mu\text{g/ml}$) activities. Ultraviolet (UV) ray induced DNA damage assay also revealed that MLE provide ample protection. Among the separated TLC fractions of MLE, four fractions (F2, F3, F4 & F7) were selected for further analysis. Six phenolic acids namely-tannic acid, gallic acid, hydroxybenzoic acid, p-coumaric acid, *trans*-cinnamic acid, caffeic acid and quercetin were identified from the RP-HPLC chromatograms. Subsequent quantification of these identified phenolics revealed tannic acid as a dominant compound in F2 ($45.06 \pm 0.241 \mu\text{g/mg}$) and F7 ($47.46 \pm 0.189 \mu\text{g/mg}$), along with p-coumaric acid ($104.12 \pm 0.226 \mu\text{g/mg}$) and *trans*-cinnamic acid ($108.19 \pm 0.316 \mu\text{g/mg}$) in F3 and F4 respectively. So above findings indicate that MLE is endowed with rich source of medicinally potential phytometabolites with prominent UV-blocking and antioxidant property, which offer immense pharmaceutical prospects.

1. Introduction

It is a fact that, immense anthropogenic activities causing substantial depletion of ozone layers, letting unobstructed passage of ultraviolet rays. The exposure of skin to ultraviolet (UV) rays causes reactive oxygen species (ROS) mediated photo-oxidative stress and severe skin damage including skin cancer (Allegra et al., 2020). Ultraviolet radiation can be divided into three categories depending on the wavelength: UVA (320–400 nm), UVB (290–320 nm) and UVC (100–280 nm) (Ranjithkumar et al., 2016). Mostly, UVB and UVA with lesser adverse effect are responsible for various skin damages like photoaging, erythema, hyperplasia, pigmentation, immunosuppression and even skin cancer (Fourtanier et al., 2008). The UVB (only 4–5% of the total amount of UV radiation) exposed

* Corresponding author.

E-mail address: palmajua@gmail.com (A. Bandyopadhyay).



Effect of uni-divalent electrolyte in the interaction associated with solubility for the predominant form of L-isoleucine and L-serine in aqueous media

Biplab Ghosh^a, Saroj Chowdhury^a, Nilam Sing^{a,b}, Pratima Mondal^a, Mrinmay Mondal^a, Bharat Chandra Hansda^a, Sanjay Roy^{c,*}, A.M.A. Henaish^{d,e}, Jahangeer Ahmed^f, Kalachand Mahali^{a,*}

^a Department of Chemistry, University of Kalyani, Kalyani, 741235 Nadia, India

^b Department of Chemistry, Vivekananda College, Burdwan, West Bengal, India

^c Department of Chemistry, School of Sciences, Netaji Subhas Open University, Kolkata, West Bengal, India

^d Physics Department, Faculty of Science, Tanta University, Tanta 31527, Egypt

^e NANOTECH Center, Ural Federal University, Ekaterinburg 620002, Russia

^f Department of Chemistry, College of Science, King Saud University, P.O. Box 2455, Riyadh 11451, Saudi Arabia

ARTICLE INFO

Keywords:

Solubility
Solvation thermodynamics
L-serine
L-isoleucine
Aqueous solution

ABSTRACT

The study aimed to measure the solubilities of L-serine and L-isoleucine in an aqueous ammonium sulfate $[(\text{NH}_4)_2\text{SO}_4]$ solution at different temperatures (288.15 to 308.15 K) using a gravimetric technique. In pure aqueous media L-serine solubility is $4.1218 \text{ mol}\cdot\text{kg}^{-1}$ of water while for L-isoleucine is $0.3094 \text{ mol}\cdot\text{kg}^{-1}$ at 298.15 K. The obtained solubility data was used to estimate the thermodynamic properties of the amino acids, such as the standard Gibbs free energy and standard entropy change during the solvation process. The analysis involved investigating the short range chemical interactions between the amino acids and the electrolyte solution, which significantly influenced the solvation thermodynamics. The study found that L-serine exhibited a salting in effect, meaning its solubility increased in the presence of ammonium sulfate, while L-isoleucine experienced a salting out effect, resulting in decreased solubility with the electrolyte. Additionally, solubility parameters were employed to assess the chemical strength of the amino acids and understand their solute-solvent interactions and relative solubilities in the solution. Overall, this experimental investigation provided valuable insights into the solvation behavior and chemical characteristics of L-serine and L-isoleucine in the presence of an electrolyte solution.

1. Introduction

The investigation of the electrolytic influence on the solubility of amino acids and its associated thermodynamic parameters in diverse pure aqueous and pure organic mixed solvents has been a topic of extensive research [1,2]. Amino acids, as essential constituents of proteins, play a crucial role in numerous biological systems, encompassing the transfer and storage of nutrients, synthesis of hormones and neurotransmitters, and wound healing, among others. Furthermore, their ubiquity in nature endows them with significant potential applications in the food and cosmetic, chemical, and pharmaceutical industries [3–8]. The biological and biochemical actions of amino acids are heavily

reliant on their solubility and the various thermodynamic parameters associated with their solvation. The solvation thermodynamics of amino-acids solvation also take part a critical role in the purification of proteins dissolutions. Therefore, there is a renewed emphasis on attaining a better understanding and conducting thorough investigations of solubility [9–14]. Numerous studies have been conducted over a considerable period to examine the solubility behaviours of amino acids in various pure aqueous and pure non-aqueous solvents. These studies have revealed that several factors, including experimental temperature, solvent polarity, chemical structure, ionic strength, acidity, and alkalinity of the medium, can influence the amino acids' solubility [15–19].

* Corresponding authors.

E-mail addresses: sanjayroy@gmail.com (S. Roy), gourkala@gmail.com (K. Mahali).



<https://doi.org/10.1016/j.molliq.2023.122432>

Received 25 May 2023; Received in revised form 12 June 2023; Accepted 22 June 2023

Available online 24 June 2023

0167-7322/© 2023 Elsevier B.V. All rights reserved.

REVIEW ARTICLE

BENTHAM
SCIENCEAnticancer Potential of Biologically Active Diosgenin and its Derivatives:
An UpdateSadhan Mondal^{1,*}¹Department of Chemistry (UG & PG), Vivekananda Mahavidyalaya, Burdwan (Affiliated to the University of Burdwan), Purba Bardhaman-713103, West Bengal, India

ARTICLE HISTORY

Received: July 25, 2022
Revised: October 28, 2022
Accepted: November 22, 2022DOI:
10.2174/22150838199666230202143136

CrossMark

Abstract: Diosgenin (1) is an important steroidal metabolite often used as a precursor material for the synthesis of a broad array of steroidal drugs. Recent studies have indicated that compound (1) and many diosgenyl derivatives such as (1→9) possess both *in vivo* and *in vitro* biological activities like antioxidant, hypolipidemic, antithrombotic, immuno-modulatory, and estrogenic including anticancer activities. This steroidal sapogenin is of increasing interest in the pharmaceutical industry as it is being explored as an important starting material for the synthesis of oral contraceptives, sex hormones, and many other steroidal drugs having anticancer potential. Naturally occurring diosgenin, and its glucoside derivatives are quite abundant in several plant sources, but very little is known about the biogenesis of this class of secondary plant metabolites. Hence, designing a semi-synthetic protocol for the improved anticancer potential with enhanced efficacy of diosgenin and its derivatives is always a challenging field of cutting-edge research in pharmaceutical chemistry. The present review highlights some of the recent research findings and applications of this group of triterpenoids as a potential anticancer agent.

Keywords: Diosgenin, diosgenyl derivatives, bioavailability, biological activities, anticancer potential, steroidal sapogenin.

1. INTRODUCTION

Diosgenin [25*R*-Spirost-5-en-3β-ol (1)] is an important hydrolysate of dioscin (2) that is widely distributed in natural plant bodies as glucoside [1]. It is a functional food and also serves as the origin of many biologically active phytochemicals. This important secondary metabolite is a steroidal sapogenin that belongs to the triterpenoid group and is used as a raw material in the commercial synthesis of many steroidal drugs, *viz.* oral contraceptives, sex hormones like cortisone, pregnenolone, progesterone, *etc.* It has been reported to exhibit an estrogenic effect on the mammary glands, and also plays a significant role in controlling cholesterol metabolism [2-4]. Recent studies revealed that diosgenin (1) and diosgenin derivatives possess a wide range of biological efficacy in the prevention of multiple diseases including cardiovascular disorders as well as cancer [5-10]. It is consumed as a food ingredient by populations in parts of Latin America, Eastern Europe, and Asia and has also been reported to exhibit several biological activities both *in vitro* and *in vivo* including antioxidative, hypolipidemic

[11-14], antithrombotic [15], immuno-modulatory [16], estrogenic activities, *etc.* [17, 18]. *Dioscorea opposita* Thunb. (Chinese yam), commonly used as a dietary supplement and herbal medicine throughout Asia, is a rich source of sapogenins, mucopolysaccharides, dioscorin, diosgenin, *etc.* and its immune-active, as well as concentration-dependent antioxidant potential is well-established; the major component of yam-derived sapogenins was found to be diosgenin [19, 20]. The major emphasis on the use of food saponins in traditional medicines is due to their anticancer properties [21-25]. Diosgenin, the functioning constituent of steroidal sapogenin of conventional Chinese herb, *Dioscorea zingiberensis* has also been reported to show significant inhibitory effects on the MAPK pathways in various cells including endothelial cells, (NF)-κB, VSMC, and even cancer cells *in vitro* [26, 27]. Recent years have witnessed several reported articles on the anticancer activity of diosgenin. However, only one review article is offered so far in the literature on the anticancer profile of diosgenin which is very old (published in 2009) [28].

Hence, a systematic review with updated information is highly demanded at present in the chemical community. Against this background, a systematic literature review on the anticancer profile of this biologically active diosgenin and its derivatives may be quite useful for researchers in this

*Address correspondence to this author at the Department of Chemistry (UG & PG), Vivekananda Mahavidyalaya, Burdwan (Affiliated to the University of Burdwan), Purba Bardhaman-713103, West Bengal, India; E-mail: drsncchem1970@gmail.com

Synthesis and Characterization of 1*H*-Imidazole-4,5-dicarboxylic Acid-Functionalized Silver Nanoparticles: Dual Colorimetric Sensors of Zn²⁺ and Homocysteine

Palash Mondal* and Jeffery L. Yarger*

Cite This: *ACS Omega* 2022, 7, 33423–33431


Read Online

ACCESS |

Metrics & More

Article Recommendations

Supporting Information



ABSTRACT: A colorimetric assay has been developed for Zn²⁺ and homocysteine (Hcy) detection using functionalized silver nanoparticles (AgNPs). AgNPs have been synthesized using silver nitrate, where sodium citrate is used as a stabilizing agent and NaBH₄ as a reducing agent. Then, the nanoparticles (citrate@AgNPs) were functionalized with 1*H*-imidazole-4,5-dicarboxylic acid (IDCA). UV–visible and FTIR spectra suggested that IDCA was functionalized on the surface of citrate@AgNPs through the N atom of the imidazole ring. The IDCA-functionalized silver nanoparticles (IDCA@AgNPs) simultaneously detected Zn²⁺ and Hcy from aqueous solution and showed different responses to the two analytes (Zn²⁺ and Hcy) based on the aggregation-induced color change of IDCA@AgNPs. They showed the color change from yellow to red, which was easily discriminated by visual inspection as well as UV–visible spectroscopy. The surface plasmon resonance absorbance values of Zn²⁺ and Hcy are 485 and 512 nm, respectively, when Zn²⁺ and Hcy react with IDCA@AgNPs. IDCA@AgNPs showed linearity with Zn²⁺ and Hcy concentrations, with the detection limit of 2.38 μM and 0.54 nM, respectively (S/N = 3). The IDCA@AgNPs showed excellent selectivity toward Zn²⁺ and Hcy compared to the different metal ions and amino acids, respectively. Optimal detection was achieved toward Zn²⁺ and Hcy in the pH range 3–10. In addition, IDCA@AgNPs were used to detect Zn²⁺ and Hcy from lake water, showing low interference.

1. INTRODUCTION

Zinc is the second most abundant transition element after iron, which participates in various aspects in biological metabolism. It plays various roles in the synthetic routes within cells,¹ normal growth of human body,² and normal brain function.³ It is normally nontoxic, but uptake by humans due to high environmental concentrations of Zn²⁺ ion causes pulmonary manifestations, fever, chills, and gastroenteritis. Thus, the determination of trace amounts of Zn²⁺ ion is currently of great interest in medical sciences as well as environmental monitoring.

On the other hand, Hcy is a sulfur-containing amino acid in which a free –SH group is present as in cysteine, and Hcy is the intermediate formed during the conversion of methionine to cysteine. Free Hcy is not available naturally as it exists in plasma, in disulfide form as well as in protein-bound form. Therefore, it is complicated to determine the total Hcy after

the reduction of disulfide. The normal concentration of Hcy in plasma ranges from 5 to 15 μM. The condition when the level of Hcy is above 15 μM is defined as hyperhomocysteinemia. High plasma levels of Hcy are associated with several diseases such as cardiovascular disease,⁴ Alzheimer's disease,⁵ neural tube defects,⁶ and osteoporosis.⁷ Hence, the determination of Hcy in plasma or protein is highly important.

Currently, there are common techniques employed for the detection of Hcy or Zn²⁺, such as atomic absorption spectroscopy (AAS),⁸ fluorescence,⁹ electrochemical meth-

Received: July 2, 2022

Accepted: August 26, 2022

Published: September 7, 2022



ISSN 2277 - 7083

आधुनिक

Aadhunik Sahitya


साहित्य

साहित्य, संस्कृति एवं आधुनिक सोच की त्रैमासिकी

UGC Approved CARE Listed Journal

वर्ष/Year-12 अंक/Vol.-46 द्विभाषी/Bilingual

अप्रैल - जून / April - June 2023



ENGLISH SECTION

- Swati Dwivedi / **National Education Policy (NEP) 2020: Promotion of Indian Languages, Multilingual Education, and the Three Language Formula** / 1
- Dr. Harjinder Kaur / **Role of Information and Communication Technology (ICT) in the Development of Hindi in the 21st Century** / 8
- Lhundup Dorjee / **Analysis on the Different Features of Modern Tibetan Literature** / 15
- Prof. M.R. Verma, Pankaj Kumar / **Bhikhari Thakur: Gender inclusive representation in the modern Bhojpuri theatre** / 21
- Beena Negi Chaudhary / **Teaching Aptitude and Academic Achievement of B.Ed Students in Relation to Medium of Instruction** / 27
- Garima Mani Tripathi / **Language at the universal level: philosophical problems and prospects for Hindi** / 33
- Dr. Bipin Kumar Thakur / **Criteria for Inclusion in the Eighth Schedule: A Work in Progress** / 42
- Deepak Kumar, Dr Anita Kumari / **Tagore Uses of Language and Literatures as Nationalism** / 48
- Dr. Shaizy Ahmed, Mr. Praveen Singh / **English vs. Hindi: Does Language Matters in Career Development** / 53
- Dr. Kavita Singh, Prof. Harpreet Kaur / **Nature Protection Through Indian Vedic Culture** / 60
- Sadhna Jain / **Linguistic Challenges and Quality of Research in Cross-Cultural Research** / 67
- Dr. Zubair Ahmad Bhat / **From Theory to Practice: An Approach to the Importance of English Language in Contemporary India** / 73
- Dr. Santanu Saha / **"From Margin to Mainstream": An Inquiry into the Select Poems Written by Indian Women Poets in English** / 80
- Md Rashid Iqbal Siddique, Dr Anita Kumari / **Question of Language & New Age Journalism** / 85
- Dr. Reena Kapoor / **Marginalization of a Language and Ensuing Cultural Shift** / 92
- Pinku Jha / **The Complex Web of Language, Welfare and the Politics: A Critical Analysis** / 97

**“From
Margin to
Mainstream”:
An Inquiry
into the Select
Poems
Written by
Indian
Women Poets
in English**

—Dr. Santanu Saha

Abstract:

Shashi Deshpande (b.1938) in her article “Macaulay’s People” tries to locate the dilemma of an Indian writer who writes in English language. English language in India, she finds distinctly different from Bhasa languages. Thus when she thinks about writing in English, which comes spontaneously to her, she finds herself vacillating in the socio-linguistic dichotomy of Indian social culture. Shashi recollects the guilt she felt at that time for writing in English. That was the time when she was rummaging about her root in the writings of already established writers like R.K.Narayan, Raja Rao and Mulk Raj Anand. And On the flip side, she recollects, “... the bhasa writers made it clear that English writing had no place in Indian Literature”(159). So, as a budding writer, she was on the horns of dilemma.

So, the politics behind the adoption of language in creative writings was a burning topic in the post-Independent India. And Sashi Deshpande, in this essay, describes the situation about India in 1980’s. So, it is evident what other Indian English writers had to face in those early years. In case of women the situation was much worse. That in Colonial time Toru Dutt and Sarojini Naidu wrote poems in English, can be substantiated from their social status and from the positions their family belonged to. But in the early days of post-1947 context writing as a means of expression in women remained almost beyond their reach due to several social issues. And when a few of these women writers adopted English language as their mode of expression, it made the whole project almost impossible to pursue. Deshpande knew in her initial days that this problem had to be overcome as she desperately wanted to be a writer. Here early attempts at novel writing deal with rape, sadism, woman emasculating man and woman’s long monologue concerning her

Memory as a Metaphor: A Reconsideration of Julian Barnes' *The Sense of an Ending*

Dr. Enakshi Banerjee

Assistant Professor, Department of English, Vivekananda Mahavidyalaya, Burdwan, India

Abstract: The paper endeavors to investigate the poetics of memory as is found in Julian Barnes' novel *The Sense of an Ending*. It will address alongside the poetic reconstruction of memory, a psychological inspection into the mnemonic footprints that are left behind, and a matured gaze at one's past, here that of the narrator's. The paper also seeks to understand forgetting as an important attribute of memory, a means to fulfil and redress the uncouth hiatuses and the gaping gaps of one's past.

Keywords: memory, poetry, recollection, reconstruction, self-deception, forgetting.

The complex of the eye's perception and the mind's reception is masterfully addressed by a cogent intervention of the imagined in Julian Barnes' *The Sense of an Ending*. The design of the novel as a memory novel, a *bildungsroman* of sorts, is deliberate to accommodate the imagined in the real, the received in the perceived, the poetry in the prose. Perfunctorily, the narrator clarifies at the very offing, any and all recollections recorded were susceptible to modification, alteration and poetic exaggeration- a clarification that establishes soundly the premises of this immaculately structured-experience of the novel.

'...but what you end up remembering isn't always the same as what you have witnessed.' (Barnes,3)

Memories, the ghosts of times past, reappear in the mind's eye with changed and altered shapes and contexts. Even exchanges, conversations are morphed, unwittingly, unconsciously. It is the imagined that enters, almost imperceptibly, into the domain of the memory reshaping the mundane into something memorable, something worth being a memory. The narrator keeps on questioning the verisimilitude of his remembrances and yet, every time, gives in, surrenders, to a poetic truth that replaces the real, the pathos that intensifies the tragedy, the music that embellishes the prosaic. He even uses superlatives for adjectifying,

'Was this their exact exchange? Almost certainly not. Still, it is my best memory of their exchange.' (Barnes,19)

A continuous, structured memory, that is what the novel shapes up into. The letters the four friends, Tony, Colin, Alex and Adrian, wrote to each other after they parted their ways, were constructed with wit, the language pleasantly archaic, quite visibly demonstrates the narrator's propinquity towards an elevated style- polished, refined and definitely not a mundane, plebian elocution of events. The whimsicalities like wearing their watches in a way that made them feel that time was a personal secret and the grinding anxiety that their lives 'wouldn't turn out to be like Literature.' (Barnes,15)- constantly impose the element of adventure, deviation, idiosyncrasies that challenges life's usual monolithic structure. Such ambiguities and paradoxes, such challenges and desires, requires a way more palatable and specially devised language *au contraire* to the usual available narrative prose for novels. Barnes seems to truncate the memories of the narrator into a translucent plot, a lucidity that verges on the esoteric almost- an uncanny Proustian remembering, poetically and palpably expressing experiences that time has stretched and bent.

'The novel was about character developed over time.' (Barnes,15)

Time delivers us all too quickly into middle age and then old age. Anthony Webster, as he is now, gentler, milder, old, narrating a time/space where he was not so. A retelling of his story to his wife Margaret, but mostly to himself, a visual re-representation of his past, a composite of half-forgotten images. A long, unmitigated, stubborn regret persists. An abiding suspense holds the narrator as well as the reader captive. Tony seems to be driven by an obsessive need to know a part of his memory that he was not introduced to. He stalks Veronica, and is shown compulsively badgering his wife with his recollections of the time, investigating all the nook and crannies of this particular slice of his past.

Throughout the entire body of the novel, but particularly the first part, Tony explicitly refers to the fallacy of his own memory.

'Some approximate memories which time has deformed into certainty.' (Barnes,4)

Tony Webster, one fine day, suddenly receives a letter from a law firm communicating him that a Mrs. Sarah Ford has bequeathed him with a meagre sum of money and a journal, that she felt, before her death, rightfully belonged to him. Mrs. Sarah Ford was the mother of his one-time sweetheart, Veronica. And the journal in question was the property of Adrian Finn, Tony's best friend. Quite naturally, he is transported to this part of his life and an obsessive investigation into it follows. He starts stalking Veronica, and in course, comes

Impact Factor : 1.5268/2022
(Prev.) UGC SL. No. : 64684

ISSN No. 2348-1315 (New Delhi)



INDIAN RESEARCH BULLETIN

Peer Reviewed Quarterly Refereed Research Journal

Volume - XXXVI Issue - IV

December - 2022



RANKING
JOURNAL



TOUCAN
Research and Development
(ISO 9001:2015 Certified)

nk's
IRB

Join us :-

ketanparkar@gmail.com
 vishalparkar0@gmail.com
 ketanparkar@gmail.com

Patron & Editor-in-Chief
Dr. Basavaraju. M.N.

Chief Editor
Dr. Ketan Kumar Mishra

Topographical Exploration and Local- Inhabitants of Historical Mallabhoom (Bankura District)

Corresponding Author

Ashim Kumar Porel

Assistant Professor of History, Vivekananda Mahavidyalaya, Burdwan, Sripally, Purba Bardhaman, West Bengal

Received: October 2022; **Accepted:** November 2022; **Published:** December 2022

Citation: Ashim Kumar Porel (2022) Topographical Exploration and Local- Inhabitants of Historical Mallabhoom (Bankura District), IRB Review/ [http:// www.trdresearch.in /peer-reviewed - refereed-research-journal.html](http://www.trdresearch.in/peer-reviewed-refereed-research-journal.html)

Copyright: © 2022 Porel, et al. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Type: General Review

Publisher: TOUCAN Research and Development

Abstract

Mallabhoom, in its glory, was a vast nation with an area comparable to modern-day Wales. Who was the real founder of the Malla dynasty is still not known precisely. But it seems that some prominent leader of the local community founded the Mallaraja dynasty. Local tribes like Bagdi, Bauri, Mal, Dhibar, Dom etc. were physically very strong. Some of these chiefs organized the communities and established the Malla kingdom. Their rule began in Mallabhoom from the time of Mallaraja Adimalla (694 AD). Their capital was established at Bishnupur during the reign of Jagatamalla (994 AD), the 19th Mallaraja of this dynasty. A total of 37 Mallarajas from Jagatamalla to Gopal Singhadeva (994-1712 AD) made the rule of Mallabhoom very strong. After 1712 AD

the Burdwan Maharajas captured Mallabhoom by war. Today famous Bishnupur is established as a temple city in all India due to the sincere good efforts of the Malla Rajas. Mallabhoom surrounded by rivers, mountains and forests was thus a naturally protected area. For all intents and purposes, a sizeable portion of Bengal's land was still under the control of native Afghan and Hindu tyrants. Most of them were hereditary landowners descended from numerous princelings who had established their own small kingdoms during one of the turbulent eras in Bengal's pre-Mughal history. Some of them could undoubtedly go back to the earlier era to trace the origins of their authority. The history of the Malla Rajas of Bishnupur dates back to the seventh century A.D. Everyone applauds the history of



Contents lists available at ScienceDirect

International Journal of Non-Linear Mechanics

journal homepage: www.elsevier.com/locate/ijnlm

Falling liquid films on a slippery substrate with variable fluid properties

Souradip Chattopadhyay^a, Pavanvasudev Boragunde^b, Amar K. Gaonkar^b, Amlan K. Barua^a, Anandamoy Mukhopadhyay^{c,*}^a Department of Mathematics, Indian Institute of Technology Dharwad, Karnataka 580011, India^b Department of Mechanical, Materials and Aerospace Engineering, Indian Institute of Technology Dharwad, Karnataka 580011, India^c Department of Mathematics, Vvekananda Mahavidyalaya (The University of Burdwan), West Bengal 713103, India

ARTICLE INFO

Keywords:

Variable thermophysical properties
Slippery inclined plane
Nonlinear stability
Modal interaction

ABSTRACT

We investigate the stability of a gravity-driven, thin, Newtonian liquid flowing on a uniformly heated slippery inclined plane. We construct a mathematical model of the flow that comprises the Navier–Stokes equation coupled with the equation of energy. While the rest of the boundary conditions are standard for thin-film problems, we apply a Navier slip boundary condition at the solid–liquid interface. We assume that the fluid thermophysical properties — density, dynamical viscosity, surface tension, and thermal diffusivity vary linearly with temperature as long as the change in temperature is small. In the analysis part, we follow the standard long-wave theory and construct a nonlinear evolution equation for the film thickness. This is followed by a linear and weakly nonlinear stability analysis. The linear analysis allows us to compute the critical Reynolds number of our problem and from this study, we conclude that the slippery substrate destabilizes the film flow. The weakly nonlinear stability analysis finds a finer description of various stable/unstable zones. Finally, we perform a numerical simulation of the evolution equation in a periodic domain using spectral methods. Our numerical results support the analytical predictions of the instability threshold using the linear and weakly nonlinear theories. The influence of the small Biot number is also investigated in presence of the slip length together with the variable fluid properties.

1. Introduction

The instability phenomenon of an isothermal or non-isothermal thin wavy liquid film flowing down an inclined or vertical plane is a rich area of investigation. It draws the attention of physicists, mathematicians and engineers because of its theoretical and practical importance. The inertia driven flow of thin film along an inclined plane leads to instability and the formation of free surface waves. This phenomenon was first observed by Kapitza & Kapitza and their experimental findings are mentioned in [1]. The area developed tremendously in subsequent decades and the relevant literature is quite vast. We refer the reader to references like [2–5] where the basic problem and its various extensions are discussed.

Most of these works concern with the instability of the flow along an isothermal or nonisothermal inclined plane and many disregard the variation of different thermo-physical properties as temperature varies. However, a number of fluid properties such as density, viscosity, surface tension, thermal diffusivity, specific heat, etc. are functions of temperature. For a more accurate description of the system, these parameters should be included in the model in such a way that their dependence on temperature gets reflected in the study.

Later Pascal et al. [6] investigated the question of the onset of instability of thin films on a uniformly heated incline, where they considered the linear dependence of density, thermal conductivity, viscosity, specific heat and surface tension on temperature. They did the linear stability analysis and found the critical Reynolds number (Re_c) in specific cases, i.e., considering $Bi = 0$ and $Bi \rightarrow \infty$. They also calculated the Re_c in the general case where asymptotic expansion was carried out assuming small Biot number and small variation of the viscosity and thermal conductivity with temperature. As Bi increases from 0, Re_c initially shows a decreasing trend, then it attains a minimum value and after this it increases when Bi increases. D'Alema et al. [7] studied the effects of linear variation of different thermophysical quantities, barring specific heat, on a uniformly heated incline. This study does not assume certain parameter values to be small (like in [6]) and is suitable for investigation on larger parameter domains.

Mukhopadhyay & Chattopadhyay [8] proposed an analytical model for long-wave instability of thin film flowing down a uniformly heated inclined plane considering a linear variation of various thermophysical properties. They constructed an evolution equation for $h(x, t)$, the film thickness. Due to the computational difficulty, they restricted their

* Corresponding author.

E-mail addresses: sdgm20@gmail.com (S. Chattopadhyay), pvanboragunde@gmail.com (P. Boragunde), amar.gaonkar@iitdh.ac.in (A.K. Gaonkar), abarua@iitdh.ac.in (A.K. Barua), anandamoy@iitdh.ac.in (A. Mukhopadhyay).<https://doi.org/10.1016/j.ijnlm.2022.104200>

Received 15 April 2022; Received in revised form 1 August 2022; Accepted 17 August 2022

Available online 24 August 2022

0020-7462/© 2022 Elsevier Ltd. All rights reserved.

Effects of the variation of viscosity on the stability of thin liquid film flows along a uniformly heated substrate under heat flux boundary condition

Cite as: Phys. Fluids 35, 000000 (2023); doi:10.1063/5.0147093

Submitted: 19 February 2023 - Accepted: 29 April 2023 -

Published Online: 0 Month 0000



AQ1

Anandamoy Mukhopadhyay^{1,2} and Amar K. Gaonkar^{2,3}

AFFILIATIONS

¹Department of Mathematics, Vivekananda Mahavidyalaya (Under The University of Burdwan), Burdwan, West Bengal 713103, India

²Department of Mechanical, Materials and Aerospace Engineering, IIT, Dharwad, Karnataka 580071, India

³Author to whom correspondence should be addressed: anandamoy.mukhopadhyay@vmdn.ac.in

⁴Electronic mail: amar.gaonkar@iitdh.ac.in

ABSTRACT


The effects of variable viscosity on the stability of gravity-driven, Newtonian, thin liquid film flowing down a uniformly heated substrate under heat flux (HF) boundary condition is investigated. HF boundary condition allow us to consider the heat loss from the system at the solid-air interface as well as the heat flux by the rigid wall to the surrounding liquid, both of which effects the temperature gradient on the solid-liquid interface. This model is more realistic in comparison with specified temperature (ST) boundary condition/Dirichlet condition. The underlying assumption of ST boundary condition is that the heat flux at the solid-liquid interface is equal to the heat loss at the solid-air interface. It results in vanishing temperature gradient on the top surface of the rigid wall. Consequently, both the heat flux at solid-liquid and solid-air interfaces have no influence on the thin liquid film flow over the rigid substrate. Considering exponential variation of viscosity, together with the linear variation of surface tension, an evolution equation is constructed, using long-wave expansion technique. This evolution equation captures the effect of the variation of viscosity, thermocapillarity, and heat flux at the solid-air interface, through the parameters, K_v (coefficient of dynamical viscosity), MB (products of film Marangoni and free surface Biot number), and B_w (wall film Biot number), respectively. Using normal mode approach, the linear stability analysis reveals the destabilizing behavior of K_v , MB , and stabilizing effect of B_w . Using multiple-scale analysis, the weakly nonlinear study demarcates the supercritical (subcritical) stable (unstable) zones and their dependence on K_v and B_w . Finally, the numerical simulation of the evolution equation, by the spectral method over a periodic domain, confirms the results obtained by the linear and weakly nonlinear study.

Published under an exclusive license by AIP Publishing. <https://doi.org/10.1063/5.0147093>

1. INTRODUCTION

Hydrodynamical stability of thin liquid film flows over a uniformly/non-uniformly heated surface is an important problem, both from theoretical and practical point of view. Extensive research work on the thermocapillary or Marangoni instability is carried out by several authors,^{1–4} over a uniformly heated substrate, whereas few works are reported for non-uniformly heated rigid plane, where the temperature distribution is either linear^{5,6} or an arbitrary function of the streamwise coordinate.⁷ In the above-mentioned research works, the thermophysical quantities, such as the dynamical viscosity, density, surface tension, thermal conductivity, and specific heat at constant pressure, are assumed as constant. However, the experimental fact is that these physical quantities vary with the temperature, although the nature of variation is not same for all. Goussis and Kelly⁸ first

investigated the long-wave stability analysis of a thin liquid film flows over a heated or cooled inclined rigid plane, where the exponential variation of viscosity with temperature is considered, while all other thermophysical properties are assumed as constant. They have chosen Arrhenius type of viscosity variation with the temperature, since most common liquids obey this relation for non-isothermal flows. Their linear stability analysis reveals that cooling of the inclined plane stabilizes the flow, whereas heating destabilizes it. They have not considered the variation of the surface tension at the free surface, and thus, thermocapillary instability is not included in their study. Later, Hwang and Weng⁹ extended the nonlinear stability analysis of the similar problem discussed by Goussis and Kelly.⁸ Their nonlinear stability analysis confirms the same results as obtained by Goussis and Kelly.⁸ Kabova and Kuznetsov¹⁰ included the thermocapillary effect by considering



Shear imposed falling film with odd viscosity effects

Akshay S. Desai^a, Souradip Chattopadhyay^{b,*}, Amar K. Gaonkar^c, Anandamoy Mukhopadhyay^c

^a Department of Mechanical, Materials and Aerospace Engineering, IIT Bombay, Mumbai 580011, India

^b Department of Mathematics, North Carolina State University, Raleigh, NC 27695, USA

^c Department of Mathematics, Vivekananda Mahavidyalaya (The University of Burdwan), West Bengal 713103, India



ARTICLE INFO

Keywords:

Thin films
Odd viscosity
Imposed shear
Weighted residual model
Interfacial instability

ABSTRACT

This study examines the behavior of a thin liquid film flowing on an inclined plane subject to imposed shear stress. The liquid's time-reversal symmetry is broken, and we consider the odd part of the viscosity to describe the Navier-Stokes equation. To investigate the interplay between the imposed shear and odd viscosity on the flow dynamics, we develop a weighted residual model (WRM). We determine the model's critical Reynolds number (Re_c) through linear stability analysis. Our findings indicate that uphill shear tends to stabilize the flow, while downhill shear enhances the instability, albeit reduced by the presence of odd viscosity. We also construct an Orr-Sommerfeld (OS) type eigenvalue problem for normal mode analysis and derive Re_c . We discover that in the longwave regime, $Re_c^{WRM} = Re_c^{OS}$. Finally, our numerical simulations of the model align well with our linear stability analysis.

1. Introduction

Numerous studies on thin film dynamics and stability have focused on Newtonian liquids that retain time-reversal symmetry [1–4]. In such fluids, the stress tensor comprises only a symmetric part known as viscosity (or even viscosity), which is dissipative and opposes motion. However, external factors, such as electric or magnetic fields or rotational effects, can break time-reversal symmetry, as demonstrated by Avron [5]. In such cases, the antisymmetric part of the stress tensor, which exhibits non-dissipative viscosities, referred to as odd viscosity or Hall viscosity [6], cannot be ignored. For an in-depth understanding of odd viscosity, we refer readers to Fruchart et al.'s work [6].

Lapa & Hughes [7] examined the effects of odd viscosity on swimming strategies and identified several striking effects of odd viscosity in fluids. Banerjee et al. [8] explored the hydrodynamics of chiral active fluids and highlighted the importance of odd viscosity. Kirkoin & Andreev [9] investigated the impact of odd viscosity on a thin film flow, considering the thermal effect and capturing the free surface equation within the lubrication approximation framework. They observed that odd viscosity can reduce the destabilizing effect of the Marangoni instability. Bao & Jin [10] studied the combined influence of odd viscosity and an electric field on the stability of thin liquid film flow, and Desai et al. [11] conducted numerical simulations to validate their findings, demonstrating the destabilizing effect of the electric field and the stabilizing effect of odd viscosity. Chattopadhyay [12] extended the study of [10] to a non-uniformly heated inclined plane and concluded

that while non-uniform thermal effects combined with an electric field significantly amplify the flow, the presence of odd viscosity significantly reduces it. Samanta [13] investigated the effects of odd viscosity on thin film flow and observed its engaging effects. Odd viscosity has also been studied in various other contexts, such as Rayleigh-Taylor instability [14], dynamics of liquid sheet [15], Faraday instability [16], thermocapillary instability [17], and bubble dynamics in planar Stokes flow [18]. Soni et al. [19] experimentally measured the odd viscosity in a chiral fluid containing particles in the presence of an external field.

The literature reviewed above did not investigate the influence of external shear on the free surface. Nonetheless, in free surface fluid flows, the interfacial surface experiences tangential stress due to the shearing effect of the surrounding air. Various experimental studies have examined the dynamics of wind-generated waves [20–22]. A previous study by Smith [23] examined the stability of a thin film flowing down an inclined plane under the influence of external shear on the interface. He identified two main physical mechanisms responsible for the long-wave instability, which were investigated using lubrication theory. One mechanism was associated with the tangential stress boundary condition on the interface, while the other was associated with the tangential velocity boundary condition on the interface. Wei [24] expanded Smith's [23] work by including an insoluble surfactant at the liquid-air interface and briefly describing the instability mechanism. Samanta developed a two-equation model for local flow rate and film thickness [25] to revisit the study of Smith [23] for moderate Reynolds

* Corresponding author.

E-mail addresses: akshay.desai.20@iitb.ac.in (A.S. Desai), scatto5@ncsu.edu (S. Chattopadhyay), amar.gaonkar@iitb.ac.in (A.K. Gaonkar), anandamoy.mukhopadhyay@vsnl.ac.in (A. Mukhopadhyay).

<https://doi.org/10.1016/j.ijnlm.2023.104422>

Received 23 February 2023; Received in revised form 9 April 2023; Accepted 11 April 2023

Available online 23 April 2023

0020-7462/Published by Elsevier Ltd.



Akshay S. Desai

Department of Mechanical, Materials and
 Aerospace Engineering,
 Indian Institute of Technology Dharwad,
 Dharwad 580011, Karnataka, India
 e-mail: akshay.desai@iitdh.ac.in

Souradip Chattopadhyay

Department of Mathematics,
 North Carolina State University,
 Raleigh, NC 27695
 e-mail: schatta@ncsu.edu

Amar K. Gaonkar

Department of Mechanical, Materials and
 Aerospace Engineering,
 Indian Institute of Technology Dharwad,
 Dharwad 580011, Karnataka, India
 e-mail: amar.gaonkar@iitdh.ac.in

Amian K. Barua

Department of Mathematics,
 Indian Institute of Technology Dharwad,
 Dharwad 580011, Karnataka, India
 e-mail: abarua@iitdh.ac.in

Anandamoy Mukhopadhyay¹

Department of Mathematics,
 Viswambarna Mahavidyalaya
 (The University of Burdwan),
 West Bengal 713103, India
 e-mail: anandamoymukhopadhyay@vmbbn.ac.in

Suppression of Wave Instability in a Liquid Film Flow Down a Non-Uniformly Heated Slippery Inclined Plane Using Odd Viscosity

We study the effects of odd viscosity on the stability of a thin Newtonian liquid film flowing down a nonuniformly heated plane under a slip boundary condition. The effect of odd viscosity arises in classical fluids when the time-reversal symmetry breaks down. Due to the odd viscosity, the odd part of the Cauchy stress tensor consists of symmetric and antisymmetric parts and shows several striking effects. We apply the Navier slip boundary condition for the slippery inclined plane at the solid-liquid interface. For our problem, we first derive an evolution equation whose solution describes the film thickness. The equation contains parameters considering the effect of inertia, thermocapillarity, slip length, and odd viscosity. We then perform the linear stability analysis and find that odd viscosity can significantly suppress the combined destabilizing effects of the thermocapillarity and slip length. Next, we analyze the dynamics using the weakly nonlinear approach, which provides details of different subregions of the instability zone. We observe that as the influence of the odd viscosity increases, the supercritical stable and explosive zones shrink while the unconditional stable and subcritical unstable zones expand. We also perform numerical investigation and observe that linear analysis, weakly nonlinear theory, and numerical results are consistent. [DOI: 10.1115/1.514062471]

1 Introduction

The stability and dynamics of the thin liquid film are investigated by several researchers in different contexts from theoretical, numerical, and experimental points of view. In most cases, the time-reversal symmetry of the liquid was preserved. As a result, the fluid stress tensor consists of only the symmetric part, which gives rise to even viscosity, usually referred to as viscosity. However, Avron [1] first pointed out that if the time-reversal symmetry does not hold, one has to additionally consider the nondissipative effect that arises from the odd viscosity coefficient on the top of the dissipative effect coming into the picture due to the even viscosity coefficient. He demonstrated many instances when the time-reversal symmetry of the liquid could be broken, such as in the case of the superfluid He^2 , the time-reversal symmetry breaks naturally, whereas, for the two-dimensional quantum Hall fluid, the time-reversal symmetry is broken due to an external magnetic field. Apart

from these, Fruchart et al. [2] mentioned several aspects where the odd viscosity can be seen. For example, “*polyatomic gases under magnetic field*,” “*magnetized plasma*,” “*gases under rotation*,” “*condensed matter: graphene, superfluids, etc.*,” “*active and driven soft matter*,” “*vortex matter*” etc. [2] They mentioned two classes of mechanisms as the origin of odd viscosity: (a) “*as a single-particle effect originating in individual particle’s dynamics between collisions*” and (b) “*as an effect of interactions between particles*” and discussed in detail. We refer to the study of Fruchart et al. [2] for a more detailed understanding.

Lapa and Hughes [3] studied the influence of fluids with odd viscosity on swimmers and found its striking effects on swimming strategies. Ganesan and Abanov in Ref. [4] demonstrated that the steady shape of the bubble depended on odd viscosity, in case it is considered. The odd or Hall viscosity appears in the fluid’s constitutive equation, which is composed of self-spinning objects, such as chiral grains or colloidal particles [5]. If we consider the thermal effects, then Kirkinis and Andreev [6] studied the influence of odd viscosity on thermocapillary instability. They found that the odd viscosity suppresses the waves induced due to thermocapillarity and stabilizes the flow. Bao and Jian [7] investigated the influence of odd viscosity when a thin liquid film flow under a normal electric

¹Corresponding author.

Contributed by the Fluids Engineering Division of ASME for publication in the *JOURNAL OF FLUIDS ENGINEERING*. Manuscript received October 14, 2022; final manuscript received April 5, 2023; published online June 5, 2023. Assoc. Editor: Matias Argente.

Role of odd viscosity on falling films over compliant substrates

Souradip Chattopadhyay ^{1,*} Akshay S. Desai,^{2,†}

Amar K. Gaonkar ^{2,‡} and Anandamoy Mukhopadhyay [§]

¹*Department of Mathematics, North Carolina State University, Raleigh, North Carolina 27695, USA*

²*Department of Mechanical, Materials and Aerospace Engineering, IIT Dharwad, Karanaka 580011, India*

³*Department of Mathematics, Vivekananda Mahavidyalaya (The University of Burdwan), West Bengal 713103, India*

 (Received 31 October 2022; accepted 9 May 2023; published 16 June 2023)

We study the behavior of a thin liquid film flowing over a compliant substrate that is thin enough. The breakdown of time-reversal symmetry includes the odd component of the Cauchy stress tensor, resulting in some significant effects that were not previously explored. We utilize the long-wave theory to obtain equations coupling the thickness of the film and the compliant substrate. These equations consider inertia, damping effects, wall tension, and odd viscosity. Through linear stability analysis, we establish that the compliant substrate destabilizes the system while odd viscosity significantly stabilizes. We also apply a weakly nonlinear approach to explore the system's dynamics. The coupled long-wave equations lead to the derivation of the Kuramoto-Sivashinsky equation. Notably, incorporating the odd viscosity tensor component can avert chaotic behavior in compliant substrates within the weakly nonlinear limit. Numerical simulations reveal that the odd viscosity produces remarkable effects on substrate deflection. Furthermore, we demonstrate the consistency of the linear and weakly nonlinear theories with numerical results by performing a numerical investigation of the coupled long-wave equations.

DOI: 10.1103/PhysRevFluids.8.064003

I. INTRODUCTION

Studying thin liquid film flow down an inclined plane is a fascinating research field with diverse industrial applications. These applications ranged from thin coating processes in various industries and lubricated pipelining to the manufacturing of photographic plates. A thin liquid sheet must be applied evenly onto the substrate in the coating process. It is essential to suppress surface waves for manufacturing products with a smooth and glossy texture like photographic membranes. Thus, a comprehensive theoretical understanding of the behavior of thin film flow is vital for the design and improvement of coating technology.

A considerable amount of research has been devoted to analyzing the stability and dynamics of thin film flows on a rigid substrate, resulting in an extensive body of literature. For a thorough review of this literature, Refs. [1–4] provides an excellent source. A compliant substrate, commonly made of thin and heat-resistant polymers like polyimide and polyethylene terephthalate (PET), is a readily deformable material. During deformation at any given time t , the substrate can be mathematically represented as $z = f(x(S, t), y(S, t))$, where x and y are functions of arc length S and time t and

*schatto5@ncsu.edu

†akshay.desai.20@iitdh.ac.in

‡amar.gaonkar@iitdh.ac.in

§Corresponding author: anandamoymukhopadhyay@vmbdn.ac.in



On the food chain model with prey refuge and fear effect

Nijamuddin Ali

Department of Mathematics, Vivekananda Mahavidyalaya, Purba Bardhaman-713103, West Bengal, India

(Communicated by Javad Damirchi)

Abstract

Of concern the present study deals with an updated food chain model in a natural environment with the inclusion of fear effect in the prey population through Holling type II functional response in presence of prey refuge effect. The present model is affluent with intra-specific competition among the hunter species having specific mortality. The model system emphasizes its characteristics in the proximity of the probable equilibrium position in the realm of biological dynamics. The response of the system is explored further for its stability analysis based on prerequisites and Hopf-bifurcation phenomena as well with respect to some significant model parameters. Extensive numerical simulation reveals the validity of the proposed model so as to indicate the ecological implications.

Keywords: (Food chain model, Fear effect, Intra-specific competition, Prey refuge, Coexistence state, Stability, Hopf-bifurcations)

2020 MSC: 34K18, 34K20, 37B25, 37G15

1 Introduction

Mathematical model formulations including prey-predator, food chain and other ecological models and their analyses have established a new trend of research in theoretical ecology (cf. [21], [23], [18], [22]). The predator-prey interaction mechanism plays an important role in the behaviour of the proposed model.

In the ecosystem, there are enormous numbers of species of different kinds, of which prey and predator species play crucial role in various types of interactions among the species in the system. Quite often the interaction between the prey and the predator becomes the center of attraction in an ecosystem [24], [35] for complete understanding their dynamical behavior. For this purpose, various mathematical models [16], [27] have been made use of so that the outcomes of the models depending on model parameters often yielded new dimension in the domain of research. With the evolution of mathematical models in ecosystem, Rosenzweig and MacArthur [31] developed a model by combining Lotka- Volterra modified model having logistic growth rate for prey with predation rate of predator by using Holling type II [15] in order to establish their findings closer to the real situation. Many more researchers [11], [14] put forward three-dimensional models and explored various changes with the motivation of looking at different domains of interest. Such modifications include many factors in the realm of the dynamics of the ecosystem like fear effect, prey harvesting, delay effect, intra-specific competition and hunting cooperation as well [25], [8], [9], [28], [32]. A nonautonomous predator-prey model with fear, prey refuge and additional food together has been studied in [36]. The influence of Allee [33] with defense mechanism in the dynamical complexity is however, nor ruled out from the investigation. Evolutionary process in nature has been studied to illustrate the diversity of living animals [6], [38].

Email address: nijamuddin.math@gmail.com (Nijamuddin Ali)



OPEN

Influence of Allee effect on the spatiotemporal behavior of a diffusive predator–prey model with Crowley–Martin type response function

Lakshmi Narayan Guin¹, Pallav Jyoti Pal², Jawaher Alzahrani³✉, Nijamuddin Ali⁴, Krishnendu Sarkar¹, Salih Djilali^{5,6}, Anwar Zeb⁷, Ilyas Khan⁸✉ & Sayed M Eldin⁹

The present paper is dealt with a predator–prey model in which the growth of the prey population is influenced by the Allee effect while the predator species are contended with the prey population following the Crowley–Martin type response function. The proposed model is comprehensively analyzed in terms of stability and manifestation of bifurcation of the system. The system unveils the bi-stability together with the existence of a separatrix. In view of the eminence of spatial ecology, the dynamical complexity emanating from the induction of the Allee effect in prey species of a Crowley–Martin reaction–diffusion predator–prey model is also investigated profoundly. The results of numerical simulations reveal that the present system dynamics is motivated by both the Allee effect and diffusion-controlled pattern formation growth to hot spots, stripe-hot spot mixtures, stripes, labyrinthine, stripe-cold spot mixtures, and cold spots replication. The theoretical consequences of the spatiotemporal model under study are validated through numerical simulations.

During the last couple of decades, the Allee effect, together with its immediate consequences on ecology and conservation of biomass has been drawing attention to the researchers^{1,2}. The Allee effect usually refers to a process that alleviates the growth rate for small population density². For example, the Allee effect in prey population is designated by the fact that the prey species possess a probability of localized extinction, causing the specialist predator to suffer from looking for resources thereby. This may result in saturation in consumption that goes against the assumption in the realm of ecological system^{3–6}. The concept of the Allee effect was widely accepted and gained momentum in major recognition towards the golden period of the late eighties of the 20th century^{7–11}. It has been reported that the induction of the Allee effect in the predator–prey interacting system leads to various dynamical complexities^{12–16} where the researchers highlighted mainly on the conditions for extinction and survival of the population. Diverse factors, including mating limitation, cooperative defense, combined feeding, and environmental conditioning, give rise to the growth of prey species influenced by the Allee effect. Of all these factors, the mating constraint¹⁷ seems to be the most pervasive one as it becomes difficult to locate the mating individuals at low density.

In the event of one, multi Allee effects exerting impact on a single population concomitantly, the situation may be expressed as single, double, or multiple Allee effects, respectively. It can be either multiplicative or additive. The most known increasing function that describes this effect is

¹Department of Mathematics, Visva-Bharati, Santiniketan, West Bengal 731235, India. ²Department of Mathematics, Krishna Chandra College, Hetampur, Birbhum, West Bengal 731124, India. ³Department of Mathematics, College of Education, Majmaah University, Al-Majmaah 11952, Saudi Arabia. ⁴Department of Mathematics, Vivekananda Mahavidyalaya, Purba Bardhaman, West Bengal 713103, India. ⁵Laboratoire d'Analyse Non Linéaire et Mathématiques Appliquées, University of Tlemcen, Tlemcen, Algeria. ⁶Department of Mathematics, Université Hassiba Benbouali de Chlef, 02000 Chlef, Algeria. ⁷Department of Mathematics, COMSATS University Islamabad, Abbottabad, Khyber Pakhtunkhwa 22060, Pakistan. ⁸Department of Mathematics, College of Science Al-Zulfi, Majmaah University, Al-Majmaah 11952, Saudi Arabia. ⁹Center of Research, Faculty of Engineering, Future University in Egypt, New Cairo 11835, Egypt. ✉email: j.alzahrani@mu.edu.sa; i.said@mu.edu.sa



Contents lists available at ScienceDirect

Materials Today: Proceedings

journal homepage: www.elsevier.com/locate/matpr

Circular-lattice microstructured optical fibers with near-zero ultra-flattened chromatic dispersion and high birefringence

Kajal Mondal*

Vivekananda Mahavidyalaya, Burdwan 713103, India

ARTICLE INFO

Article history:

Available online 11 July 2022

Keywords:

Microstructured Optical Fiber (MOF)
 Photonic Crystal Fiber (PCF)
 Flattened Dispersion
 High Birefringence
 Mode Effective Area
 Nonlinearity

ABSTRACT

In the present study, a dispersion flattened microstructured optical fiber (MOF) with extremely low dispersion value and high birefringence is proposed. The proposed MOF is composed by manipulating the number of air-holes, presents in different rings of a regular circular-lattice MOF. The dispersion and birefringence characteristics of the proposed MOF are numerically analyzed by applying finite difference field convergence approach. Moreover, the other light-guiding characteristics, e.g., fundamental mode-field pattern, effective refractive index, effective mode-field area and nonlinear characteristics of the fiber are explored as well. Numerical results show that flattened dispersion around 0 ± 1.3 ps/(nm.km) can be reached inside the spectral range 1120–2100 nm bounding a huge bandwidth of 980 nm. Numerical results also show that birefringence with the order of 10^{-4} can be obtained at 1550 nm.

Copyright © 2022 Elsevier Ltd. All rights reserved.

Selection and peer-review under responsibility of the scientific committee of the Condensed Matter Physics.

1. Introduction

Microstructured optical fibers or photonic crystal fibers (PCFs) are a special variety of optical fibers which offer significantly improved modal characteristics compared to conventional silica fibers [1]. Unlike the conventional fibers, MOFs are drawn by one material ingredient, generally un-doped silica, having a microstructured cladding that runs down their entire length around the silica core. The cladding microstructure is constructed by a periodic array of air-holes arranged in the form of varies lattice pattern. By manipulating the structural parameters of the lattice microstructure, it is possible to manage the guiding properties of these fibers [2]. The major properties, e.g., endlessly single-mode utility, controllable dispersion, ultrahigh birefringence, ultrahigh nonlinearity etc., are important in this regard. Conventional core-cladding telecommunication fibers possess large positive dispersion and hence impose restrictions in many practical applications. However, the advent of MOF has made remarkable progress in the field of dispersion management. In recent times, MOFs have become an excellent candidate for dispersion management in optical fibers [3,4].

Chromatic dispersion represents one of the most significant characteristics of an optical fiber that determines the information

carrying capability and bit rate of a fiber-optic communication system. Besides, fiber-dispersion plays an important task in many non-telecom applications too. Therefore, management of fiber dispersion is very crucial in practical utilizations. For many practical applications, optical fibers are intentionally designed with low dispersion value around a particular wavelength. Mostly, this low value of dispersion parameter is required to be accomplished over a broad spectral range in the vicinity of low loss region, i.e., around 1550 nm. Up till now, various dispersion tailoring procedures in MOF have been reported by which near-zero and flattened dispersion over a certain wavelength interval can be achieved [5–9]. For example, selectively decreased hole diameter [5], selectively liquid-filled air-holes [6,7], formation of a defect at the fiber core [8], modification of number of holes in different rings [9] etc. are the efficient ways to acquire such flattened dispersion property.

Besides dispersion, birefringence is another key aspect accomplished in several applications in optics and photonics where the electromagnetic wave is needed to sustain its polarization status. Highly birefringent fibers have been extensively employed to maintain polarization in many applications, particularly, in the field of fiber-optic sensors [10–11]. High birefringence in MOF can be introduced by destroying the circular symmetry of microstructured cladding by means of modifying geometry or positioning of the air holes [12–14]. Huge design flexibility in MOFs has offered a handy and dynamic platform to realize fibers having high

* Corresponding author.

E-mail address: kajalmondal@vmbdn.ac.in



Quantitative analysis of the magnetic properties of a mixture of single- and multi-domain Zn-substituted CuFe_2O_4 nanoparticles with canted spin

B. J. Sarkar^{1,*}  and A. Bandyopadhyay^{2,*}

¹Department of Physics, Vivekananda Mahavidyalaya, Burdwan, Purba Bardhaman, West Bengal 713103, India

²Department of Physics, University of Gour Banga, Mokdumpur, Malda, West Bengal 732103, India

Received: 28 April 2022

Accepted: 23 July 2022

Published online:


22 August 2022

© The Author(s), under exclusive licence to Springer Science+Business Media, LLC, part of Springer Nature 2022

ABSTRACT

Zn-substituted copper ferrite nanoparticles (NPs) with size distribution 7–13 nm have been synthesized by a combination of sonochemical and standard co-precipitation methods. The crystallite size, phase purity, as well as cationic distribution are obtained from the Rietveld analysis of X-ray diffraction pattern. The transmission band near 575 cm^{-1} in FTIR spectrum represents the intrinsic metal oxide stretching vibrations at tetrahedral lattice site. The Raman spectra not only confirm the metal–oxygen bonds in tetrahedral/octahedral lattice sites, but also the phase purity of the sample. Using the log-normal distribution of particle sizes as obtained in HRTEM analysis, ΔM vs. T curve [where ΔM corresponds to difference between field-cooled (FC) and zero field-cooled (ZFC) magnetization] are mathematically fitted and mean blocking temperature, anisotropy constant and average frequency of oscillation of SPM particles are obtained from fitted data. The minor deviation from the experimental curve and theoretical fitting suggests that our system is mostly composed of single-domain (Super-paramagnetic) particles but a fraction of multi-domain (Ferromagnetic) particles are also present, which also contribute to magnetic responses. The temperature dependence of the magneto-crystalline anisotropy constant is also derived using the “law of approach” (LA) to saturation. We have fitted all the hysteresis curves and contribution of each magnetic phase (SPM, FM and PM) is extracted quantitatively from fitting. The present work is aimed to explore the underlying physics of ferrite system consisting of multiple magnetic phases.

Address correspondence to E-mail: bhaskar.dbm@gmail.com; atulbandyopadhyay@yahoo.com



Determination of exchange integrals and effect of cationic site occupancy (8b/24d) on the structural and magnetic properties of nanocrystalline Mn-doped Gd₂O₃



A. Karmakar^a, H. Arora^b, M. Nath^c, S. Sutradhar^d, B.J. Sarkar^e, G. Mandal^f, A. Samanta^{b,g,*}
A. Bandyopadhyay^{a,**}

^a Department of Physics, University of Gour Banga, Mokdumpur, Malda, West Bengal 732103, India

^b Department of Physics, Indian Institute of Technology, Roorkee, Uttarakhand 247667, India

^c Department of Physics, Lovely Professional University, Phagwara 144411, Punjab, India

^d Department of Physics, Jadavpur University, Kolkata 700032, West Bengal, India

^e Department of Physics, Vivekananda Mahavidyalaya, Burdwan Purba Bardhaman, West Bengal 713103, India

^f Department of Metallurgical Engineering, Kazi Nazrul University, Asansol 713340, India

^g Centre of Nanotechnology, Indian Institute of Technology, Roorkee, Uttarakhand 247667, India

ARTICLE INFO

Article history:

Received 21 July 2022

Received in revised form 15 September 2022

Accepted 4 October 2022

Available online 5 October 2022

Keywords:

Nanocrystallines

Rietveld analysis

Magnetization

Susceptibility, Exchange Integral

ABSTRACT

Mn doped Gd_{2(1-x)Mn_{2x}O₃} (x = 0.03, 0.05) nanoparticles were prepared by simple co-precipitation method. The distribution of the cations in the six coordinated 8b and 24d sites were determined from Rietveld analysis. In addition, the cation-anion-cation bonds length which are responsible for the super-exchange interaction was extracted to describe the magnetic interaction in the samples. Transmission electron microscopy (TEM) and Raman spectroscopy were employed to investigate the microstructure and presence of any impurity (if any) phase of the samples. X-ray photoelectron spectroscopy (XPS) reveals the decrease in the number of Gd-O bonding and a corresponding increase in Mn-O bonding due to the successful replacement of Gd ions by Mn ions as the concentration increases. The first (nearest neighbor) and second exchange integral (next to nearest neighbor) were determined from molecular field model and the values confirm the occurrence of the antiferromagnetic interaction in the samples. The anomalies in the $\frac{1}{\chi}$ vs. T data and non-linearity in M-H curve at 5 K were successfully interpreted by the cationic distribution in different local symmetry sites.

© 2022 Elsevier B.V. All rights reserved.

1. Introduction



The field of dilute magnetic semiconductor/dielectric (DMS/DMD) is studied with many doped or undoped rare earth oxides. In this regard, recently gadolinium oxide (Gd₂O₃) has become one of the attractive compounds. Gadolinium (Gd) has a great affinity towards oxygen, thus forms oxides easily. It is one of the leading rare earth oxides having fascinating qualities like low toxicity, crystallographic stability at high temperature (up to 2325 °C), thermal and chemical stability, high mechanical strength, large spin-only

magnetic moment, high dielectric constant ($k \approx 18$) and wide optical band gap (5.4 eV) [1–5]. These outstanding properties make Gd₂O₃ an attractive candidate for its use in the field of bio-medical science viz., as contrast agent for improved imaging in magnetic resonance imaging (MRI) [6], drug delivery carriers [7], material for cryogenic magnetocaloric refrigeration [8] and in various fields of technology as sensors, catalysts, and in magnetic and optoelectronic devices [9]. At room temperature, Gd₂O₃ crystallizes in cubic bixbyite structure with space group $Im\bar{3}$ where the cations occupy octahedral positions 24d of coordinates (u, 0, $\frac{1}{4}$) with C₂ (two-fold rotational symmetry) point symmetry and 8b of coordinates ($\frac{1}{4}$, $\frac{1}{4}$, $\frac{1}{4}$) with point symmetry C_{3i} (three-fold rotational inversion symmetry). Oxygen is placed in general position 48e coordinates (x, y, z). Due to this special structure, dopant ions may replace host Gd³⁺ ions preferentially or randomly over two cationic sites (8b and 24d). In C_{3i} site, the two oxygen vacancies lie on one face diagonal while in C₂ site, the two oxygen vacancies lie on one body diagonal. Cations residing at these

* Corresponding author at: Department of Physics, Indian Institute of Technology, Roorkee, Uttarakhand 247667, India

** Corresponding author at: Department of Physics, University of Gour Banga, Mokdumpur, Malda, West Bengal 732103, India

E-mail addresses: arup.samanta@ph.iitr.ac.in (A. Samanta), atulbandyopadhyay@yahoo.com (A. Bandyopadhyay).



Microstructural investigation of sonochemically synthesized Zn substituted CuFe_2O_4 nanoparticles for heterogeneous green catalytic click chemistry and dye degradation

Bhaskar Jyoti Sarkar^a, Mousumi Kundu^b, Bibhas Mondal^b, Sunil Mukherjee^b, Atul Bandyopadhyay^c, Ujjal Kanti Roy^{b,*}

^a Department of Physics, Vivekananda Mahavidyalaya, Burdwan, Purba Bardhaman, W.B. 713103, India

^b Department of Chemistry, Kazi Nazrul University, Asansol, Paschim Bardhaman, W.B. 713340, India

^c Department of Physics, University of Gour Banga, Mokdumpur, Malda, W.B. 732103, India

ARTICLE INFO

Article history:

Received 13 August 2022

Revised 1 November 2022

Accepted 4 November 2022

Available online 8 November 2022

Keywords:

Chemical preparation

Ferrite

Optical properties

Magnetic properties

Catalytic properties

ABSTRACT

Heterogeneous green catalysis by means of magnetically separable nanometal–oxide catalysts is an attractive field of present day research. The microstructural characterization, optical and magnetic properties of sonochemically synthesized Zn substituted CuFe_2O_4 (CZF) nanoparticles (NPs) are investigated and compared with the unsubstituted CuFe_2O_4 . PXRD (powder X-ray diffraction) pattern and HRTEM (high-resolution transmission electron microscopy) observation with FTIR (Fourier transform infrared) spectroscopy are applied to analyze the microstructural and optical properties of nanosized (~ 14.7 nm) zinc substituted copper ferrite. Rietveld refinement of the PXRD pattern reveals the mixed spinel structure of zinc substituted copper ferrite NPs. Magnetic data confirms the presence of ferromagnetic/ferrimagnetic phase with some admixture of finer superparamagnetic (SPM) nanophases within the sample. The lack of saturation in the M-H loops is due to the presence of spin-canting as well as SPM NPs in the system. These coupled Zn substituted CuFe_2O_4 magnetic NPs are used as a heterogeneous catalyst for three-component Huisgen 1,3-dipolar CuAAC green catalytic click reactions in aqueous media and dye degradation. Its catalytic reactivity has been compared with CuFe_2O_4 NPs. By this synthesized magnetic catalytic CZF NPs, we have successfully coupled alkyl halides and boronic acids with terminal alkynes to obtain 1,4-disubstituted 1,2,3-triazoles in good to excellent yields within a short time. The Heterogeneity, reproducibility and reusability of the catalyst has been also tested successfully up to several cycles without significant decrease in the product yield. We have explored CZF NPs as magnetically separable heterogeneous green catalyst for multi-component click reaction. Our synthesized CZF NPs has been used as photocatalyst for the photo degradation of organic dyes under visible light irradiation. The results demonstrate that the unique features of the CZF NPs make it an excellent material for a click chemistry catalyst as well as a highly active photocatalyst under visible light irradiation.

© 2022 Elsevier B.V. All rights reserved.

1. Introduction

Heterogeneous green catalytic click chemistry is becoming an increasingly important field owing to some specific properties: a) green chemistry: the reaction proceeds in neat condition, only in presence of catalyst, b) ease of separation: the catalyst can be separated from the reaction mixture by simple filtration, c) click chemistry: click chemistry gives very high yield of desired products and maximum conversion [1]. Catalytic click chemistry involves highly efficient organic reactions of two or more chemical com-

ponents in a single step or consecutive steps to synthesize the desired product(s) under eco-benign conditions. The MOFs [2], metal NPs [3], metal-oxide NPs [4] etc. are some common heterogeneous catalysts employed in such click chemistry, but the practice of using magnetically separable spinel ferrites in this field is relatively infrequent [5]. On the other hand, Copper catalyzed azide–alkyne cycloaddition (CuAAC) is a prime example of “click chemistry” reaction having applications in organic synthesis, surface and polymer chemistry, medicinal chemistry, chemical biology and materials science. The CuAAC reaction transforms terminal alkynes and organic azides exclusively into 1,4-disubstituted 1,2,3-triazoles.

Nowadays, the nano-structured spinel ferrites have come out as powerful aspirant in the field of material science due to their ex-

* Corresponding author.

E-mail address: uroccu@gmail.com (U.K. Roy).

প্রসঙ্গ : মহাভারত

সম্পাদক

দীপশ্রী মণ্ডল



ভারত বিদ্যা চর্চা কেন্দ্র, বর্ধমান

২০২৩



प्रसङ्ग : महाभारत

(PRASANGA: MAHABHARATA)

Research Oriented Peer Reviewed Book

Edited by Dr. Deepashree Mondal

© भारत विद्या चर्चा केन्द्र, वर्धमान

प्रकाशकाल : मे, २०२३

प्रच्छद : प्रलय हालदार

पुस्तक विन्यास : बाण्णादित्य

ISBN : 978-81-956177-2-2

प्रकाशक : भारत विद्या चर्चा केन्द्र, वर्धमान,
पश्चिमवङ्ग, भारत

योगायोग : +91-94341 00250

www.bharatavidya.org.in

'प्रसङ्ग : महाभारत' शीर्षक सम्पादित पुस्तके प्रकाशित सकल प्रबन्ध प्रकाशक कर्तृक सर्वस्व संरक्षित। प्रकाशक वा सम्पादकेर अनुमति व्यतीत बहिर्को कोनो अंश पुनःमुद्रण करा निषिद्ध। प्रबन्धे मतमत संश्लिष्ट लेखकगणेर एवम् ए विषये उचित कोनोरूप वितर्केर जन्य प्रकाशक वा सम्पादक दायी থাকवे ना।

मुद्रक : प्यारालाल प्रेस, २८/३/सि उर्मिला
कमप्लेक्स (द्वितीया), ठाकुरपाड़ा रोड, जयनगर
मजिलपुर, दः २४ परगना पिन-९३३३३९
tenet.parallel@gmail.com

₹ ७५०

মহাভারতের রাজবধূরা : মর্যাদার প্রণে, স্বীকৃতির প্রণে নিলেশ মাজী	১৬১-১৬৯
মহাভারতে বিবাহ-সংস্কার ও বর্তমান সমাজ : পরিচয় তথা প্রাসঙ্গিকতা মৃত্যুঞ্জয় গরীই	১৭০-১৮২
মহাভারতকালীন বিবাহ ও স্মৃতিশাস্ত্রের অনুমোদন : একটি আলোচনা অভিজিত তিওয়ারি	১৮৩-১৯০
মহাভারতে পরকীয়া নীতা মহলি	১৯১-২০০
মহাভারতের আখ্যান-উপাখ্যানের প্রেক্ষিতে পরকীয়া কুম্পা নিয়োগী	২০১-২০৭
কর্তব্যবাদ : মহাভারতের শ্রীকৃষ্ণ ও দার্শনিক কাণ্ড অভিজিত মণ্ডল	২০৮-২১৮
মহাভারতে ন্যায় ও বৈশেষিক দর্শন প্রসঙ্গ : একটি সমীক্ষাত্মক আলোচনা স্বাগত বিশ্বাস	২১৯-২২৭
কুরুক্ষেত্রের পটভূমি ও প্রথম পার্শ্ব : ব্যাসদেব থেকে বুদ্ধদেব পোখরাজ চক্রবর্তী	২২৮-২৪৭
মহাভারতের আখ্যানের প্রেক্ষিতে নদীত্রয় : একটি সমীক্ষা সিরিজা খাতুন	২৪৮-২৫৫
মহাভারত ও পরিবেশ ভাবনা সন্দীপ চ্যাটার্জী	২৫৬-২৬৫
মহাভারতে উল্লিখিত বিভিন্ন বাদ্যযন্ত্রের ধারণা দেবেশ সরকার	২৬৬-২৬৯
বিষয়-সংক্ষেপ ও লেখক পরিচিতি	২৭০-২৮২

মহাভারতের আখ্যানের প্রেক্ষিতে নদীত্রয় : একটি সমীক্ষা সিরিজা খাতুন

“মহাভারতব্যাচ মহাভারতমুচ্যতে” (মহাভারত, আদিপর্ব, ১/২৩৫)- এই উক্তিটি যে বিশালায়তন গ্রন্থকে লক্ষ্য করে বলা হয়েছে, সেটি হল ‘মহাভারত’। দুটি আর্থ মহাকাব্যের মধ্যে অন্যতম ‘মহাভারত’ হল ভারতীয় সভ্যতা ও সংস্কৃতির এক পূর্ণাঙ্গ স্বচ্ছ দর্পণ। মহাভারতের আদিপর্বে বলা হয়েছে—

যথা সমুদ্রো ভগবান্ যথা মেরুর্মহাগিরিঃ।

উভৌ খ্যাতৌ রত্ননিধী তথা ভারতমুচ্যতে।। (ম., আদিপর্ব, ৫৭/৪৬)

‘মহাভারত’ মহাসমুদ্রের মতো অমিত রত্নের আকর, বিশাল, অনন্ত জ্ঞানের অমূল্য ভাণ্ডার। লক্ষ শ্লোকবিশিষ্ট মহাভারতে ভারতের ধর্ম, রাজনীতি, অর্থনীতি, সমাজব্যবস্থা, শিল্প-সংস্কৃতি প্রভৃতি এমন কোনও দিক নেই যা এই মহাকাব্যে স্থান পায়নি। এই মহাভারতেই অধ্যাত্মশাস্ত্রের শ্রেষ্ঠ নিদর্শন ‘শ্রীমদ্ভগবদ্গীতা’ স্থান পেয়েছে। জ্ঞান, কর্ম ও ভক্তির ত্রিবেণী সঙ্গমে মানুষ কীভাবে অবগাহন করে নিজেকে শুদ্ধ ও উন্নত করতে পারে তার অনুশাসনও ‘গীতা’র অন্তর্ভুক্ত। বৈশম্পায়ন তাই যথার্থই বলেছেন—

ধর্মে চার্থে চ কামে চ মোক্ষে চ ভরতর্ষভ।

যদিহাস্তি তদন্যত্র যনেহাস্তি ন কুত্রচিৎ।। (ম., আদিপর্ব, ৫৭/২৪)

এরই প্রতিধ্বনি শুনতে পাওয়া যায় বাংলা প্রবচনে- ‘যা নাই ভারতে, তা নাই ভারতে।’

মহাভারতে স্থান পেয়েছে মানবতার সুউচ্চ আদর্শ, মহৎ জীবনদর্শন এবং ধর্ম-অর্থ-কামের সমন্বয়তত্ত্ব। মহাভারতের আর এক নাম ‘ভারতসংহিতা’। ভরতবংশীয় কুরু ও পাণ্ডবগণের বিরোধ এই মহাকাব্যের মূল আখ্যান হলেও এর সঙ্গে যুক্ত হয়েছে অজস্র কাহিনী, উপাখ্যান, অগণিত উপদেশ এবং শতাধিক অনুশাসন। ঋষিকবি বেদব্যাস মহাভারতে অন্তর্ভুক্ত করেছেন ভারতবর্ষের সমস্ত জ্ঞান-বিজ্ঞান, ইতিহাস, পুরাণ, তত্ত্বকথা, নীতিমূলক উপদেশ ও অনুশাসন, কিংবদন্তী, উপাখ্যান, প্রবচন অর্থাৎ তৎকালে প্রচলিত যাবতীয় তত্ত্ব ও তথ্য। মহাভারতে বর্ণিত বিভিন্ন উপাখ্যানসমূহের মধ্যে বিশিষ্ট কয়েকটি নদীর উপাখ্যান বিশেষভাবে উল্লেখের দাবী করে। আলোচ্য নিবন্ধে তিনটি সুপ্রসিদ্ধ নদীর কোথাও নদীরূপতা, কোথাও দেবীরূপতা, কোথাও মাতুরূপতা আবার কোথাও বা সম্পূর্ণ ভিন্নধর্মী এক চরিত্র কীভাবে প্রকাশিত হয়েছে অর্থাৎ, তিনটি নদীর রূপগত এবং চরিত্রগত ভিন্নতা বিষয়ক আলোচনাই উক্ত নিবন্ধের আলোচ্য বিষয়। উক্ত নদীত্রয় যথাক্রমে- সরস্বতী, গঙ্গা ও অম্বা।

সরস্বতী:

ইতিহাসে এমন বহু বিষয়ের উল্লেখ রয়েছে, যাকে ঘিরে যুগে যুগে মানুষের মধ্যে দুর্নিবার কৌতূহল সৃষ্টি হয়েছে। যার প্রকৃত রহস্য উদ্ঘাটনে, যার অস্তিত্ব সন্ধানে মানুষ



Row–Column Designs with Minimum Non-orthogonality Indices

Madhura Mandal¹

Accepted: 17 October 2022

© The Indian Society for Probability and Statistics (ISPS) 2022

Abstract

Orthogonality is an important concept in design of experiments. In the block design context, when a design is not orthogonal, some measures of or indices to non-orthogonality and characterization of designs possessing minimum non-orthogonality indices are available in the literature. In this paper, for the row–column design set-up, similar indices to non-orthogonality have been proposed and designs possessing minimum non-orthogonality indices have been characterized.

Keywords Block design · Row–column design · Non-orthogonal design · Non-orthogonality index · Balanced incomplete block design · Balanced block design · Youden square design · Generalized Youden design

1 Introduction

Consider a row–column (R–C) design set-up with v treatments in a rectangular $k_1 \times k_2$ array with k_1 rows and k_2 columns and with no missing observations. Let \mathbf{y} be the vector of observations following the model:

$$\mathbf{y} = \mu \mathbf{1} + D_1 \boldsymbol{\beta} + D_2 \boldsymbol{\pi} + D_3 \boldsymbol{\tau} + \mathbf{e} \quad (1.1)$$

where (1) μ , $\boldsymbol{\beta}$, $\boldsymbol{\pi}$ and $\boldsymbol{\tau}$ stand respectively for the fixed mean effect, vectors of row, column and treatment effects; (2) \mathbf{e} is a vector of random errors, assumed to have null mean vector and dispersion matrix $\sigma^2 \mathbf{I}_n$, \mathbf{I}_n being an identity matrix of order $n = k_1 \times k_2$; (3) D_1 , D_2 and D_3 represent respectively the observation vs. row, column and treatment incidence matrices; (4) $\mathbf{1}$ is an $n \times 1$ vector with all elements unity.

We restrict to the class D of row–column (R–C) designs which ensures estimability of all contrasts belonging to treatment, row and column effects simultaneously.

✉ Madhura Mandal
mandal.madhura@gmail.com

¹ Vivekananda Mahavidyalaya, Burdwan, West Bengal 713103, India



Chemical characterization of n-alkane compounds in the leaves of *Holoptelea integrifolia* and its repellence against Japanese encephalitis vector

S. Singha^{*1,2} and G. Chandra²

¹Department of Zoology, Vivekananda Mahavidyalaya, Burdwan, West Bengal, India

²Microbiology and Nanotechnology Research Laboratory, Department of Zoology, The University of Burdwan, West Bengal, India.

Email: someshbio@gmail.com; goutamchandra63@yahoo.co.in

ABSTRACT: Epicuticular wax extract bearing n-alkane compounds were isolated from leaves of *Holoptelea integrifolia* and its chemical characterization was done by GC-MS analysis. Seven n-alkane compounds were isolated from epicuticular wax of *H. integrifolia*, which are Undecane [C₁₁H₂₄], Decane 5-methyl- [C₁₁H₂₄], Dodecane [C₁₂H₂₆], Undecane, 3,6-dimethyl- [C₁₂H₂₆], Hexadecane, 2,6,10,14-tetramethyl- [C₂₀H₄₂], Tridecane [C₁₃H₂₈], and Tetradecane [C₁₄H₃₀]. Different concentrations of crude extract as well as epicuticular wax extract bearing n-alkane each @ 2, 4 and 5 ppm cm⁻² applied on human hand surface for repellence against *Culex vishnui* (vectors of JE) and at different time of exposure, gave a maximum protection of 73.33 per cent in the case of crude extract, and 94.33 per cent with epicuticular wax extract, both at 5 ppm cm⁻², up to five hours of exposure. © 2022 Association for Advancement of Entomology

KEYWORDS: Indian Elm tree, epicuticular wax extract, repellent, *Culex vishnui* group

Mosquito at the time of blood feeding transmits extremely harmful pathogens from host to host causing malaria, yellow fever, dengue, zika, filariasis, and Japanese encephalitis (JE). Female mosquito uses blood meal as protein and vitamin source for egg development and blood proteins are used as building blocks for the synthesis of egg yolk proteins. The first major epidemic of JE in India was reported from Bankura and Burdwan districts of West Bengal in 1973 (Curic *et al.*, 2014), caused by the mosquito borne JE virus (Mahmud *et al.*, 2010). According to WHO (1981) more than 3 billion people of South-East Asia and Western Pacific regions are under the risk of JE transmission. Extracts of different parts of several plants have been reported earlier as mosquito repellent along with others

activities (Adhikari *et al.*, 2012; Rawani *et al.*, 2012; Adhikari and Chandra, 2014; Bhattacharya and Chandra, 2014; Halder *et al.*, 2014).

Epicuticular wax on the surface of plant leaves and other parts of the plant plays an important ecological role in interaction with insects as attractant or deterrent (Muller, 2006). *Holoptelea integrifolia* (Roxb.) belonging to the family Ulmaceae and commonly known as the Indian Elm tree, is found all over the Indian peninsula (Mahmud *et al.*, 2010). From ancient times, this tree was well known due to its medical importance. Traditionally different parts of this plant were used for the treatment of different diseases like inflammation, gastritis, dyspepsia, colic, intestinal worms, vomiting, wound

* Author for correspondence



সাহিত্য অঙ্গন

ISSN:2394 4889

Vol VIII, Issue : XVII

4th March 2023

প্রবহমান বাংলা সাহিত্য চর্চা

সাহিত্য অঙ্গন

(সাহিত্য অঙ্গন // Sahitya Angan)

ISSN : 2394 4889 Vol : VIII, Issue : XVII 4th March 2023

Website : www.sahityaangan.com

মুখ্য সম্পাদক

ড. জয়গোপাল মণ্ডল

কার্যকরী সম্পাদক

ড. প্রণবকুমার মাহাতো

ড. সৌম্যব্রত বন্দ্যোপাধ্যায়

উজ্জ্বল প্রামাণিক



ড. জয়গোপাল মণ্ডল

অভিষেক টাওয়ার, ৪র্থ তল, ফ্ল্যাট নং-২
কলাকুশমা, ডাক-কে. জি. আশ্রম, ধানবাদ-৩২৮১০৯

বাঁকুড়া জেলার কিংবদন্তি : সমীক্ষা ভিত্তিক পর্যালোচনা—সোনাই চ্যাটার্জী	৫২৬
'শুকতারা'র কবিতা ও ছড়ায় বাংলার বারো মাস : প্রসঙ্গ ফুল্লরার বারোমাস্যা —শুভঙ্কর ঘোড়াই	৫৩২
শিশু-কিশোর সাহিত্যের বিবর্তনের ধারায় প্রভাবতী দেবী সরস্বতীর রচনা —বিদিশা সরকার	৫৩৯
সত্যজিৎ-সাহিত্যে নিঙ্গ রাজনীতি : তত্ত্ব, বিতর্ক ও সুলুকসন্ধান—অর্করূপ গঙ্গোপাধ্যায়	৫৪৭
ভাষার আশ্চর্য ব্যবহার : নারায়ণ গঙ্গোপাধ্যায়ের কিশোর সাহিত্য—অনির্বাণ মান্না	৫৫৩
ভাষা শিক্ষায় বানানের গুরুত্ব : প্রেক্ষিত বাংলা ভাষা—ড. মৃদুল ঘোষ	৫৬০
বঙ্গদর্শন পত্রিকা ও বঙ্কিমের বিজ্ঞান সাধনা—স্বরূপ দে	৫৬৯
বিশ শতকের প্রেক্ষিতে ভারত-শিল্পচর্চার অভিমুখ ও প্রবাসী পত্রিকা—দেবজ্যোতি মণ্ডল	৫৭৮
বাংলাদেশে পত্র পত্রিকার পরিচয় ও সবুজ পত্র—রানা ভট্টাচার্য	৫৮৫
'বঙ্গদর্শন'-এ রবীন্দ্ররচনা—স্বরূপ দত্ত	৫৯৫
জীবনপথিক প্রাবন্ধিক বলেন্দ্রনাথ—ড. চিরঞ্জীব মুখার্জী	৬০৪
প্রাবন্ধিক কাজী নজরুল ইসলাম : একটি পর্যালোচনা—কারিমুল চৌধুরী	৬১২
বিশ শতকের দাদা চরিত্র ও বাঙালি কিশোরের স্বপ্নপূরণ—ড. মৌমিতা সরকার	৬১৫
'প্রাচীন সাহিত্য'-এ শকুন্তলা : রবীন্দ্রনাথ ঠাকুর—সঞ্জিতা সাঁতরা	৬২২
সাহিত্যের আড্ডা : আড্ডার সাহিত্য —সৌম্যব্রত বন্দ্যোপাধ্যায়	৬২৮

AMITAV GHOSH : ISSUES OF CULTURAL IDENTITY FROM
POSTCOLONIAL PERSPECTIVE —Rana Gorai

৬৩৬

JHUMUR : CORONA AND THE MARGINAL PEOPLE—Sandip Tikait

৬৪১

প্রাবন্ধিক কাজী নজরুল ইসলাম : একটি পর্যালোচনা
কারিমুল চৌধুরী

“আমি হিন্দু মুসলমানের মিলনে পরিপূর্ণ বিশ্বাসী। তাই তাদের এ সংস্কারে আঘাত হানার জন্যই মুসলমানি শব্দ ব্যবহার করি, বা হিন্দু দেব-দেবীর নাম নিই।”

ঔপনিবেশিক ভারতবর্ষে সাম্প্রদায়িকতার বিষবাস্পে বহু-বিভক্ত সমাজে জন্মগ্রহণ করেও নজরুল ইসলাম ছিলেন বাংলা সাহিত্যের একজন অসম্প্রদায়িক লেখক। তিনি উপলব্ধি করেছিলেন ভারতবর্ষের প্রকৃত মুক্তি ও মানবতার বিকাশের জন্য প্রয়োজন সাম্প্রদায়িকতার বিলোপ এবং হিন্দু ও মুসলমানের প্রকৃত মিলন। তাই জীবনের শেষ দিন পর্যন্ত তিনি তাঁর রচনায় সাম্প্রদায়িকতার বিরুদ্ধে জেহাদ ঘোষণা করেছেন, গেয়েছেন হিন্দু-মুসলমানের মিলনের জয়গান।

হিন্দু ও মুসলমান — এই দুই জাতির মিলনের ভাবনা যেমন তাঁর কবিতা, গান প্রভৃতি রচনায় উঠে এসেছে তেমনি তাঁর প্রবন্ধেও এই ধারণাটি আরও বেশি স্পষ্ট ও জোরালো হয়েছে। যে সমস্ত প্রবন্ধে তিনি হিন্দু-মুসলমান সমস্যা ও মিলনকে উপজীব্য করেছেন সেগুলির মধ্যে উল্লেখযোগ্য হল—‘যুগবাণী’ গ্রন্থের ‘নবযুগ’, ‘ডায়ারের স্মৃতিস্তম্ভ’, ‘লোকমান্য তিলকের মৃত্যুতে বেদনাতুর কলিকাতার দৃশ্য’, ‘ছুৎমার্গ’ এবং ‘রুদ্রমঙ্গল’ গ্রন্থের ‘আমার পথ’, ‘মন্দির-মসজিদ’, ‘হিন্দু-মুসলমান’ প্রভৃতি।

‘যুগবাণী’ প্রবন্ধ গ্রন্থের প্রথম আত্মপ্রকাশ ১৩২৯ বঙ্গাব্দের কার্তিক মাসে (অক্টোবর ১৯২২)। এই গ্রন্থের প্রথম প্রবন্ধে নজরুল বিশ্বভ্রাতৃত্বের আহ্বান জানিয়েছেন —

“এসো ভাই হিন্দু! এসো মুসলমান! এসো বৌদ্ধ! এসো খ্রিস্টিয়ান! আজ আমরা সব গণ্ডি কাটাইয়া, সব সংকীর্ণতা, সব মিথ্যা, সব স্বার্থ চিরতরে পরিহার করিয়া প্রাণ ভরিয়া ভাইকে ভাই বলিয়া ডাকি। আজ আমরা আর কলহ করিব না। চাহিয়া দেখো, পাশে তোমাদের মহা শয়নে শায়িত ওই ভ্রাতৃগণের শব। ওই গোরস্থান — ওই শ্মশানভূমিতে — শোনো শোনো তাহাদের তরুণ আত্মার অতৃপ্ত ক্রন্দন। এ পবিত্র স্থানে আজ স্বার্থের দ্বন্দ্ব মিটাইয়া দাও ভাই। ওই শহীদ ভাইদের মুখ মনে করো, আর গভীর বেদনায় মূক স্তব্ধ হইয়া যাও! মনে করো, তোমাকে মুক্তি দিতেই সে এমন করিয়া অসময়ে বিদায় লইয়াছে। উহার সে ত্যাগের অপমান করিয়ো না! ভুলিয়ো না! আজ আর কলহ নয়, আজ তোমাদের ভাইয়ে-ভাইয়ে বোনে-বোনে মায়ের কাছে অনুযোগের আর অভিযোগের এই মধুর কলহ হইবে যে, কে মায়ের কোলে চড়িবে আর কে মায়ের কাঁধে উঠিবে।”

শাস্ত্র ভারতের এই যে মানবতাবাদী বাণী, তা নজরুল ইসলাম চেতনায় ধারণ করেছিলেন তাঁর অবচেতনেই। তাছাড়া শৈশব থেকেই তিনি প্রত্যক্ষ করেছেন, ভারতবর্ষে হিন্দু ও মুসলমান — এই দুটি পৃথক ধর্ম ও জনগোষ্ঠী বহুমানকাল ধরে একই জল ও বায়ুতে পরিপুষ্ট লাভকারী, একই সাংস্কৃতিক আবহে স্থিত, মাঠে-ঘাটে-হাটে একে অপরের সহযাত্রী ও সমব্যথী। দেশের প্রকৃত উন্নতি উভয়জাতির সম্মিলিত প্রচেষ্টার উপর নির্ভরশীল করে বলে তিনি মনে করেন।

শত শত বৎসর ধরে হিন্দু ও মুসলমান পাশাপাশি বসবাস করছে। তবে একই বোধ এবং



“The Rule of Father”: A Study of Father-Daughter Relationship in Select Poems of Indian Poetry in English

Dr. Santanu Saha

Received: 18 Jul 2022; Received in revised form: 10 Aug 2022; Accepted: 15 Aug 2022; Available online: 21 Aug 2022

©2022 The Author(s). Published by Infogain Publication. This is an open access article under the CC BY license

(<https://creativecommons.org/licenses/by/4.0/>).

Abstract— *Indian Poetry in English by women writers has been giving birth to several issues related to feminism. These poets are trying to express their long-suppressed voice through these issues. However, in most cases they are posting their fight against patriarchy. Patriarchy, as a male dominated social system, always seems hostile to the liberation of women by suppressing their identity. Modern women poets are successful in disturbing this traditional mindset. My paper will try to focus on another perspective of this issue where ‘father’ is supposed to be the agent of patriarchal domination. I’ve tried to analyze some poems by Indian women poets in English who have incorporated ‘father’ as a character in their poems in order to expose male domination. And it is not surprising to notice that several women poets are linked by the same issue as they are a part of same social system.*

Keywords— *poems, Indian poetry, women writers.*

Indian Poetry in English by women writers acquires a significant role in the area of Indian Writing in English in particular and World Literature in general. Especially modern women poets writing in the lineage of Kamala Das (1934-2009) are distinctively different from earlier poets like Toru Dutt (1856-77) and Sarojini Naidu (1879-1949). Women writing about their own lives are supposed to be a unique one and it becomes more interesting when they start expressing their personal lives in an uninhibited way. Though Kamala Das seems to be pioneer confessional poet like her American counter-parts i.e. Sylvia Plath and Anne Sexton, her fellow Indian women poets in English are also confessional in their own way. And that particular aspect changed the contemporary scenario of Indian English Literature. In the case of women poets, so many social issues are incorporated into their writings. They start to deal with feminist perspectives. Especially it is Kamala Das whose works provide a voice to those women who are kept submissive and subdued in our traditional male dominated system. The meek and suppressed condition of women is exploited. The issues which are long considered to be a matter of taboo are given importance in their writings. So the issues like abused childhood, early marriage, childbearing, mental

disorder, traumatic situations, schizophrenia etc appear in their works. The mere romantic or Nationalistic theme in the poetry of Toru Dutt or Sarojini Naidu becomes less important in the hands of these poets. They start believing in the ‘personal’ issues. Iyenger, while introducing Kamala Das in the chapter entitled “The New Poets” in his pioneering *Indian Writing in English* points out the difference, “ There is no doubt Kamala Das is a new phenomenon in Indo-Anglican poetry – a far cry indeed from Toru Dutt or even Sarojini Naidu” (680). So the departure from the traditional way of writing is easily discernible and the contemporaries of Das and her successors as well start mentioning such issues which are not generally reflected in the writing of male poets.

No writer can prosper in his or her works without paying proper attention to his/her tradition. So these poets do the same but simultaneously they turned the tradition upside down to show what lies beneath the so called conventional social system. It is the hierarchy, which treats male over female, gets into danger in their hands. Sanjukta Das in her *From Derozio to Dattani*, while analyzing the characteristics of Modern Indian English poetry, points out that there is a significant subject matter that is prevalent in this segment of Indian English Poetry. The poets are

Kamala Das's Poetry: An Instrument to Counter Gender Based Violence in a Patriarchal Society

Dr Santanu Saha, Assistant Professor of English, Vivekananda Mahavidyalaya, East Burdwan Po - Sripally, Dist- East Burdwan, PIN-713103 (WB)

Article Received: 09/08/2022, Article Accepted: 29/08/2022, Published online: 01/09/2022, DOI:10.36993/RJOE.2022.7.3.33

Abstract

We are well acquainted with Kamala Das (1934-2009) as an Indian Writer of English. In her literary works, specifically in her poems, she has raised her voice to protest various forms of male domination over women, of which she was a victim, too. And not only in poems but literally in every possible literary genre, she has posted her protesting nature to counter the practice of domestic violence in our society. In postcolonial India, she is perhaps the first woman writer in Indian Writing in English to have a feminine outlook. And this is the lesser-known fact that she also contested the assembly election in 1984. Though she lost this election, this is noteworthy that she stepped out of her comfort zone as a writer. Physically she reached out to her voters and let them know that her sole aim in fighting that election was to educate women and provide shelter for homeless women. In my paper, I will endeavor to locate Das's above-quoted voice in her works with particular reference to her poems and to analyze her way of addressing general woman's trauma in the light of her personal experience.

Keywords: Gender-Based Violence, Feminism, Indian Writing In English, Confessional Poems.

In the second chapter, titled "The Park Street Home," of her famous autobiography "My Story," Kamala Das gives a vivid description of her mother, Balamani Amma (1909-2004), a celebrated poet of Kerala. In this description, she makes it clear that her mother's married life was not a comfortable one. Das's father, a stern follower of Mahatma Gandhi, didn't allow his newlywed wife to wear "... anything but Khaddar and preferable white or off-white" (11). And after the wedding, Das's mother was forced to remove "... all the gold ornaments from her person, all except the 'mangal sutra'" (11). And not only was she scared of this new man in her life, but some other male members of her own family were also acting in the same manner. At that time, Das's family from her mother's side was a matrilineal one; the newlywed bride had to succumb to her husband's patriarchal domination. And the result was obvious, "My mother did not fall in love with my father. They were dissimilar and mismatched" (11). This episode could begin another familiar story of domestic violence. But Das's mother rather chose to remain silent for the time being. Das continues, "But my mother's timidity helped to create an illusion of domestic harmony which satisfied the relatives and friends" (11). However, she

The Healing Power of Poetry: A Study of Rupi Kaur's Instagram Poems

Dr.Santanu Saha, Assistant Professor of English, Vivekananda Mahavidyalaya, East Burdwan
P.O. - Sripally, Dist- East Burdwan, Pin-713103 (W.B.)

Article Received: 1/8/2022,

Article Accepted: 08/09/2022,

Published online: 10/09/2022,

DOI:10.47311/IJOES.2022.4.9.05

Abstract

In this age, when the news of mental breakdowns and suicidal tendencies are common issues to find in daily newspapers and not only in newspapers but also in social media, especially in virtual media, people commit suicide by keeping their Facebook, or other media accounts live. It is the act of writing poems that help to roll back from depressing and degenerating mental health. Lyrics have always appeared to us as having therapeutic values. It releases pent-up feelings and makes our battered souls relieved. In my paper, I will endeavor to show the present-day use of "Instagram Poems" by Rupi Kaur has the same healing effect on the youth engaged in the regular use of social media.

Keywords: Instagram Poems. Confessional Poems. Social media Studies. Indian Writing in English

A section of readers is already exposed to the continuously scrolling habit of social sites. Over-exposure to these sites makes their mental state tumbling. A daily habit of surfing the internet forces them to engage themselves for a long time in the snare of the World Wide Web. The Problem lies there. The innocent users of the web in general and social networking sites, in particular, are unaware that they almost sell their souls to the Mephistopheles- like-world- of- data. As if in the process of purchasing goods from the online market, they become the commodity in the hands of the invisible controller of the web world. And this is true that we have already been purchased by them and controlled by A.I. run world of gadgets.

However, each and everything has a brighter side, too. When new age generation users of social sites are becoming frantically addicted to the relentless use of the internet, sparse use of positive sides can also be noticed. And the practice of writing poems and posting them on the pages of Instagram, like photo-sharing social networking sites, appears as a pause. However, writing poetry and using Instagram for sharing are two conflicting ideas.



সাহিত্য অঙ্গন

ISSN: 2394 4889

Vol. VIII, Issue : XVII

4th March 2023

সাহিত্য অঙ্গন

(সাহিত্য অঙ্গন // Sahitya Angan)

ISSN : 2394 4889 Vol : VIII, Issue : XVII 4th March 2023

Website : www.sahityaangan.com

মুখ্য সম্পাদক

ড. জয়গোপাল মণ্ডল

কার্যকরী সম্পাদক

ড. প্রণবকুমার মাহাতো

ড. সৌম্যব্রত বন্দ্যোপাধ্যায়

উজ্জ্বল প্রামাণিক



ড. জয়গোপাল মণ্ডল

অভিষেক টাওয়ার, ৪র্থ তল, ফ্ল্যাট নং-২

কলাকুশমা, ডাক-কে. জি. আশ্রম, খানবাদ-৩২৮১০৯

শক্তি চট্টোপাধ্যায়ের কবিতা : মহাভারত অনুসঙ্গ —সোমা মুখার্জি	১৮১
নব্বই দশক পরবর্তী মহিলা কবিতায় অন্য ব্যয়ান—ড. শান্তনু সাত্তা	১৮৫
বন্দে আত্মী মিয়াব গান : একটি পর্যালোচনা—নাফিসা ইয়াসমিন	১৮৭
পূরণ-প্রতিমাকে সমকালীন তাৎপর্যে অবতারণা : প্রসঙ্গ গণেশ বসুর কবিতা —নিখিলচন্দ্র মাহাতো	১৮৭
পঞ্চাশ দশকের বাংলা কবিতায় ছিন্নমূল মানুষের ইতিকথা—গাফফার আনসারী	১৮৭
শঙ্ক ঘোষের নির্বাচিত কবিতায় জীবনদৃষ্টির বৈচিত্র্যময় ভাবরূপ অন্বেষণ—সুবর্ণা সেন	১৮৭
শিকড়ের সম্মানে : নির্মল হালদারের 'গরাম থান'—প্রণবকুমার মাহাতো	১৮৯
বাংলা কাব্যে 'কর্ণ' চরিত্র : বিনির্মাণ ও পুনর্নির্মাণ—স্বপ্ননীল সরকার	১৯১
লোককবি ভবতোষ শতপথীর জীবন-দর্শন ও কাব্য-যাপন—ড. মহঃ খুর্শিদ আলম	১৯১
শংকর : জনপ্রিয় অথচ অনালোচিত ঔপন্যাসিক —উজ্জ্বল মণ্ডল	২৪৭
নিম্নবর্গের ছন্দ ও সংঘাতময় জীবন : রবীন্দ্রনাথের গোরা—কনিকা সরকার	২৪৯
সমরেশ বসুর 'প্রজাপতি' ও অস্তিত্ব ভাবনা—পান্নালাল কর্মকার	২৫৩
আলক্যাপের ধূসর গোধূলি : মায়ামুদঙ্গ উপন্যাস—প্রকাশচন্দ্র মন্ডল	২৬৫
'এখনই'র টানা পোড়েনে বিভ্রান্ত যুবসমাজ : রমাপদ চৌধুরীর দ্বিতীয় পর্বের উপন্যাসে 'সে যেখানে দাঁড়িয়ে'— শুভঙ্কর ভট্টাচার্য	২৭১
মৃত্যুর রূপ ও স্বরূপ এবং বিমল করের উপন্যাস—শুভাশিস দাস	২৮২
কবিতা সিংহের 'নায়িকা-প্রতিনায়িকা' এবং অনিতা অগ্নিহোত্রীর 'কান্তে' উপন্যাসে নারী স্বাভাবিক ভিন্ন স্বর—মিঠু রায়	২৮৮
তারাকঙ্কর বন্দ্যোপাধ্যায়ের 'অরণ্যবহি'ও বুদ্ধদেব ওহ-র 'লবঙ্গীর জঙ্গলে' উপন্যাসে অরণ্য চেতনার বৈচিত্র্যময় রূপ—শুভেন্দু রায়	২৯৫
বিমল মিত্রের 'ভগবান কাঁদছে' উপন্যাসে শিক্ষা, দেশপ্রেম ও মূল্যবোধের বিবর্তন —প্রশান্ত কুম্ভকার	৩০২
নবাক্কর : লেখিকার আত্ম-অন্বেষণের শিল্পরূপ—ড. মানস আচার্য	৩০৮
'দশমী দিবসে' : বিসর্জনের কথা ও কাহিনি—শ্রাবস্তী মজুমদার	৩১৪
অবহেলিতের শিল্পসাধনা : সৈকত রক্ষিতের 'মদনভেরি' উপন্যাস —জয়সুকুমার মণ্ডল	৩২১
'সীতায়ন' উপন্যাসে নারী : পরিসর ও চরিত্র পর্যালোচনা—ত্রিসপ্ত প্রদীপ	৩২৮
নলিনী বেরার 'সুবর্ণরেণু সুবর্ণরেখা' : অস্বাভাবিক মানুষের অকৃত্রিম জীবনগাঁথা —লুৎফান নেছা	৩৩২
নারীকে আপন ভাগ্য জয় করিবার, কেন নাহি দেবে অধিকার : বঙ্কিমচন্দ্রের শৈবলিনী —ড. শান্তী সিন্হাবাবু	৩৪২

নব্বই দশক পরবর্তী মহিলা কবিতায় অন্য বয়ান

ড. শান্তনু সাহা

আধুনিক বাংলা কবিতার গুরুত্বপূর্ণ কবি মল্লিকা সেনগুপ্ত (১৯৬০-২০১১) তার 'মধুর কবিতার বিরুদ্ধে' প্রবন্ধ টিতে প্রেমের কবিতাকে একটি প্রতিষ্ঠান হিসেবে দেখেছেন। প্রেমের কবিতার ধারণা এত বেশি চর্চিত ও জনপ্রিয় যে এই নির্দিষ্ট বিষয় ভিত্তিক লেখা দিয়ে পাঠকের খুব কাছে পৌঁছানো যায়। এই 'মধুর' কবিতাগুলো, যেগুলো পাঠক খুব সহজেই গ্রহণ করতে পারে কারণ এই ধরণের লেখাগুলো প্রথাগত ধারণার বিপ্রতীপে গিয়ে কথা বলে না। সামাজিক নীতি নৈতিকতার বাধ্য ধারণার বশবর্তী হয়ে ক্রমাগত লেখা হতে থাকে আর এক শ্রেণীর পাঠকের কাছে গ্রহণযোগ্য হয়ে ওঠে। সাধারণতঃ কবিতার বিষয় হিসেবে প্রেম ভালোবাসা ইত্যাদি গতানুগতিকভাবে উপস্থিত লেখালেখির ভিতর। তাদের উপস্থাপনার ধরণগুলিও অনেকটা একই রকম যা খুব স্বাভাবিক ভাবেই সর্বজনের ভালোলাগার বিষয়। যাকে লেখিকা 'জনমনোরঞ্জন'-এর বিষয় বলে উল্লেখ করেছেন। তার মনে হয়েছে লেখালেখির শুরুর সময়ে একজন কবির কলমে প্রেমের ব্যর্থতা, বিরহ, আবেগ ইত্যাদি বিষয় হিসেবে উঠে আসতেই পারে। যা সাধারণ মানুষের মন ছুঁয়েও যায়। কিন্তু যখন ক্রমাগত লেখালেখির পরেও কবিতাগুলো একই বিষয়ের চারিদিকে ঘোরাঘুরি করে তখন স্বাভাবিক ভাবেই সেখানে বিষয়ের বৈচিত্র্য কমে যায়, বিভিন্নতা নষ্ট হয়। মনে হয় তারা যেন একই কানাগুলির ভিতর ঘোরাঘুরি করে। তার মনে হয়, "কিন্তু কবিতা তো লোক রঞ্জন অপেরা নয়, বরং কবিতাই হল সমাজের বিবেক, সেই সমাজের সেখানে প্রেম আছে, ধর্ষণও আছে; মধুর আছে কর্কশও আছে। সবচেয়ে বেশি আছে অপ্রেম, বিদ্বেষ, ঘৃণা ও দারিদ্র। সমাজের এই পুরো ছবিটা তুলে ধরাই কবিতার কাজ"।

যথার্থই অনুধাবন করেছেন তিনি। আমার লেখার ভিতরও আমি এই বিষয়টিকে আরও একটু গভীরে গিয়ে বিশ্লেষণ করতে চাই। এবং তার জন্য যে সময়কালটাকে আমি বেছে নিয়েছি তার পেছনে কোনো গুঢ় উদ্দেশ্য নেই। সাহিত্য সৃষ্টির ধারার কোনো নির্দিষ্ট সময়কাল হয় না। আমিও নব্বইদশক পরবর্তী সময়কালকে বেছে নিয়েছি মানে এই নয় যে তার আগের দশকগুলো ধরে আলোচনা করা যেত না। আসলে আমি দেখতে চেয়েছি যে এই গোত্রের রচনার সংখ্যার বিস্তৃতি লাভ করেছে এই দশকের পরবর্তী সময়ে। পূর্বের তুলনায় কবির সংখ্যা বেড়েছে, বেড়েছে বিষয়ের বৈচিত্র্য। প্রেম-ভালোবাসার আধুনিকায়ন, ক্রিশে হয়ে যাওয়া শব্দ, ইমেজ -এর বাইরে বেরিয়ে আসা আর "পাঁজরে দাঁড়ের শব্দ" নিয়ে লেখালেখির যা মস্তানি রবীন্দ্র-পরবর্তী সময়ে লক্ষ্য করা যায়, একই সময়ে মহিলা কবিদের ভিতর, হাতে গোনা কয়েকজন কে বাদ দিয়ে ঐ ধারা সেভাবে পরিলক্ষিত হয়

ISSN : 2582-3841 (O)
2348-487X (P)

এবং প্রান্তিক Ebong Prantik

বর্ষ ১০, সংখ্যা ২২, জানুয়ারি, ২০২৩

পুরুষার্থ রূপে মোক্ষ : একটি আলোচনা

সত্যম রায়

গবেষক, দর্শন বিভাগ, বর্ধমান বিশ্ববিদ্যালয়, বর্ধমান ও
স্টেট এডেড কলেজ টিচার, বিবেকানন্দ মহাবিদ্যালয়, বর্ধমান

সারসংক্ষেপ: অধিকাংশ ভারতীয় দার্শনিক সম্প্রদায় 'মোক্ষ'কে পরম পুরুষার্থ রূপে স্বীকার করেছে; যদিও মোক্ষের স্বরূপ সম্পর্কে বিভিন্ন দার্শনিক সম্প্রদায়ের মধ্যে মতপার্থক্য পরিলক্ষিত হয়। কোন কোন ভারতীয় দার্শনিক সম্প্রদায় মোক্ষের আধ্যাত্মিক ব্যাখ্যাকে প্রাধান্য দিয়েছেন, আবার কোন কোন ভারতীয় দার্শনিক সম্প্রদায় মোক্ষের নৈতিক ব্যাখ্যাকে প্রাধান্য দিয়েছেন, আবার কোন কোন ক্ষেত্রে সামাজিক ব্যাখ্যাও প্রাধান্য পেয়েছে। সাধারণভাবে আস্তিক সম্প্রদায়গুলি মোক্ষকে আধ্যাত্মিক দৃষ্টিকোণ থেকে ব্যাখ্যা করেন। কেননা এদের মতে, মোক্ষ হল আত্মজ্ঞান অর্থাৎ আত্মার স্বরূপকে জানা, যার মধ্যে দিয়ে আত্মা যে স্বরূপত মুক্ত তা জানা যায়। আবার বৌদ্ধ ও জৈন নাস্তিক সম্প্রদায় নৈতিক দৃষ্টিকোণ থেকে মোক্ষকে ব্যাখ্যা করেন। এদের মতে, মোক্ষ হল দুঃখ থেকে নিবৃত্তি এবং এই মোক্ষ লাভ সম্ভব হয়, জীবনে কিছু নীতি, দৃঢ় সংকল্প ও সাধনার মাধ্যমে; এই প্রসঙ্গে বৌদ্ধ দর্শনে অষ্টাঙ্গিক মার্গ ও জৈন দর্শনে ত্রিরত্ন এর উল্লেখ পাওয়া যায়। এই প্রবন্ধটিতে ভারতীয় নীতিশাস্ত্রে পুরুষার্থ রূপে মোক্ষের স্বরূপ ও ভূমিকার উপর আলোকপাত করা হয়েছে। আমাদের জীবনে এই পরম পুরুষার্থের গুরুত্ব কতখানি তা বিশ্লেষণ করা হয়েছে।

সূচক শব্দ (Keywords): মোক্ষ, পুরুষার্থ, আত্মজ্ঞান, ত্রিরত্ন, আস্তিক, আত্মা

মূল আলোচনা:

পুরুষার্থ: ভারতীয় দর্শনে মানবজীবনের একাধিক লক্ষ্য বা উদ্দেশ্যের কথা বলা হয়েছে, যাদের একত্রে বলা হয় পুরুষার্থ অর্থাৎ পুরুষার্থ বলতে বোঝায় পুরুষের বা মানুষের প্রয়োজন সাধক বস্তু বা কাম্যবস্তু। মীমাংসাসূত্রে পুরুষার্থের লক্ষণ প্রসঙ্গে বলা হয়েছে- 'যস্মিন্ প্রীতিঃ পুরুষস্য তস্য লিঙ্গার্থলক্ষণম্'¹ অর্থাৎ যেখানে বা যে বিষয়ে মানুষের প্রীতি নিহিত থাকে তার কামনাই পুরুষার্থ। আবার অন্য একটি লক্ষণে বলা হয় - 'যেন প্রযুক্তঃ পুরুষঃ প্রবর্ততে, স পুরুষার্থ' অর্থাৎ যার দ্বারা প্রযুক্ত হয়ে পুরুষ তা সাধনের চেষ্টা করে তাই পুরুষার্থ।² আবার সংস্কৃতে 'পুরুষার্থঃ' পদটির কয়েকরকম ব্যুৎপত্তি হতে পারে যেমন- 'পুরুষানাম্ অর্থঃ পুরুষার্থঃ' অথবা 'পুরুষৈঃ অর্থ্যতে ইতি পুরুষার্থঃ'

¹ মীমাংসাসূত্র - ৪/১/২।

² চার্বাক দর্শনম, শ্রী পঞ্চানন শাস্ত্রী, পৃ. ১৬।



Pratidhwani the Echo

A Peer-Reviewed International Journal of Humanities & Social Science

ISSN: 2278-5264 (Online) 2321-9319 (Print)

Impact Factor: 6.28 (Index Copernicus International)

Volume-XI, Issue-III, April 2023, Page No.104-110

Published by Dept. of Bengali, Karimganj College, Karimganj, Assam, India

Website: <http://www.thecho.in>

Puruṣārtha: The way of life

Satyam Roy

Research Scholar, Department of Philosophy, the University of Burdwan, Burdwan, West Bengal, India

&

State Aided College Teacher, Vivekananda Mahavidyalaya, Burdwan, West Bengal, India

Abstract:

The doctrine of 'Puruṣārtha' has played an important role in Indian philosophy. The term 'Puruṣārtha' literally means the end or goal to be aimed at or desired by man or 'Puruṣārtha' literally signifies 'what is sought by man.' So that it may be taken as equivalent to a human end or purpose. It may also be taken to mean the end or goal that is actually aimed at or desired by men. Human life is meaningless without any purpose, all human needs to have a purpose in life towards which our actions can be directed. The theory of Puruṣārtha determines the values according to which human actions are to be performed or avoided. According to Indian ethical thought, the Puruṣārthas are four viz., Dharma (duty), Artha (wealth/prosperity), Kāma (pleasure) and Mokṣa (liberation).

Keywords: Puruṣārtha, Dharma, Artha, Kāma, Mokṣa, Ethics

Introduction: Puruṣārtha is a composite Sanskrit word from 'Puruṣa' and 'Artha'. 'Puruṣa' means person or human being and 'Artha' means aim or end or purpose or object of desire. So, the word 'Puruṣārtha' means the aim or purpose of life / object of human pursuit. The theory of Puruṣārtha determines the values according to which human actions are to be performed or avoided. What is mean by the word 'Puruṣārtha'? It is translated by M. Hiriyanna as a human value consciously pursued an object of desire.¹ Literally speaking, Puruṣārtha means those actions which are proper and correct. The aim of life of an individual is determined by the doctrine of Puruṣārtha.

It is clear that the doctrine of Puruṣārtha is the basis of human life and it is to be regarded as basis on which the life of a man directs. According to Indian ethical thought, the aim of human life or the Puruṣārthas are four viz., Dharma (duty), Artha (wealth/prosperity), Kāma (pleasure) and Mokṣa (liberation). These four objectives are served as pointers in our life. It points to the goals in life. The Puruṣārthas helps us to create a meaningful balanced life. Every human being has four proper goals that are necessary and sufficient for a fulfilling and happy life. In Indian philosophy or ethics Dharma is explained first because it

¹M. Hiriyanna, *The Quest After Perfection*, pp. 22 & 103.